

Program Complot
(Version 2018-1)

by


Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550
U.S.A.

Tele: 925-443-1911

E.Mail: redcullen1@comcast.net
Web: redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start




MAT 5037

Elastic

Cross Section

50-Sn-116


-97.95 To 2334. %



MAT 5037


Inelastic
Cross Section


50-Sn-116
-49.90 To 22.14 %





Incident Energy (eV)


50-Sn-116

















MAT 5037


MT= 53 (n, n') Level
Cross Section


50-Sn-116
-2.621 To 9999. %














































































MAT 5037


(n,n') Continuum
Cross Section


50-Sn-116
-82.44 To 58.65 %





Incident Energy (eV)

50-Sn-116













Cross Section


-100.0 To 9999. %












MAT 5037

He-3 Production
Cross Section

50-Sn-116
-100.0 To 9999. %



47


Incident Energy (eV)


50-Sn-116


MAT 5037


He-4 Production
Cross Section

50-Sn-116
-100.0 To 9999. %












MAT 5037


Kerma inelastic (mt51-91)
Cross Section


50-Sn-116
-78.55 To 9999. %














MAT 5037

Dpa elastic (mt2)
Cross Section

50-Sn-116
-97.95 To 2338. %

