Program Complot
(Version 2018-1)
by
Dermott E. Cullen
(Present Contact Information)
Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550
U.S.A.
Tele: 925-443-1911
E.Mail:redcullen1@comcast.net
Web:redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start


MAT 5237
Total
Cross Section
52-Te-124
-96.60 To 9999. %
Min
Ratio
Max
Ratio
TENDL
JEFF3.3
Cross Section (barns)
JEFF3.3/TENDL
Ratio
Incident Energy (eV)
1
52-Te-124


MAT 5237
Elastic
Cross Section
52-Te-124
-98.04 To 9999. %
Min Ratio
Max Ratio
TENDL
JEFF3.3
Cross Section (barns)
JEFF3.3/TENDL
Ratio
Incident Energy (eV)
2
52-Te-124


MAT 5237
Inelastic
Cross Section
52-Te-124
-6.102 To 0.946 %
Max
Ratio
Min
Ratio
TENDL Threshold 607.63 keV
JEFF3.3 Threshold 607.63 keV
Cross Section (barns)
2.5
2.0
1.5
1.0
0.5
0.0
JEFF3.3/TENDL
Ratio
1.00
0.96
6 7 8
10^6
2
3
4
5
6
7
8
10^7
2
3
4
5
6
7
8
10^8
2
3
Incident Energy (eV)
52-Te-124


MAT 5237
(n,2n) d
Cross Section
52-Te-124
-99.47 To 9999. %
Max
Ratio
TENDL Threshold 22.312 MeV
JEFF3.3 Threshold 22.312 MeV
Cross Section (micro-barns)
100
80
60
40
20
0
JEFF3.3/TENDL
Ratio
10^4
10^2
10^0
10^-2
40
60
80
100
120
140
160
180
200
4
Incident Energy (MeV)
52-Te-124


MAT 5237
(n,2n)
Cross Section
52-Te-124
-11.98 To 6.784 %
Max Ratio
Min Ratio
TENDL Threshold 9.5012 MeV
JEFF3.3 Threshold 9.5012 MeV
Cross Section (barns)
1.6
1.2
0.8
0.4
0.0
JEFF3.3/TENDL
Ratio
1.1
1.0
0.9
10^7
2
3
4
5
6
7
8
9
10^8
2
5
Incident Energy (eV)
52-Te-124


MAT 5237
(n,3n)
Cross Section
52-Te-124
-0.367 To 139.1 %
Max Ratio
Min Ratio
TENDL Threshold 16.487 MeV
JEFF3.3 Threshold 16.487 MeV
Cross Section (barns)
1.2
1.0
0.8
0.6
0.4
0.2
0.0
JEFF3.3/TENDL
Ratio
2.4
1.8
1.2
2
3
4
5
6
7
8
9
10^8
2
6
Incident Energy (eV)
52-Te-124


MAT 5237
(n,n') α
Cross Section
52-Te-124
0.000 To 9999. %
Max Ratio
Min Ratio
TENDL Threshold 1.8664 MeV
JEFF3.3 Threshold 1.8667 MeV
Cross Section (milli-barns)
20
15
10
5
0
JEFF3.3/TENDL
Ratio
10^4
10^2
10^0
2 3 4 5 6 7 8
10^7
2 3 4 5 6 7 8
10^8
2
7
Incident Energy (eV)
52-Te-124


MAT 5237
(n,2n) α
Cross Section
52-Te-124
0.000 To 9999. %
Max Ratio
Min Ratio
TENDL Threshold 11.045 MeV
JEFF3.3 Threshold 11.045 MeV
Cross Section (milli-barns)
JEFF3.3/TENDL
Ratio
Incident Energy (eV)
8
52-Te-124


MAT 5237
(n,3n) α
Cross Section
52-Te-124
-76.71 To 9999. %
Min Ratio
Max Ratio
TENDL Threshold 17.581 MeV
JEFF3.3 Threshold 17.581 MeV
Cross Section (micro-barns)
20
15
10
5
0
JEFF3.3/TENDL
Ratio
10^4
10^2
10^0
2
3
4
5
6
7
8
9
10^8
2
9
Incident Energy (eV)
52-Te-124


MAT 5237
(n,n') p
Cross Section
52-Te-124
-43.59 To 56.74 %
Min Ratio
Max Ratio
TENDL Threshold 8.6602 MeV
JEFF3.3 Threshold 8.6602 MeV
Cross Section (milli-barns)
80
60
40
20
0
JEFF3.3/TENDL
Ratio
1.6
1.2
0.8
9
10^7
2
3
4
5
6
7
8
9
10^8
2
10
Incident Energy (eV)
52-Te-124


MAT 5237
(n,n') d
Cross Section
52-Te-124
-5.190 To 1797. %
Max Ratio
Min Ratio
TENDL Threshold 15.450 MeV
JEFF3.3 Threshold 15.452 MeV
Cross Section (milli-barns)
JEFF3.3/TENDL
Ratio
Incident Energy (eV)
11
52-Te-124


MAT 5237
(n,n') t
Cross Section
52-Te-124
0.000 To 1450. %
Max Ratio
Min Ratio
TENDL Threshold 16.004 MeV
JEFF3.3 Threshold 16.006 MeV
Cross Section (milli-barns)
JEFF3.3/TENDL
Ratio
Incident Energy (eV)
12
52-Te-124


MAT 5237
(n,n') He-3
Cross Section
52-Te-124
-8.493 To 78.28 %
Max Ratio
Min Ratio
TENDL Threshold 16.391 MeV
JEFF3.3 Threshold 16.391 MeV
Cross Section (micro-barns)
70
60
50
40
30
20
10
0
JEFF3.3/TENDL
Ratio
2.0
1.6
1.2
2
3
4
5
6
7
8
9
10^8
2
13
Incident Energy (eV)
52-Te-124


MAT 5237
(n,4n)
Cross Section
52-Te-124
0.000 To 2080. %
Min
Ratio
TENDL Threshold 26.408 MeV
JEFF3.3 Threshold 26.408 MeV
Cross Section (milli-barns)
120
100
80
60
40
20
0
JEFF3.3/TENDL
Ratio
6
4
10^1
6
4
10^0
40
60
80
100
120
140
160
180
200
14
Incident Energy (MeV)
52-Te-124


MAT 5237
(n,2n) p
Cross Section
52-Te-124
-80.63 To 9999. %
Max
Ratio
TENDL Threshold 17.693 MeV
JEFF3.3 Threshold 17.695 MeV
Cross Section (milli-barns)
20
15
10
5
0
JEFF3.3/TENDL
Ratio
10^4
10^2
10^0
2
3
4
5
6
7
8
9
10^8
2
15
Incident Energy (eV)
52-Te-124


MAT 5237
(n,3n) p
Cross Section
52-Te-124
0.000 To 9999. %
Min
Ratio
TENDL Threshold 24.555 MeV
JEFF3.3 Threshold 24.555 MeV
Cross Section (micro-barns)
35
30
25
20
15
10
5
0
JEFF3.3/TENDL
Ratio
10^4
10^2
10^0
40
60
80
100
120
140
160
180
200
16
Incident Energy (MeV)
52-Te-124


MAT 5237
(n,2n) p
Cross Section
52-Te-124
-97.65 To 9999. %
Min Ratio
Max Ratio
TENDL Threshold 15.286 MeV
JEFF3.3 Threshold 15.286 MeV
Cross Section (micro-barns)
3.5
3.0
2.5
2.0
1.5
1.0
0.5
0.0
JEFF3.3/TENDL
Ratio
10^2
10^0
2
3
4
5
6
7
8
9
10^8
2
17
Incident Energy (eV)
52-Te-124


MAT 5237
(n,n') p α
Cross Section
52-Te-124
0.000 To 9999. %
Max Ratio
Min Ratio
TENDL Threshold 12.641 MeV
JEFF3.3 Threshold 12.641 MeV
Cross Section (10^-9 barns)
60
40
20
0
JEFF3.3/TENDL
Ratio
10^3
10^2
10^1
10^0
2
3
4
5
6
7
8
9
10^8
2
18
Incident Energy (eV)
52-Te-124


MAT 5237
MT= 51 (n,n') Level
Cross Section
52-Te-124
-0.483 To 0.073 %
Min Ratio
Max Ratio
TENDL Threshold 607.63 keV
JEFF3.3 Threshold 607.63 keV
Cross Section (barns)
1.2
1.0
0.8
0.6
0.4
0.2
0.0
JEFF3.3/TENDL
Ratio
1.01
1.00
0.99
6 7 8 10^6 2 3 4 5 6 7 8 10^7 2 3 4 5 6 7 8 10^8 2
19
Incident Energy (eV)
52-Te-124


MAT 5237
MT= 52 (n,n') Level
Cross Section
52-Te-124
-1.154 To 0.317 %
Min Ratio
Max Ratio
TENDL Threshold 1.2588 MeV
JEFF3.3 Threshold 1.2588 MeV
Cross Section (milli-barns)
250
200
150
100
50
0
JEFF3.3/TENDL
Ratio
1.01
1.00
0.99
2 3 4 5 6 7 8
10^7
2 3 4 5 6 7 8
10^8
2
20
Incident Energy (eV)
52-Te-124


MAT 5237
MT= 53 (n,n') Level
Cross Section
52-Te-124
-0.320 To 0.288 %
Min Ratio
Max Ratio
TENDL Threshold 1.3363 MeV
JEFF3.3 Threshold 1.3363 MeV
Cross Section (milli-barns)
500
400
300
200
100
0
JEFF3.3/TENDL
Ratio
1.01
1.00
0.99
2 3 4 5 6 7 8 10^7 2 3 4 5 6 7 8 10^8 2
21
Incident Energy (eV)
52-Te-124


MAT 5237
MT= 54 (n,n') Level
Cross Section
52-Te-124
-0.146 To 0.140 %
Min Ratio
Max Ratio
TENDL Threshold 1.6708 MeV
JEFF3.3 Threshold 1.6708 MeV
Cross Section (milli-barns)
100
80
60
40
20
0
JEFF3.3/TENDL
Ratio
1.01
1.00
0.99
2
3
4
5
6
7
8
10^7
2
3
4
5
6
7
8
10^8
2
22
Incident Energy (eV)
52-Te-124


MAT 5237
MT= 55 (n,n') Level
Cross Section
52-Te-124
-4.957 To 0.828 %
Min Ratio
Max Ratio
TENDL Threshold 1.7612 MeV
JEFF3.3 Threshold 1.7612 MeV
Cross Section (milli-barns)
20
15
10
5
0
JEFF3.3/TENDL
Ratio
1.02
1.00
0.98
0.96
2 3 4 5 6 7 8 10^7 2 3 4 5 6 7 8 10^8 2
23
Incident Energy (eV)
52-Te-124


MAT 5237
MT= 56 (n,n') Level
Cross Section
52-Te-124
-0.141 To 8.647 %
Min
Ratio
Max
Ratio
TENDL Threshold 1.8983 MeV
JEFF3.3 Threshold 1.8983 MeV
Cross Section (milli-barns)
60
50
40
30
20
10
0
JEFF3.3/TENDL
Ratio
1.10
1.05
1.00
2
3
4
5
6
7
8
10^7
2
3
4
5
6
7
8
10^8
2
24
Incident Energy (eV)
52-Te-124


MAT 5237
MT= 57 (n,n') Level
Cross Section
52-Te-124
-0.930 To 0.802 %
Min Ratio
Max Ratio
TENDL Threshold 1.9738 MeV
JEFF3.3 Threshold 1.9738 MeV
Cross Section (milli-barns)
80
60
40
20
0
JEFF3.3/TENDL
Ratio
1.01
1.00
0.99
2 3 4 5 6 7 8 10^7 2 3 4 5 6 7 8 10^8 2
25
Incident Energy (eV)
52-Te-124


MAT 5237
MT= 58 (n,n') Level
Cross Section
52-Te-124
-0.293 To 8.646 %
Min
Ratio
Max
Ratio
TENDL Threshold 2.0559 MeV
JEFF3.3 Threshold 2.0559 MeV
Cross Section (milli-barns)
100
80
60
40
20
0
JEFF3.3/TENDL
Ratio
1.10
1.05
1.00
2
3
4
5
6
7
8
10^7
2
3
4
5
6
7
8
10^8
2
26
Incident Energy (eV)
52-Te-124


MAT 5237
MT= 59 (n,n') Level
Cross Section
52-Te-124
-0.214 To 0.646 %
Min Ratio
Max Ratio
TENDL Threshold 2.0823 MeV
JEFF3.3 Threshold 2.0823 MeV
Cross Section (milli-barns)
140
120
100
80
60
40
20
0
JEFF3.3/TENDL
Ratio
1.01
1.00
2 3 4 5 6 7 8 9 10^7 2 3 4 5 6 7 8 9 10^8 2
27
Incident Energy (eV)
52-Te-124


MAT 5237
MT= 60 (n,n') Level
Cross Section
52-Te-124
-0.214 To 0.647 %
Min Ratio
Max Ratio
TENDL Threshold 2.1086 MeV
JEFF3.3 Threshold 2.1086 MeV
Cross Section (milli-barns)
120
100
80
60
40
20
0
JEFF3.3/TENDL
Ratio
1.01
1.00
2
3
4
5
6
7
8
9
10^7
2
3
4
5
6
7
8
9
10^8
2
28
Incident Energy (eV)
52-Te-124


MAT 5237
MT= 61 (n,n') Level
Cross Section
52-Te-124
-0.114 To 8.648 %
Min
Ratio
Max
Ratio
TENDL Threshold 2.1708 MeV
JEFF3.3 Threshold 2.1708 MeV
Cross Section (milli-barns)
30
20
10
0
JEFF3.3/TENDL
Ratio
1.10
1.05
1.00
3 4 5 6 7 8 9
10^7
2 3 4 5 6 7 8 9
10^8
2
29
Incident Energy (eV)
52-Te-124


MAT 5237
MT= 62 (n,n') Level
Cross Section
52-Te-124
-0.152 To 0.650 %
Min Ratio
Max Ratio
TENDL Threshold 2.2002 MeV
JEFF3.3 Threshold 2.2002 MeV
Cross Section (milli-barns)
100
80
60
40
20
0
JEFF3.3/TENDL
Ratio
1.01
1.00
3 4 5 6 7 8 9
10^7
2 3 4 5 6 7 8 9
10^8
2
30
Incident Energy (eV)
52-Te-124


MAT 5237
MT= 63 (n,n') Level
Cross Section
52-Te-124
-0.421 To 0.815 %
Min Ratio
Max Ratio
TENDL Threshold 2.2431 MeV
JEFF3.3 Threshold 2.2431 MeV
Cross Section (milli-barns)
50
40
30
20
10
0
JEFF3.3/TENDL
Ratio
1.01
1.00
3 4 5 6 7 8 9 10^7 2 3 4 5 6 7 8 9 10^8 2
31
Incident Energy (eV)
52-Te-124


MAT 5237
MT= 64 (n,n') Level
Cross Section
52-Te-124
-0.107 To 0.973 %
Min Ratio
Max Ratio
TENDL Threshold 2.2925 MeV
JEFF3.3 Threshold 2.2925 MeV
Cross Section (milli-barns)
60
40
20
0
JEFF3.3/TENDL
Ratio
1.02
1.01
1.00
3 4 5 6 7 8 9 10^7 2 3 4 5 6 7 8 9 10^8 2
32
Incident Energy (eV)
52-Te-124


MAT 5237
MT= 65 (n,n') Level
Cross Section
52-Te-124
-0.247 To 0.984 %
Min Ratio
Max Ratio
TENDL Threshold 2.3010 MeV
JEFF3.3 Threshold 2.3010 MeV
Cross Section (milli-barns)
70
60
50
40
30
20
10
0
1.02
JEFF3.3/TENDL
Ratio
1.01
1.00
3 4 5 6 7 8 9 10^7 2 3 4 5 6 7 8 9 10^8 2
33
Incident Energy (eV)
52-Te-124


MAT 5237
MT= 66 (n,n') Level
Cross Section
52-Te-124
-0.248 To 0.192 %
Min Ratio
Max Ratio
TENDL Threshold 2.3124 MeV
JEFF3.3 Threshold 2.3124 MeV
Cross Section (milli-barns)
80
60
40
20
0
JEFF3.3/TENDL
Ratio
1.01
1.00
0.99
3 4 5 6 7 8 9 10^7 2 3 4 5 6 7 8 9 10^8 2
34
Incident Energy (eV)
52-Te-124


MAT 5237
MT= 67 (n,n') Level
Cross Section
52-Te-124
-0.084 To 8.648 %
Min
Ratio
Max
Ratio
TENDL Threshold 2.3272 MeV
JEFF3.3 Threshold 2.3272 MeV
Cross Section (milli-barns)
25
20
15
10
5
0
JEFF3.3/TENDL
Ratio
1.10
1.05
1.00
3 4 5 6 7 8 9
10^7
2 3 4 5 6 7 8 9
10^8
2
35
Incident Energy (eV)
52-Te-124


MAT 5237
MT= 68 (n,n') Level
Cross Section
52-Te-124
-1.339 To 0.866 %
Min Ratio
Max Ratio
TENDL Threshold 2.3406 MeV
JEFF3.3 Threshold 2.3406 MeV
Cross Section (milli-barns)
JEFF3.3/TENDL
Ratio
Incident Energy (eV)
36
52-Te-124


MAT 5237
MT= 69 (n,n') Level
Cross Section
52-Te-124
-0.152 To 0.656 %
Min Ratio
Max Ratio
TENDL Threshold 2.3419 MeV
JEFF3.3 Threshold 2.3419 MeV
Cross Section (milli-barns)
80
60
40
20
0
JEFF3.3/TENDL
Ratio
1.01
1.00
3 4 5 6 7 8 9 10^7 2 3 4 5 6 7 8 9 10^8 2
37
Incident Energy (eV)
52-Te-124


MAT 5237
MT= 70 (n,n') Level
Cross Section
52-Te-124
-0.656 To 1.003 %
Min Ratio
Max Ratio
TENDL Threshold 2.3455 MeV
JEFF3.3 Threshold 2.3455 MeV
Cross Section (milli-barns)
20
15
10
5
0
JEFF3.3/TENDL
Ratio
1.010
1.000
3 4 5 6 7 8 9 10^7 2 3 4 5 6 7 8 9 10^8 2
38
Incident Energy (eV)
52-Te-124


MAT 5237
MT= 71 (n,n') Level
Cross Section
52-Te-124
-0.666 To 1.003 %
Min Ratio
Max Ratio
TENDL Threshold 2.3540 MeV
JEFF3.3 Threshold 2.3540 MeV
Cross Section (milli-barns)
20
15
10
5
0
JEFF3.3/TENDL
Ratio
1.01
1.00
0.99
3 4 5 6 7 8 9
10^7
2 3 4 5 6 7 8 9
10^8
2
39
Incident Energy (eV)
52-Te-124


MAT 5237
MT= 72 (n,n') Level
Cross Section
52-Te-124
-1.528 To 0.868 %
Min Ratio
Max Ratio
TENDL Threshold 2.3686 MeV
JEFF3.3 Threshold 2.3686 MeV
Cross Section (milli-barns)
0
2
4
6
JEFF3.3/TENDL
Ratio
0.99
1.00
1.01
3 4 5 6 7 8 9 10^7 2 3 4 5 6 7 8 9 10^8 2
Incident Energy (eV)
40
52-Te-124


MAT 5237
MT= 73 (n,n') Level
Cross Section
52-Te-124
-0.101 To 0.661 %
Min Ratio
Max Ratio
TENDL Threshold 2.4741 MeV
JEFF3.3 Threshold 2.4741 MeV
Cross Section (milli-barns)
50
40
30
20
10
0
JEFF3.3/TENDL
Ratio
1.01
1.00
3 4 5 6 7 8 9 10^7 2 3 4 5 6 7 8 9 10^8 2
41
Incident Energy (eV)
52-Te-124


MAT 5237
MT= 74 (n,n') Level
Cross Section
52-Te-124
-0.290 To 0.829 %
Min Ratio
Max Ratio
TENDL Threshold 2.5036 MeV
JEFF3.3 Threshold 2.5036 MeV
Cross Section (milli-barns)
30
25
20
15
10
5
0
JEFF3.3/TENDL
Ratio
1.01
1.00
3 4 5 6 7 8 9 10^7 2 3 4 5 6 7 8 9 10^8 2
42
Incident Energy (eV)
52-Te-124


MAT 5237
MT= 75 (n,n') Level
Cross Section
52-Te-124
-0.067 To 0.951 %
Min Ratio
Max Ratio
TENDL Threshold 2.5121 MeV
JEFF3.3 Threshold 2.5121 MeV
Cross Section (milli-barns)
40
30
20
10
0
JEFF3.3/TENDL
Ratio
1.02
1.01
1.00
3 4 5 6 7 8 9
10^7
2 3 4 5 6 7 8 9
10^8
2
43
Incident Energy (eV)
52-Te-124


MAT 5237
MT= 76 (n,n') Level
Cross Section
52-Te-124
-0.169 To 0.967 %
Min Ratio
Max Ratio
TENDL Threshold 2.5172 MeV
JEFF3.3 Threshold 2.5172 MeV
Cross Section (milli-barns)
40
30
20
10
0
JEFF3.3/TENDL
Ratio
1.02
1.01
1.00
3 4 5 6 7 8 9 10^7 2 3 4 5 6 7 8 9 10^8 2
Incident Energy (eV)
44
52-Te-124


MAT 5237
MT= 77 (n,n') Level
Cross Section
52-Te-124
-0.298 To 0.831 %
Min Ratio
Max Ratio
TENDL Threshold 2.5324 MeV
JEFF3.3 Threshold 2.5324 MeV
Cross Section (milli-barns)
25
20
15
10
5
0
JEFF3.3/TENDL
Ratio
1.01
1.00
3 4 5 6 7 8 9 10^7 2 3 4 5 6 7 8 9 10^8 2
45
Incident Energy (eV)
52-Te-124


MAT 5237
MT= 78 (n,n') Level
Cross Section
52-Te-124
-0.101 To 0.664 %
Min Ratio
Max Ratio
TENDL Threshold 2.5419 MeV
JEFF3.3 Threshold 2.5419 MeV
Cross Section (milli-barns)
50
40
30
20
10
0
JEFF3.3/TENDL
Ratio
1.01
1.00
3 4 5 6 7 8 9
10^7
2 3 4 5 6 7 8 9
10^8
2
46
Incident Energy (eV)
52-Te-124


MAT 5237
MT= 79 (n,n') Level
Cross Section
52-Te-124
-0.066 To 8.649 %
Min
Ratio
Max
Ratio
TENDL Threshold 2.5502 MeV
JEFF3.3 Threshold 2.5502 MeV
Cross Section (milli-barns)
35
30
25
20
15
10
5
0
JEFF3.3/TENDL
Ratio
1.10
1.05
1.00
3 4 5 6 7 8 9
10^7
2 3 4 5 6 7 8 9
10^8
2
47
Incident Energy (eV)
52-Te-124


MAT 5237
MT= 80 (n,n') Level
Cross Section
52-Te-124
-0.366 To 8.642 %
Min
Ratio
Max
Ratio
TENDL Threshold 2.5549 MeV
JEFF3.3 Threshold 2.5549 MeV
Cross Section (milli-barns)
16
14
12
10
8
6
4
2
0
JEFF3.3/TENDL
Ratio
1.10
1.05
1.00
3 4 5 6 7 8 9
10^7
2 3 4 5 6 7 8 9
10^8
2
48
Incident Energy (eV)
52-Te-124


MAT 5237
(n,n') Continuum
Cross Section
52-Te-124
-9.173 To 1.079 %
Max
Ratio
Min
Ratio
TENDL Threshold 2.5549 MeV
JEFF3.3 Threshold 2.5549 MeV
Cross Section (barns)
2.5
2.0
1.5
1.0
0.5
0.0
JEFF3.3/TENDL
Ratio
1.00
0.95
0.90
3
4
5
6
7
8
9
10^7
2
3
4
5
6
7
8
9
10^8
2
49
Incident Energy (eV)
52-Te-124


MAT 5237
(n,γ)
Cross Section
52-Te-124
-99.99 To 9999. %
Min Ratio
Max Ratio
TENDL
JEFF3.3
Cross Section (barns)
JEFF3.3/TENDL
Ratio
Incident Energy (eV)
50
52-Te-124


MAT 5237
(n,p)
Cross Section
52-Te-124
-17.16 To 8.979 %
Max Ratio
Min Ratio
TENDL Threshold 2.1400 MeV
JEFF3.3 Threshold 2.1392 MeV
Cross Section (milli-barns)
30
25
20
15
10
5
0
JEFF3.3/TENDL
Ratio
1.1
1.0
0.9
3 4 5 6 7 8 9 10^7 2 3 4 5 6 7 8 9 10^8 2
51
Incident Energy (eV)
52-Te-124


MAT 5237
(n,d)
Cross Section
52-Te-124
-5.976 To 5.582 %
Max Ratio
Min Ratio
TENDL Threshold 6.4175 MeV
JEFF3.3 Threshold 6.4167 MeV
Cross Section (milli-barns)
25
20
15
10
5
0
JEFF3.3/TENDL
Ratio
1.05
1.00
0.95
7 8 9 10^7 2 3 4 5 6 7 8 9 10^8 2
52
Incident Energy (eV)
52-Te-124


MAT 5237
(n,t)
Cross Section
52-Te-124
-1.946 To 8.047 %
Max Ratio
Min Ratio
TENDL Threshold 9.1422 MeV
JEFF3.3 Threshold 9.1440 MeV
Cross Section (milli-barns)
0
1
2
3
4
5
6
JEFF3.3/TENDL
Ratio
1.00
1.05
1.10
9
10^7
2
3
4
5
6
7
8
9
10^8
2
53
Incident Energy (eV)
52-Te-124


MAT 5237
(n,He-3)
Cross Section
52-Te-124
-0.264 To 10.31 %
Max Ratio
Min Ratio
TENDL Threshold 7.5047 MeV
JEFF3.3 Threshold 7.5047 MeV
Cross Section (milli-barns)
1.4
1.2
1.0
0.8
0.6
0.4
0.2
0.0
JEFF3.3/TENDL
Ratio
1.10
1.05
1.00
8 9
10^7
2 3 4 5 6 7 8 9
10^8
2
54
Incident Energy (eV)
52-Te-124


MAT 5237
(n,α)
Cross Section
52-Te-124
0.000 To 9999. %
Max Ratio
Min Ratio
TENDL
JEFF3.3
Cross Section (barns)
JEFF3.3/TENDL
Ratio
Incident Energy (eV)
55
52-Te-124


MAT 5237
(n,2α)
Cross Section
52-Te-124
-72.89 To 9999. %
Min Ratio
Max Ratio
TENDL Threshold 891.44 keV
JEFF3.3 Threshold 892.55 keV
Cross Section (10^{-9} barns)
60
40
20
0
JEFF3.3/TENDL
Ratio
10^{2}
10^{0}
10^{6}
10^{7}
10^{8}
Incident Energy (eV)
56
52-Te-124


MAT 5237
(n,2p)
Cross Section
52-Te-124
-12.14 To 106.8 %
Max Ratio
Min Ratio
TENDL Threshold 9.2911 MeV
JEFF3.3 Threshold 9.2911 MeV
Cross Section (micro-barns)
30
25
20
15
10
5
0
JEFF3.3/TENDL
Ratio
2.4
2.0
1.6
1.2
0.8
9
10^7
2
3
4
5
6
7
8
9
10^8
2
57
Incident Energy (eV)
52-Te-124


MAT 5237
(n,p) α
Cross Section
52-Te-124
0.000 To 9999. %
Max Ratio
Min Ratio
TENDL Threshold 6.4914 MeV
JEFF3.3 Threshold 6.4914 MeV
Cross Section (micro-barns)
1.5
1.0
0.5
0.0
JEFF3.3/TENDL
Ratio
10^2
10^1
10^0
7 8 9 10^7 2 3 4 5 6 7 8 9 10^8 2
58
Incident Energy (eV)
52-Te-124


MAT 5237
(n,p) d
Cross Section
52-Te-124
-8.361 To 257.6 %
Max Ratio
Min Ratio
TENDL Threshold 13.043 MeV
JEFF3.3 Threshold 13.043 MeV
Cross Section (10^{-9} barns)
250
200
150
100
50
0
JEFF3.3/TENDL
Ratio
4.0
3.0
2.0
1.0
2
3
4
5
6
7
8
9
10^8
2
59
Incident Energy (eV)
52-Te-124


MAT 5237
(n,p) t
Cross Section
52-Te-124
-5.279 To 211.7 %
Max Ratio
Min Ratio
TENDL Threshold 15.621 MeV
JEFF3.3 Threshold 15.621 MeV
Cross Section (10^{-9} barns)
100
80
60
40
20
0
JEFF3.3/TENDL
Ratio
3.0
2.0
1.0
2
3
4
5
6
7
8
9
10^8
2
60
Incident Energy (eV)
52-Te-124


MAT 5237
Hydrogen Production
Cross Section
52-Te-124
-17.15 To 134.3 %
Min Ratio
Max Ratio
TENDL Threshold 2.1400 MeV
JEFF3.3 Threshold 2.1392 MeV
Cross Section (barns)
2.0
1.5
1.0
0.5
0.0
JEFF3.3/TENDL
Ratio
2.4
1.8
1.2
3 4 5 6 7 8 9
10^7
2 3 4 5 6 7 8 9
10^8
2
61
Incident Energy (eV)
52-Te-124


MAT 5237
Deuterium Production
Cross Section
52-Te-124
-5.976 To 113.8 %
Min
Ratio
Max
Ratio
TENDL Threshold 6.4175 MeV
JEFF3.3 Threshold 6.4167 MeV
Cross Section (milli-barns)
500
400
300
200
100
0
JEFF3.3/TENDL
Ratio
2.4
2.0
1.6
1.2
7 8 9
10^7
2 3 4 5 6 7 8 9
10^8
2
62
Incident Energy (eV)
52-Te-124


MAT 5237
Tritium Production
Cross Section
52-Te-124
-2.639 To 141.3 %
Min Ratio
Max Ratio
TENDL Threshold 9.1422 MeV
JEFF3.3 Threshold 9.1440 MeV
Cross Section (milli-barns)
250
200
150
100
50
0
JEFF3.3/TENDL
Ratio
2.4
1.8
1.2
9
2
3
4
5
6
7
8
9
2
10^7
10^8
63
Incident Energy (eV)
52-Te-124


MAT 5237
He-3 Production
Cross Section
52-Te-124
-0.027 To 10.31 %
Max Ratio
Min Ratio
TENDL Threshold 7.5047 MeV
JEFF3.3 Threshold 7.5047 MeV
Cross Section (milli-barns)
300
250
200
150
100
50
0
JEFF3.3/TENDL
Ratio
1.10
1.05
1.00
8 9 10^7 2 3 4 5 6 7 8 9 10^8 2
64
Incident Energy (eV)
52-Te-124


MAT 5237
He-4 Production
Cross Section
52-Te-124
-3.563 To 9999. %
Max
Ratio
Min
Ratio
TENDL
JEFF3.3
Cross Section (barns)
JEFF3.3/TENDL
Ratio
Incident Energy (eV)
65
52-Te-124


MAT 5237
Kerma total (eV-barns)
Cross Section
52-Te-124
-97.94 To 9999. %
Min Ratio
Max Ratio
TENDL
JEFF3.3
Cross Section (barns)
JEFF3.3/TENDL
Ratio
Incident Energy (eV)
66
52-Te-124


MAT 5237
Kerma elastic
Cross Section
52-Te-124
-98.04 To 9999. %
Min
Ratio
Max
Ratio
TENDL
JEFF3.3
Cross Section (barns)
JEFF3.3/TENDL
Ratio
Incident Energy (eV)
67
52-Te-124


MAT 5237
Kerma non-elastic (all but mt2)
Cross Section
52-Te-124
-99.99 To 9999. %
Min Ratio
Max Ratio
TENDL
JEFF3.3
Cross Section (barns)
JEFF3.3/TENDL
Ratio
Incident Energy (eV)
68
52-Te-124


MAT 5237
Kerma inelastic (mt51-91)
Cross Section
52-Te-124
-10.84 To 7.120 %
Max Ratio
Min Ratio
TENDL Threshold 607.63 keV
JEFF3.3 Threshold 607.63 keV
Cross Section (barns)
JEFF3.3/TENDL
Ratio
Incident Energy (eV)
69
52-Te-124


MAT 5237
Kerma fission (mt18 or mt19-20-21-38)
Cross Section
52-Te-124
-10.84 To 7.120 %
Max Ratio
Min Ratio
TENDL
JEFF3.3
Cross Section (barns)
1.0
0.5
0.0
-0.5
-1.0
JEFF3.3/TENDL
Ratio
1.1
1.0
0.9
10-5 4 10-4 4 10-3 4 10-2 4 10-1 4 100 4 101 4 102 4 103 4 104 4 105 4 106 4 107 4 108
70
Incident Energy (eV)
52-Te-124


MAT 5237
Kerma capture (mt102)
Cross Section
52-Te-124
-99.99 To 9999. %
Min Ratio
Max Ratio
TENDL
JEFF3.3
Cross Section (barns)
JEFF3.3/TENDL
Ratio
Incident Energy (eV)
71
52-Te-124


MAT 5237
Total photon (eV-barns)
Cross Section
52-Te-124
-99.99 To 9999. %
Min Ratio
Max Ratio
TENDL
JEFF3.3
Cross Section (barns)
JEFF3.3/TENDL
Ratio
Incident Energy (eV)
72
52-Te-124


MAT 5237
Total kinematic kerma (high limit)
Cross Section
52-Te-124
-97.94 To 9999. %
Min Ratio
Max Ratio
TENDL
JEFF3.3
Cross Section (barns)
JEFF3.3/TENDL
Ratio
Incident Energy (eV)
73
52-Te-124


MAT 5237
Dpa total (eV-barns)
Cross Section
52-Te-124
-97.97 To 9999. %
Min Ratio
Max Ratio
TENDL
JEFF3.3
Cross Section (barns)
JEFF3.3/TENDL
Ratio
74
Incident Energy (eV)
52-Te-124


MAT 5237
Dpa elastic (mt2)
Cross Section
52-Te-124
-98.04 To 9999. %
Min Ratio
Max Ratio
TENDL Threshold 740.41 eV
JEFF3.3 Threshold 740.41 eV
Cross Section (barns)
JEFF3.3/TENDL
Ratio
Incident Energy (eV)
75
52-Te-124


MAT 5237
Dpa inelastic (mt51-91)
Cross Section
52-Te-124
-4.207 To 11.27 %
Max Ratio
Min Ratio
TENDL Threshold 607.63 keV
JEFF3.3 Threshold 607.63 keV
Cross Section (barns)
JEFF3.3/TENDL
Ratio
Incident Energy (eV)
76
52-Te-124


MAT 5237
Dpa disappearance (mt102 -120)
Cross Section
52-Te-124
-99.99 To 9999. %
Min Ratio
Max Ratio
TENDL
JEFF3.3
Cross Section (barns)
JEFF3.3/TENDL
Ratio
Incident Energy (eV)
77
52-Te-124


MAT 5237
(n,2n):52-Te-123g
52-Te-124
Radionuclide Production Cross Section
-36.13 To 2.814 %
Max Ratio
Min Ratio
TENDL Threshold 9.5012 MeV
JEFF3.3 Threshold 9.5012 MeV
Cross Section (milli-barns)
700
600
500
400
300
200
100
0
JEFF3.3/TENDL
Ratio
1.0
0.8
10^7
2
3
4
5
6
7
8
9
10^8
2
78
Incident Energy (eV)
52-Te-124


MAT 5237
(n,2n):52-Te-123m2
52-Te-124
Radionuclide Production Cross Section -4.058 To 13.57 %
Min Ratio
Max Ratio
TENDL Threshold 9.7507 MeV
JEFF3.3 Threshold 9.7507 MeV
Cross Section (barns)
1.2
1.0
0.8
0.6
0.4
0.2
0.0
JEFF3.3/TENDL
Ratio
1.1
1.0
10^7
2
3
4
5
6
7
8
9
10^8
2
79
Incident Energy (eV)
52-Te-124


MAT 5237
(n,2n) α:50-Sn-119g
52-Te-124
Radionuclide Production Cross Section 0.000 To 9999. %
Max Ratio
Min Ratio
TENDL Threshold 11.045 MeV
JEFF3.3 Threshold 11.045 MeV
Cross Section (milli-barns)
2.5
2.0
1.5
1.0
0.5
0.0
JEFF3.3/TENDL
Ratio
10^4
10^2
10^0
2
3
4
5
6
7
8
9
10^8
2
80
Incident Energy (eV)
52-Te-124


MAT 5237
(n,2n) α:50-Sn-119m2
52-Te-124
Radionuclide Production Cross Section 0.000 To 9999. %
Max Ratio
Min Ratio
TENDL Threshold 11.135 MeV
JEFF3.3 Threshold 11.135 MeV
Cross Section (milli-barns)
3.5
3.0
2.5
2.0
1.5
1.0
0.5
0.0
JEFF3.3/TENDL
Ratio
10^4
10^2
10^0
2
3
4
5
6
7
8
9
10^8
2
81
Incident Energy (eV)
52-Te-124


MAT 5237
(n,n') d:51-Sb-122g
52-Te-124
Radionuclide Production Cross Section -3.686 To 1840. %
Max Ratio
Min Ratio
TENDL Threshold 15.450 MeV
JEFF3.3 Threshold 15.452 MeV
Cross Section (milli-barns)
JEFF3.3/TENDL
Ratio
Incident Energy (eV)
82
52-Te-124


MAT 5237
(n,n') d:51-Sb-122m5
52-Te-124
Radionuclide Production Cross Section -16.31 To 521.3 %
Max Ratio
Min Ratio
TENDL Threshold 15.615 MeV
JEFF3.3 Threshold 15.617 MeV
Cross Section (milli-barns)
JEFF3.3/TENDL
Ratio
Incident Energy (eV)
83
52-Te-124


MAT 5237
(n,n') He-3:50-Sn-121g
52-Te-124
Radionuclide Production Cross Section -11.75 To 81.13 %
Max Ratio
Min Ratio
TENDL Threshold 16.391 MeV
JEFF3.3 Threshold 16.391 MeV
Cross Section (micro-barns)
14
12
10
8
6
4
2
0
JEFF3.3/TENDL
Ratio
2.0
1.6
1.2
2
3
4
5
6
7
8
9
10^8
2
84
Incident Energy (eV)
52-Te-124


MAT 5237
(n,n') He-3:50-Sn-121m1
52-Te-124
Radionuclide Production Cross Section -7.415 To 77.30 %
Max Ratio
Min Ratio
TENDL Threshold 16.397 MeV
JEFF3.3 Threshold 16.397 MeV
Cross Section (micro-barns)
50
40
30
20
10
0
JEFF3.3/TENDL
Ratio
2.0
1.6
1.2
2
3
4
5
6
7
8
9
10^8
2
85
Incident Energy (eV)
52-Te-124


MAT 5237
(n,4n):52-Te-121g
52-Te-124
Radionuclide Production Cross Section 0.000 To 1832. %
Min Ratio
TENDL Threshold 26.408 MeV
JEFF3.3 Threshold 26.408 MeV
Cross Section (milli-barns)
35
30
25
20
15
10
5
0
JEFF3.3/TENDL
Ratio
4
10^1
6
4
10^0
40
60
80
100
120
140
160
180
200
86
Incident Energy (MeV)
52-Te-124


MAT 5237
(n,4n):52-Te-121m2
52-Te-124
Radionuclide Production Cross Section 0.000 To 2556. %
Min
Ratio
TENDL Threshold 26.705 MeV
JEFF3.3 Threshold 26.705 MeV
Cross Section (milli-barns)
80
60
40
20
0
JEFF3.3/TENDL
Ratio
4
10^1
4
10^0
40
60
80
100
120
140
160
180
200
87
Incident Energy (MeV)
52-Te-124


MAT 5237
(n,2n) p:51-Sb-122g
52-Te-124
Radionuclide Production Cross Section -80.27 To 9999. %
Max Ratio
TENDL Threshold 17.693 MeV
JEFF3.3 Threshold 17.695 MeV
Cross Section (milli-barns)
0
2
4
6
8
10
12
JEFF3.3/TENDL
Ratio
10^0
10^2
10^4
2
3
4
5
6
7
8
9
10^8
2
88
Incident Energy (eV)
52-Te-124


MAT 5237
(n,2n) p:51-Sb-122m5
52-Te-124
Radionuclide Production Cross Section -70.89 To 9999. %
Max Ratio
TENDL Threshold 17.858 MeV
JEFF3.3 Threshold 17.858 MeV
Cross Section (milli-barns)
0
2
4
6
JEFF3.3/TENDL
Ratio
10^0
10^1
10^2
2
3
4
5
6
7
8
9
10^8
2
89
Incident Energy (eV)
52-Te-124


MAT 5237
(n,n') p α:49-In-119g
52-Te-124
Radionuclide Production Cross Section 0.000 To 9999. %
Max Ratio
Min Ratio
TENDL Threshold 12.641 MeV
JEFF3.3 Threshold 12.641 MeV
Cross Section (10^{-9} barns)
70
60
50
40
30
20
10
0
JEFF3.3/TENDL
Ratio
10^3
10^2
10^1
10^0
2
3
4
5
6
7
8
9
10^8
2
90
Incident Energy (eV)
52-Te-124


MAT 5237
(n,n') p α:49-In-119m1
52-Te-124
Radionuclide Production Cross Section 0.000 To 9999. %
Max Ratio
Min Ratio
TENDL Threshold 20.000 MeV
JEFF3.3 Threshold 19.000 MeV
Cross Section (10^{-9} barns)
0
2
4
6
JEFF3.3/TENDL
Ratio
10^0
10^1
10^2
10^3
2
3
4
5
6
7
8
9
10^8
2
91
Incident Energy (eV)
52-Te-124


MAT 5237
(n,p):51-Sb-124g
52-Te-124
Radionuclide Production Cross Section -14.73 To 8.945 %
Max Ratio
Min Ratio
TENDL Threshold 2.1400 MeV
JEFF3.3 Threshold 2.1392 MeV
Cross Section (milli-barns)
JEFF3.3/TENDL
Ratio
Incident Energy (eV)
92
52-Te-124


MAT 5237
(n,p):51-Sb-124m1
52-Te-124
Radionuclide Production Cross Section
-37.52 To 22.23 %
Max Ratio
Min Ratio
TENDL Threshold 2.1510 MeV
JEFF3.3 Threshold 2.1502 MeV
Cross Section (milli-barns)
JEFF3.3/TENDL
Ratio
Incident Energy (eV)
93
52-Te-124


MAT 5237
(n,p):51-Sb-124m2
52-Te-124
Radionuclide Production Cross Section -10.14 To 11.73 %
Min Ratio
Max Ratio
TENDL Threshold 2.8000 MeV
JEFF3.3 Threshold 2.8000 MeV
Cross Section (milli-barns)
JEFF3.3/TENDL
Ratio
Incident Energy (eV)
94
52-Te-124


MAT 5237
(n,t):51-Sb-122g
52-Te-124
Radionuclide Production Cross Section -0.682 To 10.54 %
Max Ratio
Min Ratio
TENDL Threshold 9.1422 MeV
JEFF3.3 Threshold 9.1440 MeV
Cross Section (milli-barns)
0
1
2
3
JEFF3.3/TENDL
Ratio
1.00
1.05
1.10
9
2
3
4
5
6
7
8
9
2
10^7
10^8
95
Incident Energy (eV)
52-Te-124


MAT 5237
(n,t):51-Sb-122m5
52-Te-124
Radionuclide Production Cross Section
-19.40 To 0.633 %
Max
Ratio
TENDL Threshold 9.3071 MeV
JEFF3.3 Threshold 9.3089 MeV
Cross Section (milli-barns)
2.0
1.5
1.0
0.5
0.0
JEFF3.3/TENDL
Ratio
1.0
0.9
0.8
9
10^7
2
3
4
5
6
7
8
9
10^8
2
96
Incident Energy (eV)
52-Te-124


MAT 5237
(n,2α):48-Cd-117g
52-Te-124
Radionuclide Production Cross Section -23.51 To 9999. %
Min Ratio
Max Ratio
TENDL Threshold 891.44 keV
JEFF3.3 Threshold 13.500 MeV
Cross Section (10^{-9} barns)
JEFF3.3/TENDL
Ratio
Incident Energy (eV)
97
52-Te-124


MAT 5237
(n,2α):48-Cd-117m2
52-Te-124
Radionuclide Production Cross Section -66.66 To 9999. %
Min Ratio
Max Ratio
TENDL Threshold 1.0290 MeV
JEFF3.3 Threshold 1.0301 MeV
Cross Section (10^{-9} barns)
60
50
40
30
20
10
0
JEFF3.3/TENDL
Ratio
10^2
10^0
10^6
10^7
10^8
2 3 4 5 6 7 8
98
Incident Energy (eV)
52-Te-124


MAT 5237
(n,2p):50-Sn-123g
52-Te-124
Radionuclide Production Cross Section -7.345 To 103.4 %
Max Ratio
Min Ratio
TENDL Threshold 9.2911 MeV
JEFF3.3 Threshold 9.2911 MeV
Cross Section (micro-barns)
20
15
10
5
0
JEFF3.3/TENDL
Ratio
2.0
1.6
1.2
9
10^7
2
3
4
5
6
7
8
9
10^8
2
99
Incident Energy (eV)
52-Te-124


MAT 5237
(n,2p):50-Sn-123m1
52-Te-124
Radionuclide Production Cross Section -42.01 To 119.6 %
Max Ratio
Min Ratio
TENDL Threshold 9.3159 MeV
JEFF3.3 Threshold 9.3159 MeV
Cross Section (micro-barns)
0
2
4
6
8
JEFF3.3/TENDL
Ratio
0.5
1.0
1.5
2.0
2.5
9
10^7
2
3
4
5
6
7
8
9
10^8
2
100
Incident Energy (eV)
52-Te-124


MAT 5237
(n,p) α:49-In-120g
52-Te-124
Radionuclide Production Cross Section
-6.225 To 9999. %
Max Ratio
Min Ratio
TENDL Threshold 14.500 MeV
JEFF3.3 Threshold 6.4917 MeV
Cross Section (micro-barns)
1.0
0.8
0.6
0.4
0.2
0.0
JEFF3.3/TENDL
Ratio
10^3
10^2
10^1
10^0
7 8 9
10^7
2 3 4 5 6 7 8 9
10^8
2
101
Incident Energy (eV)
52-Te-124


MAT 5237
(n,p) α:49-In-120m1
52-Te-124
Radionuclide Production Cross Section 0.000 To 9999. %
Max Ratio
Min Ratio
TENDL Threshold 14.500 MeV
JEFF3.3 Threshold 6.5623 MeV
Cross Section (10^{-9} barns)
700
600
500
400
300
200
100
0
JEFF3.3/TENDL
Ratio
10^{2}
10^{1}
10^{0}
7 8 9 10^{7} 2 3 4 5 6 7 8 9 10^{8} 2
102
Incident Energy (eV)
52-Te-124


MAT 5237
(n,p) α:49-In-120m2
52-Te-124
Radionuclide Production Cross Section 0.000 To 9999. %
Max Ratio
Min Ratio
TENDL Threshold 15.000 MeV
JEFF3.3 Threshold 14.000 MeV
Cross Section (10^{-9} barns)
200
150
100
50
0
JEFF3.3/TENDL
Ratio
10^{2}
10^{1}
10^{0}
2
3
4
5
6
7
8
9
10^{8}
2
103
Incident Energy (eV)
52-Te-124


MAT 5237
(n,p) t:50-Sn-121g
52-Te-124
Radionuclide Production Cross Section
-17.85 To 287.1 %
Max Ratio
Min Ratio
TENDL Threshold 15.621 MeV
JEFF3.3 Threshold 15.621 MeV
Cross Section (10^{-9} barns)
25
20
15
10
5
0
JEFF3.3/TENDL
Ratio
4
3
2
1
2
3
4
5
6
7
8
9
10^8
2
104
Incident Energy (eV)
52-Te-124


MAT 5237
(n,p) t:50-Sn-121m1
52-Te-124
Radionuclide Production Cross Section -1.444 To 204.0 %
Max Ratio
Min Ratio
TENDL Threshold 15.628 MeV
JEFF3.3 Threshold 15.628 MeV
Cross Section (10^{-9} barns)
80
60
40
20
0
JEFF3.3/TENDL
Ratio
3.0
2.0
1.0
2
3
4
5
6
7
8
9
10^8
2
105
Incident Energy (eV)
52-Te-124