

Program Complot
(Version 2018-1)

by

Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550
U.S.A.

Tele: 925-443-1911

E.Mail: redcullen1@comcast.net
Web: redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start


MAT 9031

Total

90-Th-229

-89.80 To 9999. %

Cross Section



90-Th-229

Incident Energy (eV)

1


MAT 9031

Elastic

90-Th-229

-67.69 To 429.4 %

Cross Section



2

Incident Energy (eV)


90-Th-229

MAT 9031

Inelastic
Cross Section

90-Th-229

-1.569 To 69.14 %



90-Th-229

3


MAT 9031

(n, 2n)

90-Th-229

Cross Section

-64.74 To 58.06 %




MAT 9031

(n,3n)

90-Th-229

Cross Section

-44.58 To 4214. %



Incident Energy (eV)

90-Th-229

5


MAT 9031

Fission

90-Th-229

-91.62 To 9999. %


Cross Section



MAT 9031

(n,f) First Chance
Cross Section

90-Th-229
-91.62 To 9999. %



7


Incident Energy (eV)

90-Th-229

MAT 9031

(n, nf) Second Chance
Cross Section


90-Th-229
79.06 To 9999. %



MAT 9031

(n,2nf) Third Chance
Cross Section

90-Th-229
-99.85 To -79.91%



9

Incident Energy (eV)

90-Th-229


MAT 9031

(n, 4n)

90-Th-229

Cross Section

-99.72 To 266.6 %



10


Incident Energy (eV)

90-Th-229

MAT 9031

(n,3nf) Fourth Chance
Cross Section


90-Th-229
-100.0 To -84.50%




MAT 9031

MT= 51 (n,n') Level
Cross Section

90-Th-229
-1.281 To 9999. %




90-Th-229



MAT 9031

MT= 53 (n,n') Level
Cross Section


90-Th-229
-98.30 To 83.23 %



MAT 9031

MT= 54 (n,n') Level
Cross Section


90-Th-229
-96.11 To 281.4 %



MAT 9031

MT= 55 (n,n') Level
Cross Section

90-Th-229
-99.99 To -84.15%




16

90-Th-229

MAT 9031

MT= 56 (n,n') Level
Cross Section

90-Th-229
-99.74 To 864.9 %



17


90-Th-229

90-Th-229

MAT 9031

MT= 57 (n,n') Level
Cross Section

90-Th-229
-95.59 To 78.28 %



18


Incident Energy (eV)

90-Th-229

MAT 9031

MT= 58 (n,n') Level
Cross Section


90-Th-229
-8.872 To 9999. %



MAT 9031

MT= 59 (n,n') Level
Cross Section


90-Th-229
-93.26 To 8008. %



20

Incident Energy (eV)


90-Th-229




MAT 9031


MT= 61 (n,n') Level
Cross Section

90-Th-229
-98.63 To 343.5 %




MAT 9031 MT= 62 (n,n') Level 90-Th-229
 Cross Section -90.73 To 337.6 %






MAT 9031 MT= 64 (n,n') Level 90-Th-229
 Cross Section -96.86 To 7975. %



MAT 9031

MT= 65 (n,n') Level
Cross Section


90-Th-229
-96.79 To 550.0 %



MAT 9031

MT= 66 (n,n') Level
Cross Section

90-Th-229
-100.0 To -65.22%



27


Incident Energy (eV)

90-Th-229

MAT 9031

MT= 67 (n, n') Level
Cross Section


90-Th-229
-98.19 To 642.8 %



MAT 9031

MT= 68 (n,n') Level
Cross Section


90-Th-229
-95.19 To 92.93 %



MAT 9031

MT= 69 (n,n') Level
Cross Section

90-Th-229
-94.91 To 9999. %




30

90-Th-229


MAT 9031

MT= 70 (n,n') Level
Cross Section

90-Th-229
-86.48 To 1208. %




MAT 9031 MT= 71 (n,n') Level Cross Section -100.0 To 9999. % 90-Th-229



MAT 9031

MT= 72 (n,n') Level
Cross Section


90-Th-229
-97.45 To 9999. %



MAT 9031

MT= 73 (n,n') Level
Cross Section


90-Th-229
632.3 To 9999. %



MAT 9031

MT= 74 (n,n') Level
Cross Section


90-Th-229
-100.0 To -95.75%



MAT 9031

MT= 75 (n,n') Level
Cross Section


90-Th-229
-84.99 To 238.6 %



MAT 9031

MT= 76 (n,n') Level
Cross Section

90-Th-229
-85.71 To 288.8 %



37


Incident Energy (eV)

90-Th-229

MAT 9031

MT= 77 (n,n') Level
Cross Section


90-Th-229
-84.06 To 1278. %



MAT 9031

MT= 78 (n,n') Level
Cross Section


90-Th-229
-92.92 To 2696. %




MAT 9031

MT= 79 (n,n') Level
Cross Section

90-Th-229
-92.26 To 9999. %




MAT 9031 MT= 80 (n,n') Level 90-Th-229
 Cross Section -98.71 To 9999. %



MAT 9031

(n, n') Continuum
Cross Section


90-Th-229
-98.89 To 138.2 %



MAT 9031

(n, γ)
Cross Section

90-Th-229
-91.27 To 9999. %



Incident Energy (eV)


43

90-Th-229

MAT 9031

Kerma total (eV-barns)
Cross Section


90-Th-229
-92.02 To 9999. %



MAT 9031

Kerma elastic
Cross Section

90-Th-229
-67.69 To 429.4 %



45


Incident Energy (eV)

90-Th-229

MAT 9031

Kerma non-elastic (all but mt2)
Cross Section

90-Th-229
-92.02 To 9999. %



46


Incident Energy (eV)

90-Th-229

MAT 9031

Kerma inelastic (mt51-91)
Cross Section

90-Th-229
-121.4 To 9999. %



47

Incident Energy (eV)

90-Th-229


MAT 9031

Kerma fission (mt18 or mt19-20-21-38)

90-Th-229

-92.02 To 9999. %


Cross Section



MAT 9031

Kerma capture (mt102)
Cross Section

90-Th-229
-93.28 To 9999. %




MAT 9031

Total photon (eV-barns)

90-Th-229

-86.12 To 9999. %



50


Incident Energy (eV)

90-Th-229

MAT 9031

Total kinematic kerma (high limit)
Cross Section

90-Th-229
-91.68 To 9999. %



51

Incident Energy (eV)

90-Th-229


MAT 9031

Dpa total (eV-barns)

90-Th-229

-92.16 To 9999. %

Cross Section



52


Incident Energy (eV)

90-Th-229

MAT 9031

Dpa elastic (mt2)
Cross Section

90-Th-229
-16.76 To 20.17 %



53


Incident Energy (eV)

90-Th-229

MAT 9031

Dpa inelastic (mt51-91)
Cross Section

90-Th-229
-12.33 To 291.9 %



54

Incident Energy (eV)

90-Th-229

MAT 9031

Dpa disappearance (mt102 -120)
Cross Section

90-Th-229
-100.0 To 9999. %

