

Program EVALPLOT
(Version 2018-1)

by

Dermott E. Cullen
(Present Contact Information)


Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550
U.S.A.


Tele: 925-443-1911


E.Mail:redcullen1@comcast.net


Web:redcullen1.net/HOMEPAGE.NEW


Press Mouse Button to Start












MAT 1652

(p,n') Level

16-S -41

0 Kelvin Cross Sections



6


Incident Energy (MeV)

16-S -41

MAT 1652

16-S -41

(p,p) Levels
0 Kelvin Cross Sections



16-S -41


Incident Energy (MeV)

7

MAT 1652

(p,d) Levels
0 Kelvin Cross Sections

16-S -41



(p,d)

Incident Energy (MeV)

16-S -41


8

MAT 1652

(p,t) Levels

16-S -41


0 Kelvin Cross Sections



MAT 1652

(p,He3) Levels
0 Kelvin Cross Sections

16-S -41



10

Incident Energy (MeV)


16-S -41

MAT 1652

(p, α) Levels

16-S -41

0 Kelvin Cross Sections



11

Incident Energy (MeV)


16-S -41

MAT 1652

(p,4n)

16-S -41

Radionuclide Production Cross Section



17-Cl -38g
17-Cl -38m1

12

Incident Energy (MeV)

16-S -41