

Program Complot
(Version 2021-1)


by


Dermott E. Cullen
(Present Contact Information)


Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550
U.S.A.


Tele: 925-443-1911
E.Mail:redcullen1@comcast.net
Web:redcullen1.net/HOMEPAGE.NEW


Press Mouse Button to Start





















MAT 4725 MT= 52 (n,n') Level 47-Ag-107
Cross Section -100.0 To 9999. %









MAT 4725 MT= 55 (n,n') Level 47-Ag-107
Cross Section 6.784 To 9999. %




12 Incident Energy (eV) 47-Ag-107




MAT 4725 MT= 57 (n,n') Level 47-Ag-107
Cross Section -23.14 To 9999. %




14 Incident Energy (eV) 47-Ag-107





MAT 4725 MT= 60 (n,n') Level 47-Ag-107
Cross Section 12.55 To 9999. %




17 Incident Energy (eV) 47-Ag-107

MAT 4725

MT= 61 (n, n') Level

47-Ag-107

Cross Section	56.27 To 9999. %



MAT 4725


MT= 62 (n,n')

Level


47-Ag-107

Cross Section

-33.75 To 9999. %



MAT 4725 MT= 63 (n,n') Level 47-Ag-107
Cross Section -100.0 To 9999. %




MAT 4725

MT= 64 (n,n') Level


47-Ag-107


Cross Section

-100.0 To 403.9 %



MAT 4725 MT= 65 (n,n') Level 47-Ag-107
Cross Section -100.0 To 987.1 %






MAT 4725

(n, n') Continuum

47-Ag-107


-100.0 To 10.55 %





24


Incident Energy (eV)


47-Ag-107

















MAT 4725 Kerma elastic 47-Ag-107
 Cross Section -98.74 To 9999. %




MAT 4725 Kerma non-elastic (all but mt2) 47-Ag-107
 Cross Section -134.6 To 9999. %




32 Incident Energy (eV) 47-Ag-107




MAT 4725 Kerma fission (mt18 or mt19-20-21-38) 47-Ag-107
Cross Section -139.5 To 9999. %




34 Incident Energy (eV) 47-Ag-107







MAT 4725 Total kinematic kerma (high limit) 47-Ag-107
Cross Section -99.58 To 9999. %



MAT 4725 Dpa total (eV-barns) 47-Ag-107
 Cross Section -99.99 To 9999. %




MAT 4725 Dpa elastic (mt2) 47-Ag-107
Cross Section -98.73 To 9067. %




MAT 4725 Dpa inelastic (mt51-91) 47-Ag-107

Cross Section -34.25 To 9999. %



40 Incident Energy (eV) 47-Ag-107

MAT 4725 Dpa disappearance (mt102 -120) 47-Ag-107
Cross Section -99.99 To 9999. %



41 Incident Energy (eV) 47-Ag-107