

Program Complot
(Version 2021-1)

by


Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550
U.S.A.

Tele: 925-443-1911

E.Mail: redcullen1@comcast.net
Web: redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start




MAT 8319

Elastic

83-Bi-207


Cross Section -99.05 To 2892. %




2

Incident Energy (eV)


83-Bi-207





MAT 8319 (n, remainder) 83-Bi-207
Cross Section -4.985 To 2.518 %





4 Incident Energy (eV) 83-Bi-207
















MAT 8319

$$(n, n')t$$


83-Bi-207

Cross Section -100.0 To 147.1 %







MAT 8319 MT= 51 (n,n') Level 83-Bi-207
Cross Section -100.0 To 51.93 %




13 Incident Energy (eV) 83-Bi-207





MAT 8319 MT= 53 (n,n') Level 83-Bi-207
Cross Section -100.0 To 69.86 %




15 Incident Energy (eV) 83-Bi-207














MAT 8319 MT= 58 (n,n') Level 83-Bi-207
Cross Section -100.0 To 113.8 %

















MAT 8319 MT= 64 (n,n') Level 83-Bi-207
Cross Section -100.0 To 2650. %




MAT 8319 MT= 65 (n,n') Level 83-Bi-207
 Cross Section -100.0 To 53.19 %




MAT 8319	MT= 66 (n,n')	Level	83-Bi-207
	Cross Section	-100.0 To 688.7 %	





MAT 8319 MT= 68 (n,n') Level 83-Bi-207
Cross Section -100.0 To 89.90 %





MAT 8319


MT= 69 (n, n') Level

83-Bi-207


Cross Section	-100.0 To 286.9 %











MAT 8319 MT= 72 (n,n') Level 83-Bi-207
Cross Section -100.0 To 1255. %









































MAT 8319 Kerma total (eV-barns) 83-Bi-207
 Cross Section -100.0 To 1044. %




48 Incident Energy (eV) 83-Bi-207



MAT 8319 Kerma non-elastic (all but mt2) 83-Bi-207
Cross Section -104.0 To 9999. %




50 Incident Energy (eV) 83-Bi-207





MAT 8319Kerma fission (mt18 or mt19-20-21-38)83-Bi-207

Cross Section -100.0 To 9999. %





52 Incident Energy (eV) 83-Bi-207





MAT 8319 Total kinematic kerma (high limit) 83-Bi-207
Cross Section -100.0 To 1043. %





MAT 8319	Dpa elastic (mt2)	83-Bi-207
	Cross Section	-9999. To 8522. %

