

Program Complot
(Version 2021-1)

by

Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550

U.S.A.


Tele: 925-443-1911

E.Mail:redcullen1@comcast.net
Web:redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start

MAT 9643

Total Cross Section -99.89 To 9999. %
96-Cm-246




1 Incident Energy (eV) 96-Cm-246

MAT 9643

Elastic

96-Cm-246

Cross Section -100.0 To 9999. %



2

Incident Energy (eV)


96-Cm-246

MAT 9643

Inelastic

96-Cm-246

Cross Section -1.431 To 20.30 %



3

Incident Energy (eV)


96-Cm-246

MAT 9643

(n,2n)

96-Cm-246

Cross Section 6.785 To 6772. %



4

Incident Energy (eV)


96-Cm-246

MAT 9643

(n,3n)

96-Cm-246

Cross Section -100.0 To 172.3 %




5

Incident Energy (eV)


96-Cm-246

MAT 9643

Fission Cross Section -98.34 To 9999. %
96-Cm-246




MAT 9643 MT= 51 (n, n') Level 96-Cm-246
 Cross Section -49.29 To 31.26 %




7 96-Cm-246


MAT 9643 MT= 52 (n, n') Level 96-Cm-246
 Cross Section -100.0 To 21.62 %



MAT 9643 MT= 53 (n, n') Level 96-Cm-246
 Cross Section -100.0 To 106.3 %




MAT 9643 MT= 54 (n,n') Level 96-Cm-246
 Cross Section -26.25 To 113.2 %




10 Incident Energy (eV) 96-Cm-246

MAT 9643 MT= 55 (n,n') Level 96-Cm-246
 Cross Section -100.0 To 9999. %




MAT 9643 MT= 56 (n, n') Level 96-Cm-246
 Cross Section -100.0 To 9999. %




12 Incident Energy (eV) 96-Cm-246

MAT 9643 MT= 57 (n,n') Level 96-Cm-246
 Cross Section -100.0 To -20.34%




13 Incident Energy (eV) 96-Cm-246

MAT 9643 MT= 58 (n, n') Level 96-Cm-246
 Cross Section -100.0 To 9999. %




14 Incident Energy (eV) 96-Cm-246

MAT 9643 MT= 59 (n,n') Level 96-Cm-246
 Cross Section -100.0 To -23.10%




15 Incident Energy (eV) 96-Cm-246

MAT 9643 MT= 60 (n,n') Level 96-Cm-246
 Cross Section -100.0 To 9999. %




16 Incident Energy (eV) 96-Cm-246

MAT 9643 MT= 61 (n, n') Level 96-Cm-246
 Cross Section -100.0 To 9999. %




17 Incident Energy (eV) 96-Cm-246

MAT 9643 MT= 62 (n, n') Level 96-Cm-246
 Cross Section -100.0 To 14.10 %




18 Incident Energy (eV) 96-Cm-246


MAT 9643 MT= 63 (n, n') Level 96-Cm-246
 Cross Section -100.0 To 39.03 %




MAT 9643 MT= 64 (n, n') Level 96-Cm-246
 Cross Section -100.0 To 9999. %



MAT 9643 MT= 65 (n, n') Level 96-Cm-246
 Cross Section -100.0 To -90.56%



MAT 9643 MT= 66 (n, n') Level 96-Cm-246
 Cross Section -100.0 To 22.94 %




MAT 9643

(n, n') Continuum


96-Cm-246

Cross Section -95.36 To 9999. %



MAT 9643


(n, γ)
Cross Section -99.99 To 9999. %
96-Cm-246



24

Incident Energy (eV) 96-Cm-246

MAT 9643 Kerma total (eV-barns) 96-Cm-246
 Cross Section -98.39 To 9999. %




25 Incident Energy (eV) 96-Cm-246


MAT 9643

Kerma elastic
Cross Section -100.0 To 9999. %


96-Cm-246




MAT 9643 Kerma non-elastic (all but mt2) 96-Cm-246
 Cross Section -98.39 To 9999. %




MAT 9643 Kerma inelastic (mt51-91) 96-Cm-246
 Cross Section -80.24 To 9999. %



MAT 9643 Kerma fission (mt18 or mt19-20-21-38) 96-Cm-246
 Cross Section -98.39 To 9999. %




MAT 9643 Kerma capture (mt102) 96-Cm-246
 Cross Section -99.99 To 9999. %




30 Incident Energy (eV) 96-Cm-246


MAT 9643 Total photon (eV-barns) 96-Cm-246
 Cross Section -99.98 To 9999. %



MAT 9643 Total kinematic kerma (high limit) 96-Cm-246
 Cross Section -98.32 To 9999. %



MAT 9643 Dpa total (eV-barns) 96-Cm-246
 Cross Section -98.30 To 9999. %




MAT 9643

Dpa elastic (mt2)

96-Cm-246

Cross Section -51.18 To 54.98 %




34


Incident Energy (eV)

96-Cm-246


MAT 9643 Dpa inelastic (mt51-91) 96-Cm-246
 Cross Section -17.57 To 9999. %



MAT 9643 Dpa disappearance (mt102 -120) 96-Cm-246
 Cross Section -100.0 To 9999. %



MAT 9643 Dpa total (eV-barns) 96-Cm-246
 Cross Section -26.28 To 9999. %




MAT 9643

Dpa elastic (mt2)


96-Cm-246

Cross Section


-50.68 To 54.98 %



MAT 9643 Dpa inelastic (mt51-91) 96-Cm-246
 Cross Section -17.57 To 9999. %



MAT 9643 Dpa disappearance (mt102 -120) 96-Cm-246
 Cross Section -99.99 To -19.79%



40 Incident Energy (eV) 96-Cm-246