

Program Complot  
(Version 2021-1)

by

Dermott E. Cullen  
(Present Contact Information)

Dermott E. Cullen  
1466 Hudson Way  
Livermore, CA 94550

U.S.A.

Tele: 925-443-1911

E.Mail:redcullen1@comcast.net  
Web:redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start


MAT 9646

Total

96-Cm-247

Cross Section

-74.77 To 3032. %



1

Incident Energy (eV)

96-Cm-247


MAT 9646

Elastic

96-Cm-247

Cross Section

-59.02 To 882.1 %




2

Incident Energy (eV)


96-Cm-247

MAT 9646 Inelastic 96-Cm-247  
 Cross Section -100.0 To 790.3 %



3 Incident Energy (eV) 96-Cm-247

MAT 9646 (n,2n) 96-Cm-247  
Cross Section -100.0 To 5864. %




4 5 6 7 8 10<sup>7</sup> 2 3 4 5 6 7 8 10<sup>8</sup> 2 96-Cm-247

MAT 9646

(n,3n)

96-Cm-247

Cross Section -34.71 To 5057. %




5

Incident Energy (eV)

96-Cm-247

MAT 9646

Fission Cross Section -73.43 To 3343. %  
96-Cm-247




MAT 9646

(n,f) First Chance

96-Cm-247

Cross Section -73.43 To 3343. %




7

Incident Energy (eV)

96-Cm-247




MAT 9646 (n,nf) Second Chance 96-Cm-247  
 Cross Section -99.67 To 9999. %



8 Incident Energy (eV) 96-Cm-247

MAT 9646 (n,2nf) Third Chance 96-Cm-247  
 Cross Section -100.0 To 9999. %




9 Incident Energy (eV) 96-Cm-247

MAT 9646

(n, 4n)

96-Cm-247

Cross Section -100.0 To -86.46%




10


Incident Energy (eV)

96-Cm-247


MAT 9646 (n,3nf) Fourth Chance 96-Cm-247  
 Cross Section -100.0 To -79.98%




MAT 9646 MT= 51 (n,n') Level 96-Cm-247  
 Cross Section -100.0 To 790.3 %




MAT 9646 MT= 52 (n, n') Level 96-Cm-247  
 Cross Section -46.13 To 198.9 %



MAT 9646 MT= 53 (n, n') Level 96-Cm-247  
 Cross Section -51.07 To 330.8 %




MAT 9646 MT= 54 (n,n') Level 96-Cm-247  
 Cross Section -87.35 To 373.0 %







MAT 9646 MT= 55 (n,n') Level 96-Cm-247  
 Cross Section -42.22 To 494.8 %




MAT 9646 MT= 56 (n,n') Level 96-Cm-247  
 Cross Section -66.72 To 525.1 %




MAT 9646 MT= 57 (n,n') Level 96-Cm-247  
 Cross Section -45.32 To 9520. %



MAT 9646 MT= 58 (n,n') Level 96-Cm-247  
 Cross Section -100.0 To 9999. %




MAT 9646 MT= 59 (n,n') Level 96-Cm-247  
 Cross Section -100.0 To 85.77 %




20 96-Cm-247


MAT 9646 MT= 60 (n,n') Level 96-Cm-247  
 Cross Section -100.0 To 9999. %



MAT 9646 MT= 61 (n,n') Level 96-Cm-247  
 Cross Section -100.0 To 101.9 %




MAT 9646 MT= 62 (n,n') Level 96-Cm-247  
 Cross Section -100.0 To 815.9 %







MAT 9646 MT= 63 (n,n') Level 96-Cm-247  
 Cross Section -100.0 To 130.8 %




MAT 9646 MT= 64 (n,n') Level 96-Cm-247  
 Cross Section -100.0 To -37.36%



MAT 9646 MT= 65 (n,n') Level 96-Cm-247  
 Cross Section -100.0 To 9999. %




MAT 9646 MT= 66 (n,n') Level 96-Cm-247  
 Cross Section -100.0 To 20.29 %



MAT 9646

(n, n') Continuum 96-Cm-247  
Cross Section -99.81 To 15.02 %



28


Incident Energy (eV)

96-Cm-247

MAT 9646

(n,  $\gamma$ )  
Cross Section -80.89 To 9999. %

96-Cm-247




29

Incident Energy (eV)


96-Cm-247

MAT 9646

Kerma total (eV-barns) 96-Cm-247  
Cross Section -74.38 To 3220. %




MAT 9646 Kerma elastic 96-Cm-247  
 Cross Section -59.02 To 882.0 %






MAT 9646 Kerma non-elastic (all but mt2) 96-Cm-247  
 Cross Section -74.38 To 3220. %




32 Incident Energy (eV) 96-Cm-247

MAT 9646 Kerma inelastic (mt51-91) 96-Cm-247  
 Cross Section -117.0 To 792.8 %




MAT 9646 Kerma fission (mt18 or mt19-20-21-38) 96-Cm-247  
 Cross Section -74.38 To 3220. %



MAT 9646


Kerma capture (mt102) 96-Cm-247  
Cross Section -83.70 To 9999. %



35


Incident Energy (eV) 96-Cm-247

MAT 9646 Total photon (eV-barns) 96-Cm-247  
 Cross Section -65.04 To 9999. %




36 Incident Energy (eV) 96-Cm-247

MAT 9646 Total kinematic kerma (high limit) 96-Cm-247  
 Cross Section -73.31 To 3359. %



MAT 9646      Dpa total (eV-barns)      96-Cm-247  
 Cross Section      -73.30 To 3360. %




MAT 9646

Dpa elastic (mt2)

96-Cm-247

Cross Section -12.40 To 27.72 %




39

Incident Energy (eV)

96-Cm-247



MAT 9646 Dpa inelastic (mt51-91) 96-Cm-247  
 Cross Section -100.0 To 796.1 %



40 Incident Energy (eV) 96-Cm-247

MAT 9646 Dpa disappearance (mt102 -120) 96-Cm-247  
 Cross Section -100.0 To 9999. %

