

Program Complot
(Version 2021-1)


by


Dermott E. Cullen
(Present Contact Information)


Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550
U.S.A.


Tele: 925-443-1911
E.Mail:redcullen1@comcast.net
Web:redcullen1.net/HOMEPAGE.NEW


Press Mouse Button to Start



























MAT 3234


MT= 54 (n,n') Level

32-Ge-73


Cross Section

-25.82 To 9999. %







MAT 3234 MT= 56 (n,n') Level 32-Ge-73
Cross Section -100.0 To 9999. %




13 Incident Energy (eV) 32-Ge-73







RatioCross Section (milli-barns)





MAT 3234 MT= 60 (n,n') Level 32-Ge-73
Cross Section -29.09 To 9999. %



17 Incident Energy (eV) 32-Ge-73









MAT 3234


MT= 64 (n, n') Level


32-Ge-73


Cross Section	-100.0 To -8.406%
---------------	-------------------






































































MAT 3234 Kerma fission (mt18 or mt19-20-21-38) 32-Ge-73
Cross Section -100.0 To 156.8 %
















































MAT 3234 Kerma fission (mt18 or mt19-20-21-38) 32-Ge-73
Cross Section -275.1 To 102.5 %




61 Incident Energy (eV) 32-Ge-73













MAT 3234 Dpa elastic (mt2) 32-Ge-73
Cross Section -99.32 To 3946. %












MAT 3234 Inelastic:32-Ge-73m2 32-Ge-73


Radionuclide Production Cross Section 1800.0 33.51 %





70 Incident Energy (eV) 32-Ge-73





























Radionuclide Production Cross-Section 7919. %

