

Program Complot
(Version 2021-1)


by

Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550
U.S.A.

Tele: 925-443-1911
E.Mail:redcullen1@comcast.net
Web:redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start




MAT 3234

Elastic

32-Ge-73


Cross Section -98.62 To 6321. %





2

Incident Energy (eV)

32-Ge-73









MAT 3234


$$(n, 3n)$$


32-Ge-73


Cross Section -100.0 To 68.92 %











































MAT 3234


MT= 61 (n, n') Level


32-Ge-73


Cross Section -100.0 To 9999. %






























































MAT 3234 Kerma non-elastic (all but mt2) 32-Ge-73
Cross Section -99.94 To 9999. %





42 Incident Energy (eV) 32-Ge-73




MAT 3234 Kerma fission (mt18 or mt19-20-21-38) 32-Ge-73
Cross Section -100.0 To 438.3 %









MAT 3234 Total kinematic kerma (high limit) 32-Ge-73
Cross Section -98.55 To 7008. %







MAT 3234 Dpa elastic (mt2) 32-Ge-73
Cross Section -98.62 To 6320. %





MAT 3234 Dpa inelastic (mt51-91) 32-Ge-73
Cross Section -100.0 To 438.2 %





50 Incident Energy (eV) 32-Ge-73























MAT 3234	Kerma non-elastic (all but mt2)	32-Ge-73
	Cross Section	-99.95 To 9999. %








MAT 3234 Kerma fission (mt18 or mt19-20-21-38) 32-Ge-73
Cross Section -275.1 To 102.5 %




61 Incident Energy (eV) 32-Ge-73













MAT 3234 Dpa elastic (mt2) 32-Ge-73
 Cross Section -99.32 To 3946. %












MAT 3234 Inelastic:32-Ge-73m2 32-Ge-73


Radionuclide Production Cross Section 1800.0 dth 33.51 %




70 Incident Energy (eV) 32-Ge-73









74

32-Ge-73

