

Program Complot  
(Version 2021-1)

by

Dermott E. Cullen  
(Present Contact Information)

Dermott E. Cullen  
1466 Hudson Way  
Livermore, CA 94550

U.S.A.

Tele: 925-443-1911

E.Mail:redcullen1@comcast.net  
Web:redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start




MAT 1225

Elastic

12-Mg-24

Cross Section

-96.95 To 302.2 %



2

Incident Energy (eV)


12-Mg-24

MAT 1225

Inelastic

<sup>12</sup>Mg-24

Cross Section -15.32 To 31.78 %




3

Incident Energy (eV)


<sup>12</sup>Mg-24

MAT 1225 (n,2n) 12-Mg-24  
 Cross Section 189.4 To 3380. %



4 4 5 6 7 8 9 10<sup>8</sup> 2 12-Mg-24

MAT 1225 (n, n')  $\alpha$  12-Mg-24  
 Cross Section -100.0 To 163.0 %




5 Incident Energy (eV) 12-Mg-24

MAT 1225


(n, n') p

12-Mg-24

Cross Section -93.91 To 9573. %




MAT 1225 MT= 51 (n, n') Level 12-Mg-24  
 Cross Section -22.74 To 49.62 %




7 Incident Energy (eV) 12-Mg-24




MAT 1225 MT= 52 (n, n') Level 12-Mg-24  
 Cross Section -97.01 To 38.50 %




MAT 1225 MT= 53 (n, n') Level 12-Mg-24  
 Cross Section -100.0 To 77.82 %




MAT 1225 MT= 54 (n,n') Level 12-Mg-24  
 Cross Section -100.0 To 74.06 %



MAT 1225 MT= 55 (n,n') Level 12-Mg-24  
 Cross Section -79.35 To 73.84 %




MAT 1225 MT= 56 (n, n') Level 12-Mg-24  
 Cross Section -80.95 To 93.05 %




12 12-Mg-24

MAT 1225 MT= 57 (n, n') Level 12-Mg-24  
 Cross Section -83.63 To 81.87 %




MAT 1225 MT= 58 (n, n') Level 12-Mg-24  
 Cross Section -85.74 To 87.61 %



14 12-Mg-24


MAT 1225 MT= 59 (n, n') Level 12-Mg-24  
 Cross Section -99.40 To 19.56 %



15 Incident Energy (eV) 12-Mg-24



MAT 1225 MT= 60 (n, n') Level 12-Mg-24  
 Cross Section -81.13 To 87.45 %




MAT 1225

MT= 61 (n, n') Level

12-Mg-24

Cross Section -82.30 To 189.2 %



17

Incident Energy (eV)


12-Mg-24

MAT 1225

(n,n') Continuum

<sup>12</sup>Mg-24

Cross Section -100.0 To 86.96 %



18

Incident Energy (eV)


<sup>12</sup>Mg-24

MAT 1225

(n,  $\gamma$ )

12-Mg-24

Cross Section -99.99 To 9999. %




19

Incident Energy (eV)


12-Mg-24

MAT 1225 (n,p) 12-Mg-24  
 Cross Section -9.858 To 484.6 %




20 3 6


MAT 1225 (n,  $\alpha$ ) 12-Mg-24  
 Cross Section -100.0 To 5003. %



MAT 1225 Hydrogen Production 12-Mg-24  
 Cross Section -9.858 To 484.6 %




MAT 1225 He-4 Production 12-Mg-24  
 Cross Section -100.0 To 5003. %





MAT 1225 Kerma total (eV-barns) 12-Mg-24  
 Cross Section -90.63 To 517.9 %




24 Incident Energy (eV) 12-Mg-24

MAT 1225

Kerma elastic  
Cross Section

12-Mg-24  
-96.84 To 312.4 %




25


Incident Energy (eV)

12-Mg-24


MAT 1225 Kerma non-elastic (all but mt2) 12-Mg-24  
 Cross Section -97.97 To 9999. %



MAT 1225 Kerma inelastic (mt51-91) 12-Mg-24  
 Cross Section -36.84 To 9999. %




MAT 1225 Kerma fission (mt18 or mt19-20-21-38) 12-Mg-24  
 Cross Section -36.84 To 9999. %



MAT 1225

Kerma capture (mt102) 12-Mg-24  
Cross Section -97.97 To 9999. %




29

Incident Energy (eV)


12-Mg-24

MAT 1225 Total photon (eV-barns) 12-Mg-24  
 Cross Section -99.99 To 9999. %




30 Incident Energy (eV) 12-Mg-24

MAT 1225 Total kinematic kerma (high limit) 12-Mg-24  
 Cross Section -90.63 To 517.9 %







MAT 1225 Dpa total (eV-barns) 12-Mg-24  
 Cross Section -89.71 To 710.0 %




MAT 1225 Dpa elastic (mt2) 12-Mg-24  
 Cross Section -96.83 To 311.5 %



MAT 1225      Dpa inelastic (mt51-91)      12-Mg-24  
 Cross Section      -15.43 To 9999. %



MAT 1225 Dpa disappearance (mt102 -120) 12-Mg-24  
 Cross Section -99.92 To 9999. %



35 Incident Energy (eV) 12-Mg-24