

Program Complot
(Version 2021-1)

by


Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550
U.S.A.

Tele: 925-443-1911

E.Mail: redcullen1@comcast.net
Web: redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start




MAT 4128

Elastic

41-Nb-94


Cross Section -99.77 To 1003. %




2

Incident Energy (eV)

41-Nb-94






MAT 4128

$$(n, 3n)$$

41-Nb-94


Cross Section





5


Incident Energy (eV)


41-Nb-94















MAT 4128 MT= 53 (n,n') Level 41-Nb-94
Cross Section -100.0 To 83.15 %




12 Incident Energy (eV) 41-Nb-94












MAT 4128 MT= 58 (n,n') Level 41-Nb-94
Cross Section -100.0 To 27.74 %





MAT 4128 MT= 59 (n,n') Level 41-Nb-94
Cross Section -100.0 To -15.53%




18 Incident Energy (eV) 41-Nb-94










MAT 4128 MT= 64 (n,n') Level 41-Nb-94
Cross Section -93.44 To 62.77 %




23 Incident Energy (eV) 41-Nb-94


MAT 4128

MT= 65 (n, n') Level


41-Nb-94

Cross Section -100.0 To -60.98%





MAT 4128	MT= 67 (n, n') Level	41-Nb-94
	Cross Section	-100.0 To 28.18 %



26

Incident Energy (eV)


41-Nb-94

MAT 4128

MT= 68 (n, n') Level

41-Nb-94

Cross Section -100.0 To 3.066 %





MAT 4128


MT= 69 (n, n') Level


41-Nb-94


Cross Section







































MAT 4128 Kerma total (eV-barns) 41-Nb-94
Cross Section 397.1 To 9999. %




41 Incident Energy (eV) 41-Nb-94







MAT 4128Kerma fission (mt18 or mt19-20-21-38) 41-Nb-94
Cross Section -100.0 To 5828. %




45 41-Nb-94

MAT 4128

Kerma capture (mt102) 41-Nb-94
Cross Section 9999. To 9999. %


Cross Section 9999. To 9999. %




46


Incident Energy (eV)

41-Nb-94






MAT 4128 Dpa total (eV-barns) 41-Nb-94
Cross Section -97.21 To 9999. %



10^{-5} 10^{-4} 10^{-3} 10^{-2} 10^{-1} 10^0 10^1 10^2 10^3 10^4 10^5 10^6 10^7 10^8

49 Incident Energy (eV) 41-Nb-94

MAT 4128 Dpa elastic (mt2) 41-Nb-94
Cross Section -11.97 To 94.24 %



50 Incident Energy (eV) 41-Nb-94

