

Program Complot
(Version 2021-1)


by


Dermott E. Cullen
(Present Contact Information)


Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550
U.S.A.


Tele: 925-443-1911
E.Mail:redcullen1@comcast.net
Web:redcullen1.net/HOMEPAGE.NEW


Press Mouse Button to Start










































































































MAT 6034 Kerma non-elastic (all but mt2) 60-Nd-145
Cross Section -134.1 To 9999. %




38 Incident Energy (eV) 60-Nd-145

MAT 6034 Kerma inelastic (mt51-91) 60-Nd-145
Cross Section -100.0 To 332.5 %





39 Incident Energy (eV) 60-Nd-145

MAT 6034 Kerma fission (mt18 or mt19-20-21-38)60-Nd-145
Cross Section -100.0 To 332.5 %




40 Incident Energy (eV) 60-Nd-145







MAT 6034 Total kinematic kerma (high limit) 60-Nd-145
Cross Section -99.96 To 9999. %




43 Incident Energy (eV) 60-Nd-145

MAT 6034 Dpa total (eV-barns) 60-Nd-145
Cross Section -99.96 To 9999. %





MAT 6034 Dpa inelastic (mt51-91) 60-Nd-145
Cross Section -100.0 To 418.4 %



46 Incident Energy (eV) 60-Nd-145

MAT 6034 Dpa disappearance (mt102 -120) 60-Nd-145
Cross Section -99.96 To 9999. %

