

Program Complot
(Version 2021-1)

by


Dermott E. Cullen
(Present Contact Information)


Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550
U.S.A.


Tele: 925-443-1911


E.Mail: redcullen1@comcast.net
Web: redcullen1.net/HOMEPAGE.NEW


Press Mouse Button to Start
















































MAT 1028


MT= 52 (n,n') Level

10-Ne-21


Cross Section

-1.093 To 20.44 %







MAT 1028 MT= 54 (n,n') Level 10-Ne-21
Cross Section -1.485 To 9999. %



MAT 1028 MT= 55 (n,n') Level 10-Ne-21
Cross Section -100.0 To 56.51 %



21 Incident Energy (eV) 10-Ne-21



MAT 1028


MT= 57 (n,n')


Level

10-Ne-21

Cross Section

-1.585 To 9999. %






MAT 1028


MT= 59 (n,n') Level


10-Ne-21

Cross Section


-5.375 To 48.04 %










MAT 1028 MT= 62 (n,n') Level 10-Ne-21
Cross Section -1.628 To 9999. %










MAT 1028 MT= 65 (n,n') Level 10-Ne-21
 Cross Section -100.0 To 9999. %





31 Incident Energy (eV) 10-Ne-21








































































MAT 1028Kerma fission (mt18 or mt19-20-21-38) 10-Ne-21
Cross Section -22.33 To 25.16 %








MAT 1028 Total kinematic kerma (high limit) 10-Ne-21
Cross Section -87.90 To 9999. %



Incident Energy (eV) 10-Ne-21



MAT 1028

Dpa elastic (mt2)

10-Ne-21

Cross Section

-87.91 To 9999. %

