

Program Complot
(Version 2021-1)


by


Dermott E. Cullen
(Present Contact Information)


Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550
U.S.A.


Tele: 925-443-1911
E.Mail:redcullen1@comcast.net
Web:redcullen1.net/HOMEPAGE.NEW


Press Mouse Button to Start

























MAT 7649 MT= 51 (n,n') Level 76-0s-192
Cross Section -100.0 To 379.6 %




10 Incident Energy (eV) 76-0s-192


MAT 7649 MT= 52 (n,n') Level 76-Os-192
Cross Section -100.0 To 152.4 %





MAT 7649 MT= 53 (n,n') Level 76-0s-192
Cross Section -34.34 To 112.9 %





12 Incident Energy (eV) 76-0s-192






















MAT 7649


MT= 62 (n, n') Level


76-05-192

Cross Section -97.40 To 549.1 %










MAT 7649


MT= 66 (n,n') Level

76-0s-192

Cross Section


-96.88 To 463.9 %








Cross Section (barns)


Ratio




























MAT 7649 He-4 Production 76-0s-192
Cross Section 75.52 To 9999. %




37 Incident Energy (eV) 76-0s-192


MAT 7649 Kerma total (eV-barns) 76-0s-192
Cross Section -97.90 To 2678. %




38 Incident Energy (eV) 76-0s-192



MAT 7649 Kerma non-elastic (all but mt2) 76-Os-192
Cross Section -99.80 To 9999. %




40 Incident Energy (eV) 76-Os-192




MAT 7649Kerma fission (mt18 or mt19-20-21-38)76-0s-192


Cross Section -9999. To 9999. %




MAT 7649 Kerma capture (mt102) 76-0s-192
Cross Section -99.80 To 9999. %



43 Incident Energy (eV) 76-0s-192




MAT 7649 Total kinematic kerma (high limit) 76-Os-192
Cross Section -97.90 To 2678. %




45 Incident Energy (eV) 76-Os-192


MAT 7649 Dpa total (eV-barns) 76-0s-192
Cross Section -99.75 To 9999. %




MAT 7649 Dpa elastic (mt2) 76-0s-192
Cross Section -93.05 To 9999. %




47 Incident Energy (eV) 76-0s-192





MAT 7649 Dpa disappearance (mt102 -120) 76-0s-192
Cross Section -99.75 To 9999. %





49 Incident Energy (eV) 76-0s-192




















MAT 7649 Dpa disappearance (mt102 -120) 76-0s-192
Cross Section -100.0 To 9999. %

