

Program Complot
(Version 2021-1)


by


Dermott E. Cullen
(Present Contact Information)


Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550
U.S.A.


Tele: 925-443-1911
E.Mail:redcullen1@comcast.net
Web:redcullen1.net/HOMEPAGE.NEW


Press Mouse Button to Start












































































MAT 6243 MT= 69 (n,n') Level 62-Sm-150
Cross Section -3.968 To 325.2 %



28 Incident Energy (eV) 62-Sm-150





MAT 6243


(n, n') Continuum


62-Sm-150


-92.66 To 260.5 %


















MAT 6243 Kerma total (eV-barns) 62-Sm-150
Cross Section -97.42 To 9999. %







MAT 6243 Kerma non-elastic (all but mt2) 62-Sm-150
Cross Section -99.30 To 9999. %







MAT 6243 Kerma fission (mt18 or mt19-20-21-38) 62-Sm-150
Cross Section -59.69 To 9999. %









MAT 6243 Total kinematic kerma (high limit) 62-Sm-150
Cross Section -97.42 To 9999. %



43 Incident Energy (eV) 62-Sm-150



MAT 6243 Dpa elastic (mt2) 62-Sm-150
Cross Section -100.0 To 9999. %



45 Incident Energy (eV) 62-Sm-150

MAT 6243 Dpa inelastic (mt51-91) 62-Sm-150
Cross Section -59.68 To 9999. %

