

Program Complot
(Version 2021-1)


by


Dermott E. Cullen
(Present Contact Information)


Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550
U.S.A.


Tele: 925-443-1911
E.Mail:redcullen1@comcast.net
Web:redcullen1.net/HOMEPAGE.NEW


Press Mouse Button to Start








































































MAT 6243


MT= 56 (n,n') Level


62-Sm-150


Cross Section


-13.67 To 23.15 %

























MAT 6243


MT= 65 (n, n') Level

62-Sm-150

Cross Section -17.92 To 29.82 %








MAT 6243

MT= 68 (n,n') Level


62-Sm-150


Cross Section


-15.14 To 16.56 %





MAT 6243 MT= 69 (n,n') Level 62-Sm-150
Cross Section -45.89 To 9999. %

































































MAT 6243 Kerma non-elastic (all but mt2) 62-Sm-150
Cross Section -99.96 To 9999. %





61 Incident Energy (eV) 62-Sm-150




MAT 6243 Kerma fission (mt18 or mt19-20-21-38) 62-Sm-150
Cross Section -44.20 To 523.3 %












MAT 6243	Dpa total (eV-barns)	62-Sm-150
	Cross Section	-99.99 To 9999. %



MAT 6243 Dpa elastic (mt2) 62-Sm-150
Cross Section -100.0 To 9999. %




MAT 6243 Dpa inelastic (mt51-91) 62-Sm-150
Cross Section -42.19 To 10.48 %



69 Incident Energy (eV) 62-Sm-150

MAT 6243 Dpa disappearance (mt102 -120) 62-Sm-150
Cross Section -99.99 To 9999. %



70 Incident Energy (eV) 62-Sm-150

