

Program Complot  
(Version 2021-1)

by

Dermott E. Cullen  
(Present Contact Information)

Dermott E. Cullen  
1466 Hudson Way  
Livermore, CA 94550

U.S.A.

Tele: 925-443-1911

E.Mail:redcullen1@comcast.net  
Web:redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start


MAT 5249

Total

52-Te-128

Cross Section

-99.84 To 2296. %



1

Incident Energy (eV)


52-Te-128

MAT 5249

52-Te-128

Elastic

Cross Section -99.99 To 9999. %



2

Incident Energy (eV)


52-Te-128

MAT 5249

Inelastic

52-Te-128

Cross Section -100.0 To 3.016 %



3

Incident Energy (eV)

52-Te-128


MAT 5249

(n,2n) d

52-Te-128

Cross Section 0.000

To 9999. %




MAT 5249

(n,2n)

52-Te-128

Cross Section -11.97 To 136.4 %



5

Incident Energy (eV)


52-Te-128

MAT 5249

(n,3n)

52-Te-128

Cross Section -0.019 To 132.3 %




6

Incident Energy (eV)

52-Te-128

MAT 5249 (n, n')  $\alpha$  52-Te-128  
 Cross Section -81.34 To 9999. %






MAT 5249

(n,2n)  $\alpha$

52-Te-128

Cross Section -75.93 To 9999. %



8

Incident Energy (eV)


52-Te-128

MAT 5249

(n,3n)  $\alpha$

52-Te-128

Cross Section -52.02 To 9999. %




MAT 5249

(n, n') p

52-Te-128

Cross Section -9.6887 To 199.6 %



10

Incident Energy (eV)


52-Te-128

MAT 5249

(n, n') d

52-Te-128

Cross Section -6.618 To 128.9 %




MAT 5249

(n, n') t

52-Te-128

Cross Section 0.000 To 3560. %




MAT 5249

(n,n') He-3

52-Te-128

Cross Section 0.000 To 98.80 %



13

Incident Energy (eV)


52-Te-128

MAT 5249

(n,4n)

52-Te-128

Cross Section 0.000 To 2687. %




MAT 5249

(n,2n) p

52-Te-128


Cross Section 0.000

To 9999. %





MAT 5249 (n,3n) p 52-Te-128  
 Cross Section 0.000 To 9999. %




MAT 5249


(n,2n) p

52-Te-128


Cross Section 0.000 To 2009. %




MAT 5249 MT= 51 (n,n') Level 52-Te-128  
 Cross Section -100.0 To 1.723 %




MAT 5249 MT= 52 (n,n') Level 52-Te-128  
 Cross Section -100.0 To 2.922 %




MAT 5249 MT= 53 (n, n') Level 52-Te-128  
 Cross Section -18.86 To 2.048 %




MAT 5249 MT= 54 (n, n') Level 52-Te-128  
 Cross Section -100.0 To 4.120 %



MAT 5249 MT= 55 (n, n') Level 52-Te-128  
 Cross Section -100.0 To 18.90 %




MAT 5249      MT= 56 (n, n') Level      52-Te-128  
 Cross Section    -21.46 To 18.87 %







MAT 5249      MT= 57 (n, n') Level      52-Te-128  
 Cross Section    -100.0 To 18.89 %




MAT 5249 MT= 58 (n, n') Level 52-Te-128  
 Cross Section -100.0 To 2.749 %



MAT 5249 MT= 59 (n, n') Level 52-Te-128  
 Cross Section -100.0 To 3.347 %



MAT 5249 MT= 60 (n, n') Level 52-Te-128  
 Cross Section -21.71 To 18.87 %




MAT 5249

MT= 61 (n, n') Level

52-Te-128

Cross Section -100.0 To 2.070 %



28

Incident Energy (eV)


52-Te-128

MAT 5249


MT= 62 (n, n') Level

52-Te-128


Cross Section -18.95 To 2.072 %



MAT 5249      MT= 63 (n, n') Level      52-Te-128  
 Cross Section      -100.0 To 0.000 %




MAT 5249 MT= 64 (n, n') Level 52-Te-128  
 Cross Section -100.0 To 230.2 %






MAT 5249 MT= 65 (n,n') Level 52-Te-128  
 Cross Section -100.0 To 3.246 %



MAT 5249      MT= 66 (n,n') Level      52-Te-128  
 Cross Section    -18.98 To 2.078 %




MAT 5249

(n, n') Continuum

52-Te-128

Cross Section -100.0 To 0.000 %



34

Incident Energy (eV)


52-Te-128

MAT 5249

(n,  $\gamma$ )

52-Te-128

Cross Section -100.0 To 9999. %




MAT 5249

(n, p)

52-Te-128

Cross Section -15.22 To 3.374 %




MAT 5249

(n,d)

52-Te-128

Cross Section -6.254 To 8.797 %



37

Incident Energy (eV)


52-Te-128

MAT 5249

(n, t)

52-Te-128

Cross Section -2.587 To 9.540 %



38

Incident Energy (eV)


52-Te-128

MAT 5249

(n, He-3)

52-Te-128

Cross Section -0.104 To 11.04 %



39

Incident Energy (eV)

52-Te-128




MAT 5249

(n,  $\alpha$ )

52-Te-128

Cross Section

-83.76 To 9999. %



40

Incident Energy (eV)


52-Te-128

MAT 5249

(n,2p)

52-Te-128

Cross Section -6.168 To 113.1 %




MAT 5249

(n,p)  $\alpha$

52-Te-128

Cross Section -81.54 To 242.3 %



42

Incident Energy (eV)


52-Te-128

MAT 5249

(n,p) d

52-Te-128

Cross Section 0.000 To 146.3 %



43

Incident Energy (eV)


52-Te-128

MAT 5249

(n,p) t

52-Te-128


Cross Section -99.45 To 195.1 %



MAT 5249

Hydrogen Production  
Cross Section -15.19 To 103.2 %

52-Te-128




MAT 5249

Deuterium Production

52-Te-128

Cross Section -6.254 To 130.3 %



46

Incident Energy (eV)


52-Te-128

MAT 5249

Tritium Production

52-Te-128

Cross Section -4.987 To 166.0 %






MAT 5249

He-3 Production

52-Te-128

Cross Section -0.034 To 11.04 %



48

Incident Energy (eV)


52-Te-128

MAT 5249

He-4 Production

52-Te-128

Cross Section -83.76 To 9999. %



49

Incident Energy (eV)


52-Te-128

MAT 5249

Kerma total (eV-barns)

52-Te-128

Cross Section -99.98 To 4261. %




50

Incident Energy (eV)


52-Te-128

MAT 5249

Kerma elastic Cross Section  
52-Te-128  
-99.99 To 9999. %




MAT 5249 Kerma non-elastic (all but mt2) 52-Te-128  
 Cross Section -100.0 To 9999. %




52 Incident Energy (eV) 52-Te-128

MAT 5249 Kerma inelastic (mt51-91) 52-Te-128  
 Cross Section -100.0 To 68.16 %



MAT 5249 Kerma fission (mt18 or mt19-20-21-38) 52-Te-128  
 Cross Section -100.0 To 68.16 %




MAT 5249

Kerma capture (mt102)

52-Te-128

Cross Section -100.0 To 9999. %




55

Incident Energy (eV)

52-Te-128




MAT 5249 Total photon (eV-barns) 52-Te-128  
 Cross Section -100.0 To 9999. %



56 Incident Energy (eV) 52-Te-128

MAT 5249 Total kinematic kerma (high limit) 52-Te-128  
 Cross Section -99.98 To 4261. %




MAT 5249

Dpa total (eV-barns)

52-Te-128

Cross Section -99.98 To 4987. %



58

Incident Energy (eV)


52-Te-128

MAT 5249

Dpa elastic (mt2)

52-Te-128

Cross Section -99.99 To 9999. %




59

Incident Energy (eV)


52-Te-128

MAT 5249 Dpa inelastic (mt51-91) 52-Te-128  
 Cross Section -100.0 To 5.069 %




60 Incident Energy (eV) 52-Te-128

MAT 5249 Dpa disappearance (mt102 -120) 52-Te-128  
 Cross Section -100.0 To 9999. %




MAT 5249 (n,2n):52-Te-127g 52-Te-128  
 Radionuclide Production Cross Section 42.68 d/o 45.50 %




62 Incident Energy (eV) 52-Te-128

MAT 5249 (n, 2n):52-Te-127m2 52-Te-128  
 Radionuclide Production Cross Section 438.5 %





63 Incident Energy (eV) 52-Te-128







MAT 5249 (n,2n)  $\alpha$ :50-Sn-123m1 52-Te-128  
 Radionuclide Production Cross Section (%)







MAT 5249 (n, n') d:51-Sb-126m1 52-Te-128  
 Radionuclide Production Cross Section 156.7 %









MAT 5249 (n, n') He-3:50-Sn-125m1 52-Te-128  
 Radionuclide Production Cross Section 132.6 %





MAT 5249 (n,4n):52-Te-125g 52-Te-128  
 Radionuclide Production Cross Section 2368. %



















MAT 5249 (n, p):51-Sb-128m1 52-Te-128  
 Radionuclide Production Cross Section 0.000 %




MAT 5249 (n, t):51-Sb-126g 52-Te-128  
 Radionuclide Production Cross Section 95.79 %



78 Incident Energy (eV) 52-Te-128


MAT 5249 (n, t):51-Sb-126m1 52-Te-128  
 Radionuclide Production Cross Section 33.27 %




79 Incident Energy (eV) 52-Te-128




MAT 5249 (n, t):51-Sb-126m2 52-Te-128  
 Radionuclide Production Cross Section 8.745 %




80 Incident Energy (eV) 52-Te-128




MAT 5249 (n, 2p):50-Sn-127m1 52-Te-128  
 Radionuclide Production Cross Section 19.061 dth 43.61 %



MAT 5249 (n,p)  $\alpha$ :49-In-124g 52-Te-128  
 Radionuclide Production Cross Section 82.93 dth 70.04 %



MAT 5249 (n, p)  $\alpha$ : 49-In-124m2 52-Te-128  
 Radionuclide Production Cross Section 796610 241.9 %



84 Incident Energy (eV) 52-Te-128

