

Program Complot  
(Version 2021-1)

by

Dermott E. Cullen  
(Present Contact Information)

Dermott E. Cullen  
1466 Hudson Way  
Livermore, CA 94550

U.S.A.

Tele: 925-443-1911

E.Mail:redcullen1@comcast.net  
Web:redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start


MAT 5255

Total

52-Te-130

Cross Section

-99.98 To 4252. %



1

Incident Energy (eV)


52-Te-130

MAT 5255

52-Te-130

Elastic

Cross Section -100.0 To 9999. %




2

Incident Energy (eV)

52-Te-130

MAT 5255 Inelastic 52-Te-130  
 Cross Section -100.0 To 52.54 %




3 8 10<sup>6</sup> 2 3 4 5 6 8 10<sup>7</sup> 2 3 4 5 6 8 10<sup>8</sup> 2 52-Te-130

MAT 5255

(n,2n)

52-Te-130

Cross Section -62.94 To 132.8 %



4

Incident Energy (eV)


52-Te-130

MAT 5255

(n,3n)

52-Te-130

Cross Section -99.54 To -46.73%




5

Incident Energy (eV)

52-Te-130

MAT 5255 (n, n')  $\alpha$  52-Te-130  
 Cross Section -100.0 To 453.3 %




MAT 5255

(n, n') p

52-Te-130

Cross Section -100.0 To 2041. %




7

Incident Energy (eV)

52-Te-130




MAT 5255 MT= 51 (n, n') Level 52-Te-130  
 Cross Section -100.0 To 42.58 %




8 10<sup>6</sup> 2 3 4 5 6 8 10<sup>8</sup> 2 52-Te-130

MAT 5255 MT= 52 (n,n') Level 52-Te-130  
 Cross Section -100.0 To 1396. %




MAT 5255 MT= 53 (n, n') Level 52-Te-130  
 Cross Section -100.0 To 144.6 %




10 10 52-Te-130


MAT 5255 MT= 54 (n,n') Level 52-Te-130  
 Cross Section -100.0 To 1083. %




MAT 5255 MT= 55 (n, n') Level 52-Te-130  
 Cross Section -18.92 To 1378. %



MAT 5255 MT= 56 (n, n') Level 52-Te-130  
 Cross Section -100.0 To 9999. %




MAT 5255 MT= 57 (n,n') Level 52-Te-130  
 Cross Section -100.0 To 997.3 %



14 Incident Energy (eV) 52-Te-130


MAT 5255 MT= 58 (n,n') Level 52-Te-130  
 Cross Section -100.0 To 4677. %




15 Incident Energy (eV) 52-Te-130



MAT 5255 MT= 59 (n, n') Level 52-Te-130  
 Cross Section -28.36 To 9999. %




MAT 5255 MT= 60 (n, n') Level 52-Te-130  
 Cross Section -100.0 To 4624. %




17 Incident Energy (eV) 52-Te-130


MAT 5255 MT= 61 (n, n') Level 52-Te-130  
 Cross Section -19.18 To 1348. %



MAT 5255 MT= 62 (n,n') Level 52-Te-130  
 Cross Section -100.0 To 1347. %




MAT 5255 MT= 63 (n,n') Level 52-Te-130  
 Cross Section -100.0 To 695.8 %




20 Incident Energy (eV) 52-Te-130


MAT 5255 MT= 64 (n,n') Level 52-Te-130  
 Cross Section -30.50 To 977.2 %



MAT 5255 MT= 65 (n, n') Level 52-Te-130  
 Cross Section -100.0 To 9999. %



MAT 5255 (n, n') Continuum 52-Te-130  
 Cross Section -100.0 To 45.38 %






MAT 5255

(n,  $\gamma$ )

52-Te-130

Cross Section -100.0 To 3905. %




24


Incident Energy (eV)

52-Te-130

MAT 5255 (n,p) 52-Te-130  
 Cross Section -100.0 To 1492. %



MAT 5255 (n,d) 52-Te-130  
 Cross Section -100.0 To 9999. %




MAT 5255

(n, t)

52-Te-130

Cross Section -100.0 To 9999. %



27

Incident Energy (eV)


52-Te-130

MAT 5255

(n,  $\alpha$ )

52-Te-130

Cross Section -100.0 To 122.4 %




28

Incident Energy (eV)

52-Te-130

MAT 5255 Hydrogen Production 52-Te-130  
 Cross Section -100.0 To 1492. %




MAT 5255

Deuterium Production

52-Te-130

Cross Section -100.0 To 9999. %




30

Incident Energy (eV)

52-Te-130

MAT 5255 Tritium Production 52-Te-130  
 Cross Section -100.0 To 9999. %






MAT 5255


He-4 Production

52-Te-130

Cross Section -100.0 To 122.4 %



MAT 5255 Kerma total (eV-barns) 52-Te-130  
 Cross Section -94.80 To 9999. %




10<sup>-5</sup> 10<sup>-4</sup> 10<sup>-3</sup> 10<sup>-2</sup> 10<sup>-1</sup> 10<sup>0</sup> 10<sup>1</sup> 10<sup>2</sup> 10<sup>3</sup> 10<sup>4</sup> 10<sup>5</sup> 10<sup>6</sup> 10<sup>7</sup> 10<sup>8</sup>


33 Incident Energy (eV) 52-Te-130

MAT 5255


Kerma elastic Cross Section -100.0 To 9999. %  
52-Te-130




MAT 5255 Kerma non-elastic (all but mt2) 52-Te-130  
 Cross Section -83.98 To 9999. %



MAT 5255 Kerma inelastic (mt51-91) 52-Te-130  
 Cross Section -100.0 To 9758. %




MAT 5255 Kerma fission (mt18 or mt19-20-21-38) 52-Te-130  
 Cross Section -100.0 To 9758. %



MAT 5255


Kerma capture (mt102) 52-Te-130  
Cross Section -83.98 To 9999. %



38


Incident Energy (eV) 52-Te-130

MAT 5255      Total photon (eV-barns)      52-Te-130  
 Cross Section      -83.98 To 9999. %






MAT 5255 Total kinematic kerma (high limit) 52-Te-130  
 Cross Section -99.98 To 5098. %



40 Incident Energy (eV) 52-Te-130

MAT 5255      Dpa total (eV-barns)      52-Te-130  
 Cross Section      -99.98 To 6604. %




MAT 5255

Dpa elastic (mt2)

52-Te-130

Cross Section -100.0 To 9999. %




42


Incident Energy (eV)

52-Te-130


MAT 5255 Dpa inelastic (mt51-91) 52-Te-130  
 Cross Section -100.0 To 284.0 %



MAT 5255 Dpa disappearance (mt102 -120) 52-Te-130  
 Cross Section -100.0 To 9999. %




MAT 5255 Total kinematic kerma (high limit) 52-Te-130  
 Cross Section -99.99 To 4939. %



45 Incident Energy (eV) 52-Te-130

MAT 5255      Dpa total (eV-barns)      52-Te-130  
 Cross Section      -99.99 To 9999. %




46      Incident Energy (eV)      52-Te-130

MAT 5255

Dpa elastic (mt2)

52-Te-130

Cross Section -100.0 To 9999. %



47

Incident Energy (eV)

52-Te-130




MAT 5255

Dpa inelastic (mt51-91)

52-Te-130

Cross Section -93.11 To 9999. %




48


Incident Energy (eV)

52-Te-130

MAT 5255 Dpa disappearance (mt102 -120) 52-Te-130  
 Cross Section -99.94 To 9999. %




MAT 5255 (n,2n):52-Te-129g 52-Te-130  
 Radionuclide Production Cross Section 100.0 dth 388.6 %





50 Incident Energy (eV) 52-Te-130

MAT 5255 (n,2n):52-Te-129m1 52-Te-130  
 Radionuclide Production Cross Section Ratio 0.292 %




MAT 5255 (n, n') p:51-Sb-129g 52-Te-130  
 Radionuclide Production Cross Section to 9999. %






MAT 5255 (n, n') d:51-Sb-128g 52-Te-130  
 Radionuclide Production Cross Section 1800 d to 1189. %




MAT 5255 (n, n') d:51-Sb-128m1 52-Te-130  
 Radionuclide Production Cross Section to 9999. %







MAT 5255 (n,2n) p:51-Sb-128g 52-Te-130  
 Radionuclide Production Cross Section Ratio




MAT 5255 (n,2n) p:51-Sb-128m1 52-Te-130  
 Radionuclide Production Cross Section 48.76 mb 85.58 %







MAT 5255 (n,p):51-Sb-130m1 52-Te-130  
 Radionuclide Production Cross Section to 9999. %




MAT 5255 (n, d):51-Sb-129g 52-Te-130  
 Radionuclide Production Cross Section (%)



60 Incident Energy (eV) 52-Te-130




MAT 5255 (n, t):51-Sb-128g 52-Te-130  
 Radionuclide Production Cross Section Ratio



62 Incident Energy (eV) 52-Te-130


MAT 5255 (n, t):51-Sb-128m1 52-Te-130  
 Radionuclide Production Cross Section 98.241 dth 9999. %




63 Incident Energy (eV) 52-Te-130





MAT 5255 (n, He-3):50-Sn-128g 52-Te-130  
 Radionuclide Production Cross Section Ratio




MAT 5255 (n, He-3) : 50-Sn-128m3 52-Te-130  
 Radionuclide Production Cross Section Ratio 4118. %









MAT 5255 (n, n') He-3:50-Sn-127g 52-Te-130  
 Radionuclide Production Cross Section 98.71 dth 167.1 %



MAT 5255 (n, n') He-3:50-Sn-127m1 52-Te-130  
 Radionuclide Production Cross Section 181.1 %




MAT 5255 (n,4n):52-Te-127g 52-Te-130  
 Radionuclide Production Cross Section 13e021d10 2561. %




70 Incident Energy (MeV) 52-Te-130

MAT 5255 (n, 4n):52-Te-127m2 52-Te-130  
 Radionuclide Production Cross Section 2408. %







MAT 5255 (n,2n) p:51-Sb-128g 52-Te-130  
 Radionuclide Production Cross Section to 2599. %





MAT 5255 (n,2n) p:51-Sb-128m1 52-Te-130  
 Radionuclide Production Cross Section 98.35 dth 9999. %




MAT 5255 (n,2n) p:50-Sn-128g 52-Te-130  
 Radionuclide Production Cross Section 1181. %









MAT 5255 (n, p):51-Sb-130m1 52-Te-130  
 Radionuclide Production Cross Section 30.81 %



MAT 5255 (n, d):51-Sb-129g 52-Te-130  
 Radionuclide Production Cross Section 100% 6.010 %




MAT 5255 (n, d):51-Sb-129m11 52-Te-130  
 Radionuclide Production Cross Section 100.000 %  
 0.000 %






MAT 5255 (n, t):51-Sb-128g 52-Te-130  
 Radionuclide Production Cross Section 116.9 %




80 52-Te-130


MAT 5255 (n, t):51-Sb-128m1 52-Te-130  
 Radionuclide Production Cross Section 5.135 %




81 Incident Energy (eV) 52-Te-130





MAT 5255 (n, He-3) : 50-Sn-128m3 52-Te-130  
 Radionuclide Production Cross Section 17.07 %





MAT 5255 (n, 2p):50-Sn-129m1 52-Te-130  
 Radionuclide Production Cross Section 166.3 %





MAT 5255 (n,p) d:50-Sn-128m3 52-Te-130  
 Radionuclide Production Cross Section 53.80 %

