

Program Complot
(Version 2021-1)

by

Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550

U.S.A.


Tele: 925-443-1911

E.Mail:redcullen1@comcast.net
Web:redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start

MAT 9219

Total Cross Section -65.53 To 217.2 %
92-U -232




1 Incident Energy (eV) 92-U -232

MAT 9219

Elastic

92-U -232

Cross Section -0.203 To 26.65 %



2

Incident Energy (eV)


92-U -232

MAT 9219

Inelastic

92-U -232

Cross Section -0.122 To 3.830 %



3

Incident Energy (eV)


92-U -232

MAT 9219

(n,2n)

92-U -232

Cross Section -100.0 To -13.39%



4

Incident Energy (eV)


92-U -232

MAT 9219

(n,3n)

92-U -232

Cross Section -93.19 To -70.95%




5

Incident Energy (eV)

92-U -232

MAT 9219


Fission 92-U -232
Cross Section -97.05 To 1048. %




6

Incident Energy (eV) 92-U -232


MAT 9219 MT= 51 (n, n') Level 92-U -232
 Cross Section -0.566 To 0.475 %




MAT 9219 MT= 52 (n,n') Level 92-U -232
 Cross Section -100.0 To 4.464 %



MAT 9219 MT= 53 (n,n') Level 92-U -232
 Cross Section -2.843 To 68.75 %




MAT 9219 MT= 54 (n,n') Level 92-U -232
 Cross Section -81.45 To 50.07 %




10 Incident Energy (eV) 92-U -232


MAT 9219 MT= 55 (n,n') Level 92-U -232
 Cross Section -4.376 To 8.728 %



MAT 9219 MT= 56 (n,n') Level 92-U -232
 Cross Section -100.0 To 7.006 %




MAT 9219 MT= 57 (n,n') Level 92-U -232
 Cross Section -3.606 To 18.48 %




13 Incident Energy (eV) 92-U -232

MAT 9219 MT= 58 (n,n') Level 92-U -232
 Cross Section -3.720 To 45.21 %




14 Incident Energy (eV) 92-U -232

MAT 9219 MT= 59 (n,n') Level 92-U -232
 Cross Section -100.0 To 4.484 %




MAT 9219 MT= 60 (n, n') Level 92-U -232
 Cross Section -100.0 To 9.891 %




16 Incident Energy (eV) 92-U -232

MAT 9219 MT= 61 (n,n') Level 92-U -232
 Cross Section -14.30 To 7.437 %




17 Incident Energy (eV) 92-U -232

MAT 9219 MT= 62 (n,n') Level 92-U -232
Cross Section -100.0 To 9.251 %




18 Incident Energy (eV) 92-U -232

MAT 9219 MT= 63 (n, n') Level 92-U -232
 Cross Section -3.212 To 146.7 %




19 Incident Energy (eV) 92-U -232

MAT 9219 MT= 64 (n, n') Level 92-U -232
 Cross Section -96.27 To 3.609 %



20 Incident Energy (eV) 92-U -232

MAT 9219 MT= 65 (n,n') Level 92-U -232
 Cross Section -100.0 To 5.830 %




21 Incident Energy (eV) 92-U -232

MAT 9219

(n,n') Continuum

92-U -232

Cross Section -59.66 To 254.4 %



22

Incident Energy (eV)


92-U -232

MAT 9219

(n, γ)

92-U -232

Cross Section -2.006 To 7537. %




23

Incident Energy (eV)

92-U -232


MAT 9219 Kerma total (eV-barns) 92-U -232
 Cross Section -97.17 To 1000. %




MAT 9219

Kerma elastic
Cross Section


92-U -232
-0.096 To 33.88 %




MAT 9219 Kerma non-elastic (all but mt2) 92-U -232
 Cross Section -97.17 To 1000. %



MAT 9219 Kerma inelastic (mt51-91) 92-U -232
 Cross Section -95.81 To 9999. %




MAT 9219 Kerma fission (mt18 or mt19-20-21-38) 92-U -232
 Cross Section -97.17 To 1000. %



MAT 9219


Kerma capture (mt102) 92-U -232
Cross Section -46.24 To 6378. %



29


Incident Energy (eV) 92-U -232

MAT 9219 Total photon (eV-barns) 92-U -232
 Cross Section 3.577 To 9999. %



30 Incident Energy (eV) 92-U -232

MAT 9219 Total kinematic kerma (high limit) 92-U -232
 Cross Section -97.05 To 1048. %




31 Incident Energy (eV) 92-U -232

MAT 9219

Dpa total (eV-barns)

92-U -232

Cross Section -97.04 To 1050. %




MAT 9219

Dpa elastic (mt2)

92-U -232

Cross Section -1.468 To 32.87 %




33


Incident Energy (eV)

92-U -232

MAT 9219 Dpa inelastic (mt51-91) 92-U -232
 Cross Section -1.092 To 9999. %



MAT 9219 Dpa disappearance (mt102 -120) 92-U -232
 Cross Section -100.0 To 6081. %




MAT 9219

Dpa total (eV-barns)

92-U -232

Cross Section -97.04 To 1050. %



36

Incident Energy (eV)


92-U -232

MAT 9219


Dpa elastic (mt2)

92-U -232


Cross Section -1.468 To 32.87 %



MAT 9219 Dpa inelastic (mt51-91) 92-U -232
 Cross Section -1.092 To 9999. %



MAT 9219 Dpa disappearance (mt102 -120) 92-U -232
 Cross Section -100.0 To 6081. %



39 Incident Energy (eV) 92-U -232