

Program Complot
(Version 2021-1)


by

Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550
U.S.A.

Tele: 925-443-1911
E.Mail:redcullen1@comcast.net
Web:redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start




MAT 4031

Elastic


40-Zr-92


Cross Section -81.42 To 680.5 %



Incident Energy (eV)

40-Zr-92






MAT 4031

$$(n, 3n)$$

40-Zr-92


Cross Section -27.14 To -1.850%





5


Incident Energy (eV)


40-Zr-92















MAT 4031	MT= 52 (n, n') Level	40-Zr-92
	Cross Section	-100.0 To 9999. %




MAT 4031 MT= 53 (n,n') Level 40-Zr-92
 Cross Section -59.95 To 47.03 %












MAT 4031 MT= 57 (n,n') Level 40-Zr-92
 Cross Section -100.0 To 18.93 %



MAT 4031 MT= 58 (n,n') Level 40-Zr-92
Cross Section -99.96 To 13.97 %



17 Incident Energy (eV) 40-Zr-92




MAT 4031

(n, n') Continuum

40-Zr-92

Cross Section	-32.23 To 1936. %
---------------	-------------------



19

Incident Energy (eV)

40-Zr-92


MAT 4031

(n, γ)

40-Zr-92

Cross Section


-74.66 To 9999. %





20


Incident Energy (eV)

40-Zr-92











MAT 4031


$$(n, p) \propto$$


40-Zr-92

Cross Section -100.0 To 9999. %













28

40-Zr-92













MAT 4031 Kerma non-elastic (all but mt2) 40-Zr-92
 Cross Section -158.0 To 9999. %






MAT 4031 Kerma fission (mt18 or mt19-20-21-38) 40-Zr-92
Cross Section -160.7 To 9999. %






MAT 4031 Total photon (eV-barns) 40-Zr-92
 Cross Section -75.53 To 9999. %





37 Incident Energy (eV) 40-Zr-92

MAT 4031 Total kinematic kerma (high limit) 40-Zr-92
Cross Section -60.61 To 266.9 %




38 Incident Energy (eV) 40-Zr-92





MAT 4031 Dpa inelastic (mt51-91) 40-Zr-92
Cross Section -7.379 To 9999. %



41 Incident Energy (eV) 40-Zr-92

MAT 4031	Dpa disappearance (mt102	40-Zr-92
	Cross Section	-48.89 To 9999. %

