

Program Complot  
(Version 2021-1)

by

Dermott E. Cullen  
(Present Contact Information)

Dermott E. Cullen  
1466 Hudson Way  
Livermore, CA 94550

U.S.A.

Tele: 925-443-1911

E.Mail:redcullen1@comcast.net  
Web:redcullen1.net/HOMEPAGE.NEW


Press Mouse Button to Start

MAT 8928

Total

89-Ac-226

Cross Section -99.89 To 9999. %



1

Incident Energy (eV)

89-Ac-226


MAT 8928

Elastic

89-Ac-226

Cross Section

-99.99 To 1378. %




2

Incident Energy (eV)

89-Ac-226

MAT 8928                      Inelastic                      89-Ac-226  
Cross Section                      -100.0 To 520.1 %




3                      Incident Energy (eV)                      89-Ac-226

MAT 8928

(n,2n)

89-Ac-226

Cross Section 2.496 To 1234. %



4

Incident Energy (eV)


89-Ac-226

MAT 8928

(n,3n)

89-Ac-226

Cross Section 0.380 To 92.83 %



5

Incident Energy (eV)


89-Ac-226

MAT 8928

Fission

89-Ac-226

Cross Section -100.0 To 9999. %




MAT 8928

(n,f) First Chance

89-Ac-226

Cross Section -100.0 To 9999. %



7


Incident Energy (eV)

89-Ac-226



MAT 8928

(n, nf) Second Chance 89-Ac-226  
Cross Section 813.3 To 9999. %



8

Incident Energy (eV)


89-Ac-226

MAT 8928

(n,2nf) Third Chance

89-Ac-226

Cross Section -95.31 To 9999. %



9

Incident Energy (eV)


89-Ac-226

MAT 8928

(n,4n)

89-Ac-226


Cross Section -100.0 To 9999. %




10

Incident Energy (eV)


89-Ac-226




MAT 8928 MT= 51 (n, n') Level 89-Ac-226  
 Cross Section -100.0 To 9999. %




MAT 8928      MT= 52 (n,n') Level      89-Ac-226  
 Cross Section    -100.0 To 9999. %



MAT 8928 MT= 53 (n, n') Level 89-Ac-226  
 Cross Section -100.0 To 9999. %




MAT 8928 MT= 54 (n, n') Level 89-Ac-226  
 Cross Section -100.0 To 9999. %







MAT 8928 MT= 55 (n,n') Level 89-Ac-226  
 Cross Section -100.0 To 9999. %




MAT 8928 MT= 56 (n,n') Level 89-Ac-226  
 Cross Section -100.0 To 9999. %



MAT 8928 MT= 57 (n,n') Level 89-Ac-226  
 Cross Section -100.0 To 9999. %



Cross Section -0.789 To 7436. %




MAT 8928

(n,  $\gamma$ )

89-Ac-226

Cross Section -97.12 To 9999. %




20

Incident Energy (eV)

89-Ac-226

MAT 8928


Kerma total (eV-barns) 89-Ac-226  
Cross Section -100.0 To 9999. %




MAT 8928

Kerma elastic  
Cross Section

89-Ac-226  
-99.99 To 1378. %




MAT 8928 Kerma non-elastic (all but mt2) 89-Ac-226  
 Cross Section -100.0 To 9999. %






MAT 8928 Kerma inelastic (mt51-91) 89-Ac-226  
 Cross Section -100.0 To 917.0 %




MAT 8928 Kerma fission (mt18 or mt19-20-21-38) 89-Ac-226  
 Cross Section -100.0 To 9999. %



MAT 8928

Kerma capture (mt102) 89-Ac-226  
Cross Section -97.14 To 9999. %




MAT 8928


Total photon (eV-barns)

89-Ac-226


Cross Section -97.12 To 9999. %




MAT 8928 Total kinematic kerma (high limit) 89-Ac-226  
 Cross Section -100.0 To 9999. %




Cross Section -100.0 To 9999. %





MAT 8928      Dpa inelastic (mt51-91)      89-Ac-226  
 Cross Section      -67.10 To 465.3 %





MAT 8928 Dpa disappearance (mt102 -120) 89-Ac-226  
 Cross Section -100.0 To 9999. %

