

Program Complot
(Version 2021-1)

by

Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550

U.S.A.

Tele: 925-443-1911


E.Mail:redcullen1@comcast.net
Web:redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start

MAT 9540

Total
Cross Section -92.21 To 225.1 %

95-Am-240




1 95-Am-240

MAT 9540

Elastic

95-Am-240

Cross Section -76.53 To 62.71 %




2

Incident Energy (eV)


95-Am-240

MAT 9540 Inelastic 95-Am-240
 Cross Section -100.0 To 18.62 %




3 Incident Energy (eV) 95-Am-240

MAT 9540 (n,2n) 95-Am-240
 Cross Section -100.0 To 346.3 %




4 6 7 8 10⁷ 2 3 4 5 6 7 8 10⁸ 2 95-Am-240


MAT 9540 (n,3n) 95-Am-240
 Cross Section -100.0 To 9077. %



MAT 9540 Fission 95-Am-240
 Cross Section -89.21 To 241.5 %




MAT 9540 MT= 51 (n, n') Level 95-Am-240
 Cross Section -100.0 To 18.62 %




7 Incident Energy (eV) 95-Am-240

MAT 9540 MT= 52 (n, n') Level 95-Am-240
 Cross Section -100.0 To 9999. %




8 Incident Energy (eV) 95-Am-240


MAT 9540 MT= 53 (n, n') Level 95-Am-240
 Cross Section -100.0 To 36.67 %




MAT 9540 MT= 54 (n,n') Level 95-Am-240
 Cross Section -100.0 To -21.75%




MAT 9540 MT= 55 (n, n') Level 95-Am-240
 Cross Section -100.0 To 9999. %



MAT 9540 MT= 56 (n,n') Level 95-Am-240
 Cross Section -100.0 To -41.53%



MAT 9540 MT= 57 (n,n') Level 95-Am-240
 Cross Section -100.0 To -20.24%




MAT 9540

(n,n') Continuum


95-Am-240

Cross Section -51.07 To 6312. %




MAT 9540


(n, γ)
Cross Section -97.65 To 819.2 %
95-Am-240




MAT 9540 (n, p) 95-Am-240
 Cross Section -100.0 To 222.1 %



MAT 9540 (n,d) 95-Am-240
 Cross Section -100.0 To 1346. %






MAT 9540

(n, α)


95-Am-240

Cross Section -100.0 To 207.3 %



MAT 9540


Hydrogen Production 95-Am-240
Cross Section -100.0 To 81.73 %



20

MAT 9540

Deuterium Production 95-Am-240
Cross Section -100.0 To 1346. %




21

Incident Energy (eV)

95-Am-240

MAT 9540 Tritium Production 95-Am-240
 Cross Section -100.0 To 9999. %




MAT 9540

He-4 Production

95-Am-240

Cross Section -100.0 To 207.0 %




23

Incident Energy (eV)

95-Am-240


MAT 9540 Kerma total (eV-barns) 95-Am-240
 Cross Section -87.99 To 280.1 %



MAT 9540

Kerma elastic
Cross Section -76.53 To 89.32 %

95-Am-240




25


Incident Energy (eV)

95-Am-240


MAT 9540 Kerma non-elastic (all but mt2) 95-Am-240
 Cross Section -87.99 To 280.1 %



MAT 9540 Kerma inelastic (mt51-91) 95-Am-240
 Cross Section -8047. To 9999. %




MAT 9540 Kerma fission (mt18 or mt19-20-21-38) 95-Am-240
 Cross Section -88.04 To 278.4 %



MAT 9540


Kerma capture (mt102) 95-Am-240
Cross Section 9999. To 9999. %



29


Incident Energy (eV) 95-Am-240

MAT 9540 Total photon (eV-barns) 95-Am-240
Cross Section 9999. To 9999. %




95-Am-240


MAT 9540 Total kinematic kerma (high limit) 95-Am-240
 Cross Section -88.04 To 278.4 %




MAT 9540 Dpa total (eV-barns) 95-Am-240
 Cross Section -89.40 To 235.6 %




MAT 9540 Dpa elastic (mt2) 95-Am-240
 Cross Section -17.50 To 86.50 %




MAT 9540 Dpa inelastic (mt51-91) 95-Am-240
 Cross Section -100.0 To 159.6 %




MAT 9540 Dpa disappearance (mt102 -120) 95-Am-240
 Cross Section -15.51 To 9999. %




MAT 9540 Dpa total (eV-barns) 95-Am-240
 Cross Section -91.12 To 188.8 %




MAT 9540 Dpa elastic (mt2) 95-Am-240
 Cross Section -17.03 To 35.57 %



MAT 9540 Dpa inelastic (mt51-91) 95-Am-240
 Cross Section -100.0 To 294.7 %



MAT 9540 Dpa disappearance (mt102 -120) 95-Am-240
 Cross Section -100.0 To 626.5 %



39 Incident Energy (eV) 95-Am-240