

Program Complot
(Version 2021-1)

by

Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550

U.S.A.

Tele: 925-443-1911

E.Mail: redcullen1@comcast.net
Web: redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start


MAT 9740

Total

97-Bk-245

Cross Section

-99.97 To 9999. %




1

Incident Energy (eV)

97-Bk-245

MAT 9740

Elastic Cross Section -99.99 To 298.8 %
97-Bk-245



10⁻⁵ 10⁻⁴ 10⁻³ 10⁻² 10⁻¹ 10⁰ 10¹ 10² 10³ 10⁴ 10⁵ 10⁶ 10⁷ 10⁸

2

Incident Energy (eV)


97-Bk-245

MAT 9740

Inelastic

97-Bk-245

Cross Section 94.95 To 9999. %




3

Incident Energy (eV)

97-Bk-245

MAT 9740 (n,2n) 97-Bk-245
 Cross Section -100.0 To 4753. %




4 7 8 10⁷ 2 3 4 5 6 7 8 10⁸ 2 97-Bk-245

MAT 9740

(n,3n)

97-Bk-245

Cross Section 564.6 To 4054. %



5

Incident Energy (eV)


97-Bk-245

MAT 9740

97-Bk-245

Fission


Cross Section -100.0 To 9999. %



10⁸ 10⁶ 10⁴ 10² 10⁰ 10⁻² 10⁻⁴ 10⁻⁶ 10⁻⁸


10⁻⁵ 10⁻⁴ 10⁻³ 10⁻² 10⁻¹ 10⁰ 10¹ 10² 10³ 10⁴ 10⁵ 10⁶ 10⁷ 10⁸

MAT 9740 MT= 51 (n, n') Level 97-Bk-245
 Cross Section 9999. To 9999. %




7 Incident Energy (eV) 97-Bk-245

MAT 9740 MT= 52 (n, n') Level 97-Bk-245
 Cross Section -89.99 To 9999. %



MAT 9740

(n, n') Continuum 97-Bk-245
Cross Section -10.32 To 9999. %



9

Incident Energy (eV)


97-Bk-245

MAT 9740

(n, γ)

97-Bk-245

Cross Section -99.54 To 9999. %




10

Incident Energy (eV)

97-Bk-245


MAT 9740 Kerma total (eV-barns) 97-Bk-245
 Cross Section -100.0 To 9999. %



MAT 9740

Kerma elastic
Cross Section -99.99 To 298.8 %

97-Bk-245




12


Incident Energy (eV)

97-Bk-245


MAT 9740 Kerma non-elastic (all but mt2) 97-Bk-245
 Cross Section -100.0 To 9999. %



MAT 9740 Kerma inelastic (mt51-91) 97-Bk-245
 Cross Section -9999. To 9999. %




MAT 9740 Kerma fission (mt18 or mt19-20-21-38) 97-Bk-245
 Cross Section -100.0 To 9999. %




MAT 9740

Kerma capture (mt102) 97-Bk-245
Cross Section -99.69 To 9999. %




MAT 9740 Total photon (eV-barns) 97-Bk-245
 Cross Section -99.54 To 9999. %




17 Incident Energy (eV) 97-Bk-245


MAT 9740 Total kinematic kerma (high limit) 97-Bk-245
 Cross Section -100.0 To 9999. %




MAT 9740 Dpa total (eV-barns) 97-Bk-245
 Cross Section -100.0 To 9999. %




MAT 9740 Dpa elastic (mt2) 97-Bk-245
 Cross Section -39.67 To 12.66 %



MAT 9740 Dpa inelastic (mt51-91) 97-Bk-245
 Cross Section 829.2 To 9999. %




MAT 9740 Dpa disappearance (mt102 -120) 97-Bk-245
 Cross Section -100.0 To 9999. %



MAT 9740

Dpa total (eV-barns) 97-Bk-245
Cross Section -100.0 To 9999. %




MAT 9740

Dpa elastic (mt2)

97-Bk-245

Cross Section

-39.67 To 12.66 %




24

Incident Energy (eV)

97-Bk-245

MAT 9740 Dpa inelastic (mt51-91) 97-Bk-245
 Cross Section 829.2 To 9999. %



MAT 9740 Dpa disappearance (mt102 -120) 97-Bk-245
 Cross Section -100.0 To 9999. %

