

Program Complot
(Version 2021-1)

by

Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550

U.S.A.

Tele: 925-443-1911

E.Mail:redcullen1@comcast.net
Web:redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start


MAT 4849

Total

48-Cd-114

Cross Section

-99.91 To 9999. %



1

Incident Energy (eV)


48-Cd-114

MAT 4849

Elastic

48-Cd-114

Cross Section -100.0 To 9999. %




2

Incident Energy (eV)

48-Cd-114

MAT 4849 Inelastic 48-Cd-114
 Cross Section -57.06 To 77.13 %




3 Incident Energy (eV) 48-Cd-114

MAT 4849

(n,2n)

48-Cd-114

Cross Section -35.09 To 154.5 %



4

Incident Energy (eV)


48-Cd-114

MAT 4849

(n,3n)

48-Cd-114

Cross Section -100.0 To 9941. %



5

Incident Energy (eV)

48-Cd-114


MAT 4849

(n, n') α

48-Cd-114

Cross Section

-78.71 To 9999. %



6

Incident Energy (eV)


48-Cd-114

MAT 4849

(n, n') p

48-Cd-114

Cross Section -73.71 To 9999. %



7

Incident Energy (eV)


48-Cd-114

MAT 4849

(n, n') d

48-Cd-114

Cross Section -99.78 To -96.39%



8

Incident Energy (eV)


48-Cd-114

MAT 4849


(n, n') t

48-Cd-114

Cross Section -100.0 To -84.11%




MAT 4849 MT= 51 (n, n') Level 48-Cd-114
 Cross Section -62.00 To 77.13 %




10 Incident Energy (eV) 48-Cd-114


MAT 4849 MT= 52 (n, n') Level 48-Cd-114
 Cross Section -100.0 To 35.29 %




MAT 4849 MT= 53 (n, n') Level 48-Cd-114
 Cross Section -100.0 To 26.28 %




MAT 4849 MT= 54 (n, n') Level 48-Cd-114
 Cross Section -100.0 To 103.2 %




MAT 4849 MT= 55 (n, n') Level 48-Cd-114
 Cross Section -100.0 To 9999. %




MAT 4849 MT= 56 (n,n') Level 48-Cd-114
 Cross Section -100.0 To 74.18 %




MAT 4849 MT= 57 (n, n') Level 48-Cd-114
 Cross Section -100.0 To 67.58 %




MAT 4849 MT= 58 (n, n') Level 48-Cd-114
 Cross Section -100.0 To 73.36 %




MAT 4849 MT= 59 (n, n') Level 48-Cd-114
 Cross Section -100.0 To -42.36%



MAT 4849 MT= 60 (n, n') Level 48-Cd-114
 Cross Section -100.0 To 9999. %



MAT 4849 (n,n') Continuum 48-Cd-114
 Cross Section -49.76 To 6615. %




MAT 4849

(n, γ)

48-Cd-114

Cross Section -100.0 To 9999. %



21

Incident Energy (eV)


48-Cd-114

MAT 4849


(n, p)

48-Cd-114

Cross Section -19.33 To 9999. %



MAT 4849 (n,d) 48-Cd-114
 Cross Section 16.03 To 9999. %




MAT 4849

(n, t)

48-Cd-114

Cross Section -73.31 To 9999. %



24

Incident Energy (eV)


48-Cd-114

MAT 4849

(n, He-3)

48-Cd-114

Cross Section 2969. To 9999. %



25

Incident Energy (eV)


48-Cd-114

MAT 4849

(n, α)

48-Cd-114


Cross Section -100.0 To 9999. %



26

Incident Energy (eV)


48-Cd-114



MAT 4849

Deuterium Production 48-Cd-114

Cross Section 16.03 To 9999. %




28

Incident Energy (eV)

48-Cd-114

MAT 4849

Tritium Production 48-Cd-114
Cross Section -73.31 To 9999. %



29

Incident Energy (eV)


48-Cd-114

MAT 4849

He-3 Production

48-Cd-114

Cross Section 2969. To 9999. %



30

Incident Energy (eV)


48-Cd-114

MAT 4849

He-4 Production

48-Cd-114

Cross Section -100.0 To 9999. %




31

Incident Energy (eV)

48-Cd-114

MAT 4849 Kerma total (eV-barns) 48-Cd-114
 Cross Section -99.98 To 9999. %




MAT 4849

Kerma elastic

48-Cd-114

Cross Section -100.0 To 9999. %




33


Incident Energy (eV)

48-Cd-114


MAT 4849 Kerma non-elastic (all but mt2) 48-Cd-114
 Cross Section -100.0 To 9999. %




MAT 4849 Kerma inelastic (mt51-91) 48-Cd-114
 Cross Section 2293. To 9999. %




MAT 4849 Kerma fission (mt18 or mt19-20-21-38) 48-Cd-114
 Cross Section 2293. To 9999. %






MAT 4849 Total photon (eV-barns) 48-Cd-114
 Cross Section -100.0 To 9999. %




MAT 4849 Total kinematic kerma (high limit) 48-Cd-114
 Cross Section -149.0 To 9999. %



39 Incident Energy (eV) 48-Cd-114

MAT 4849 Dpa total (eV-barns) 48-Cd-114
 Cross Section -99.98 To 9999. %




40 Incident Energy (eV) 48-Cd-114

MAT 4849

Dpa elastic (mt2)

48-Cd-114

Cross Section -100.0 To 9999. %




41

Incident Energy (eV)

48-Cd-114

MAT 4849 Dpa inelastic (mt51-91) 48-Cd-114
 Cross Section -22.27 To 9999. %



MAT 4849 Dpa disappearance (mt102 -120) 48-Cd-114
 Cross Section -100.0 To 9999. %

