

Program Complot
(Version 2021-1)

by

Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550

U.S.A.

Tele: 925-443-1911

E.Mail: redcullen1@comcast.net
Web: redcullen1.net/HOMEPAGE.NEW


Press Mouse Button to Start

MAT 9637

Total

96-Cm-244

Cross Section -99.86 To 9999. %



1

Incident Energy (eV)


96-Cm-244

MAT 9637

Elastic

96-Cm-244

Cross Section -99.99 To 9999. %




2

Incident Energy (eV)

96-Cm-244

MAT 9637 Inelastic 96-Cm-244
 Cross Section -100.0 To 17.88 %




MAT 9637

(n,2n)

96-Cm-244

Cross Section -2.435 To 457.2 %



4

Incident Energy (eV)


96-Cm-244

MAT 9637

(n,3n)

96-Cm-244

Cross Section 2393. To 9999. %




5

Incident Energy (eV)


96-Cm-244

MAT 9637

Fission Cross Section -99.69 To 9999. %
96-Cm-244




MAT 9637 MT= 51 (n, n') Level 96-Cm-244
 Cross Section -100.0 To 40.10 %




7 96-Cm-244


MAT 9637 MT= 52 (n, n') Level 96-Cm-244
 Cross Section -100.0 To 19.49 %



MAT 9637 MT= 53 (n,n') Level 96-Cm-244
 Cross Section -100.0 To 24.04 %




MAT 9637 MT= 54 (n, n') Level 96-Cm-244
 Cross Section -100.0 To 53.28 %




10 10 96-Cm-244

MAT 9637 MT= 55 (n, n') Level 96-Cm-244
 Cross Section -100.0 To 9999. %




11 Incident Energy (eV) 96-Cm-244

MAT 9637 MT= 56 (n,n') Level 96-Cm-244
 Cross Section -100.0 To -41.15%




12 Incident Energy (eV) 96-Cm-244

MAT 9637 MT= 57 (n,n') Level 96-Cm-244
 Cross Section -100.0 To 4.272 %




13 Incident Energy (eV) 96-Cm-244

MAT 9637 MT= 58 (n, n') Level 96-Cm-244
 Cross Section -100.0 To 9999. %




14 Incident Energy (eV) 96-Cm-244

MAT 9637 MT= 59 (n,n') Level 96-Cm-244
 Cross Section -100.0 To -90.00%




15 Incident Energy (eV) 96-Cm-244

MAT 9637 MT= 60 (n,n') Level 96-Cm-244
 Cross Section -100.0 To 5.577 %



MAT 9637 MT= 61 (n,n') Level 96-Cm-244
 Cross Section -100.0 To 7645. %




MAT 9637

(n, n') Continuum

96-Cm-244

Cross Section 0.970 To 9999. %




MAT 9637

(n, γ)

96-Cm-244

Cross Section -99.99 To 9999. %




19

Incident Energy (eV)

96-Cm-244


MAT 9637 Kerma total (eV-barns) 96-Cm-244
 Cross Section -99.70 To 9999. %




20 Incident Energy (eV) 96-Cm-244

MAT 9637

Kerma elastic Cross Section -99.99 To 9999. %
96-Cm-244




MAT 9637 Kerma non-elastic (all but mt2) 96-Cm-244
 Cross Section -99.70 To 9999. %





22 Incident Energy (eV) 96-Cm-244

MAT 9637 Kerma inelastic (mt51-91) 96-Cm-244
 Cross Section -100.0 To 160.8 %




MAT 9637 Kerma fission (mt18 or mt19-20-21-38) 96-Cm-244
 Cross Section -99.70 To 9999. %






MAT 9637


Total photon (eV-barns) 96-Cm-244
Cross Section -99.95 To 9999. %



MAT 9637 Total kinematic kerma (high limit) 96-Cm-244
 Cross Section -99.69 To 9999. %



MAT 9637 Dpa total (eV-barns) 96-Cm-244
 Cross Section -99.68 To 9999. %




MAT 9637

Dpa elastic (mt2)

96-Cm-244

Cross Section -47.01 To 50.00 %




29


Incident Energy (eV)

96-Cm-244


MAT 9637 Dpa inelastic (mt51-91) 96-Cm-244
 Cross Section -100.0 To 243.0 %



MAT 9637 Dpa disappearance (mt102 -120) 96-Cm-244
 Cross Section -100.0 To 9999. %



MAT 9637 Dpa disappearance (mt102 -120) 96-Cm-244
 Cross Section -100.0 To 9999. %




MAT 9637

Dpa elastic (mt2)

96-Cm-244

Cross Section

-47.15 To 41.71 %




33

Incident Energy (eV)

96-Cm-244

MAT 9637 Dpa inelastic (mt51-91) 96-Cm-244
 Cross Section -100.0 To 243.0 %



MAT 9637 Dpa disappearance (mt102 -120) 96-Cm-244
 Cross Section -100.0 To 9999. %

