

Program Complot  
(Version 2021-1)

by

Dermott E. Cullen  
(Present Contact Information)

Dermott E. Cullen  
1466 Hudson Way  
Livermore, CA 94550

U.S.A.

Tele: 925-443-1911

E.Mail: [redcullen1@comcast.net](mailto:redcullen1@comcast.net)  
Web: [redcullen1.net/HOMEPAGE.NEW](http://redcullen1.net/HOMEPAGE.NEW)

Press Mouse Button to Start


MAT 2428

Total

24-Cr-51

Cross Section

-98.42 To 7665. %



1

Incident Energy (eV)


24-Cr-51

MAT 2428

24-Cr-51

Elastic

Cross Section -99.39 To 8099. %




2

Incident Energy (eV)


24-Cr-51

MAT 2428 Inelastic 24-Cr-51  
 Cross Section -100.0 To 2.486 %




3 Incident Energy (eV) 24-Cr-51

MAT 2428 (n,2n) 24-Cr-51  
 Cross Section -100.0 To 195.1 %



4 Incident Energy (eV) 24-Cr-51

MAT 2428 (n,3n) 24-Cr-51  
 Cross Section -100.0 To 277.4 %




MAT 2428

(n, n')  $\alpha$

<sup>24</sup>Cr-51

Cross Section -100.0 To 376.5 %




6

Incident Energy (eV)

<sup>24</sup>Cr-51

MAT 2428 (n,2n)  $\alpha$  <sup>24</sup>Cr-51  
 Cross Section -100.0 To 374.4 %






MAT 2428

(n, n') p

24-Cr-51

Cross Section -34.22 To 9999. %




8

Incident Energy (eV)

24-Cr-51

MAT 2428 (n, n') 2α 24-Cr-51  
 Cross Section -100.0 To 3642. %




MAT 2428

(n, n') d

<sup>24</sup>Cr-51

Cross Section -100.0 To 1081. %




10


Incident Energy (eV)

<sup>24</sup>Cr-51


MAT 2428 (n, n') t 24-Cr-51  
 Cross Section -100.0 To 9999. %




MAT 2428 (n,n') He-3 24-Cr-51  
 Cross Section -100.0 To 811.9 %



MAT 2428 (n,2n) p 24-Cr-51  
 Cross Section -100.0 To 256.8 %



MAT 2428 (n,2n) p 24-Cr-51  
 Cross Section -100.0 To 9999. %




MAT 2428

(n,n') p  $\alpha$

<sup>24</sup>Cr-51

Cross Section -100.0 To 5184. %




15

Incident Energy (eV)

<sup>24</sup>Cr-51




MAT 2428 MT= 51 (n, n') Level 24-Cr-51  
 Cross Section -100.0 To 114.8 %




16 Incident Energy (eV) 24-Cr-51


MAT 2428 MT= 52 (n, n') Level 24-Cr-51  
 Cross Section -100.0 To 14.62 %




MAT 2428 MT= 53 (n, n') Level 24-Cr-51  
 Cross Section -100.0 To 3.060 %




MAT 2428 MT= 54 (n,n') Level 24-Cr-51  
 Cross Section -6.238 To 3.145 %




MAT 2428 MT= 55 (n,n') Level 24-Cr-51  
 Cross Section -4.132 To 2.853 %




MAT 2428 MT= 56 (n,n') Level 24-Cr-51  
 Cross Section -5.746 To 3.154 %



MAT 2428 MT= 57 (n, n') Level 24-Cr-51  
 Cross Section -6.418 To 3.004 %




MAT 2428 MT= 58 (n,n') Level 24-Cr-51  
 Cross Section -100.0 To 14.37 %






MAT 2428 MT= 59 (n, n') Level 24-Cr-51  
 Cross Section -100.0 To 11.61 %




24 24-Cr-51


MAT 2428 MT= 60 (n, n') Level 24-Cr-51  
 Cross Section -100.0 To 14.21 %




MAT 2428 MT= 61 (n, n') Level 24-Cr-51  
 Cross Section -7.567 To 13.79 %




MAT 2428 MT= 62 (n,n') Level 24-Cr-51  
 Cross Section -5.071 To 12.59 %




MAT 2428 MT= 63 (n, n') Level 24-Cr-51  
 Cross Section -100.0 To 14.32 %



MAT 2428 MT= 64 (n, n') Level 24-Cr-51  
 Cross Section -100.0 To 507.3 %




MAT 2428 MT= 65 (n, n') Level 24-Cr-51  
 Cross Section -6.459 To 13.38 %




30 24-Cr-51

MAT 2428 MT= 66 (n, n') Level 24-Cr-51  
 Cross Section -100.0 To 330.3 %







MAT 2428 MT= 67 (n, n') Level 24-Cr-51  
 Cross Section -100.0 To 130.4 %




MAT 2428 MT= 68 (n, n') Level 24-Cr-51  
 Cross Section 0.000 To 329.9 %




MAT 2428 MT= 69 (n, n') Level 24-Cr-51  
 Cross Section -100.0 To 329.9 %




MAT 2428 MT= 70 (n, n') Level 24-Cr-51  
 Cross Section -100.0 To 328.6 %




MAT 2428 MT= 71 (n, n') Level 24-Cr-51  
 Cross Section -100.0 To 9999. %




MAT 2428 MT= 72 (n, n') Level 24-Cr-51  
 Cross Section -99.98 To 70.48 %



MAT 2428 MT= 73 (n,n') Level 24-Cr-51  
 Cross Section 0.000 To 134.9 %




MAT 2428 MT= 74 (n, n') Level 24-Cr-51  
 Cross Section 0.000 To 329.3 %






MAT 2428 MT= 75 (n,n') Level 24-Cr-51  
 Cross Section 0.000 To 135.3 %




40 24-Cr-51

MAT 2428 MT= 76 (n, n') Level 24-Cr-51  
 Cross Section 0.000 To 9999. %




41 Incident Energy (eV) 24-Cr-51

MAT 2428 MT= 77 (n, n') Level 24-Cr-51  
 Cross Section -100.0 To 132.2 %




42 24-Cr-51


MAT 2428 MT= 78 (n, n') Level 24-Cr-51  
 Cross Section 0.000 To 330.4 %



MAT 2428 MT= 79 (n, n') Level 24-Cr-51  
 Cross Section 0.000 To 281.8 %



MAT 2428 (n, n') Continuum 24-Cr-51  
 Cross Section -100.0 To 0.000 %




MAT 2428

24-Cr-51

(n,  $\gamma$ )

Cross Section -99.98 To 9999. %




MAT 2428

(n, p)

24-Cr-51

Cross Section -52.89 To 198.8 %



47

Incident Energy (eV)

24-Cr-51




MAT 2428

(n,d)

<sup>24</sup>Cr-51

Cross Section -16.86 To 24.88 %



48

Incident Energy (eV)


<sup>24</sup>Cr-51

MAT 2428

(n, t)

<sup>24</sup>Cr-51

Cross Section -100.0 To 37.37 %



49

Incident Energy (eV)


<sup>24</sup>Cr-51

MAT 2428

(n, He-3)

<sup>24</sup>Cr-51

Cross Section -100.0 To 36.26 %



50

Incident Energy (eV)


<sup>24</sup>Cr-51

MAT 2428


24-Cr-51

(n,  $\alpha$ )


Cross Section -16.56 To 9999. %




MAT 2428 (n,2α) 24-Cr-51  
 Cross Section -100.0 To 957.4 %




MAT 2428 (n,2p) <sup>24</sup>Cr-51  
 Cross Section -100.0 To 44.22 %



MAT 2428 (n,p)  $\alpha$  24-Cr-51  
 Cross Section -100.0 To 294.5 %




MAT 2428 (n,p) d <sup>24</sup>Cr-51  
 Cross Section -100.0 To 189.9 %






MAT 2428 (n,p) t 24-Cr-51  
 Cross Section -100.0 To 178.6 %



MAT 2428 (n,d)  $\alpha$   $^{24}\text{Cr-51}$   
 Cross Section -100.0 To 818.7 %




MAT 2428

Hydrogen Production

<sup>24</sup>Cr-51

Cross Section -52.89 To 198.8 %




MAT 2428

Deuterium Production

<sup>24</sup>Cr-51

Cross Section -16.86 To 59.11 %




59

Incident Energy (eV)

<sup>24</sup>Cr-51

MAT 2428 Tritium Production 24-Cr-51  
 Cross Section -100.0 To 96.92 %




MAT 2428

He-3 Production

<sup>24</sup>Cr-51

Cross Section -100.0 To 36.26 %



61

Incident Energy (eV)


<sup>24</sup>Cr-51

MAT 2428

He-4 Production

24-Cr-51

Cross Section -16.56 To 9999. %




62

Incident Energy (eV)

24-Cr-51

MAT 2428 Kerma total (eV-barns) 24-Cr-51  
 Cross Section -52.88 To 243.7 %




63 Incident Energy (eV) 24-Cr-51




MAT 2428

Kerma elastic Cross Section -99.39 To 8099. %  
24-Cr-51




MAT 2428 Kerma non-elastic (all but mt2) 24-Cr-51  
 Cross Section -52.88 To 244.2 %




65 Incident Energy (eV) 24-Cr-51

MAT 2428 Kerma inelastic (mt51-91) 24-Cr-51  
 Cross Section -100.0 To 40.09 %




MAT 2428 Kerma fission (mt18 or mt19-20-21-38) 24-Cr-51  
 Cross Section -100.0 To 40.09 %




MAT 2428


Kerma capture (mt102) 24-Cr-51  
Cross Section -99.98 To 9999. %



MAT 2428 Total photon (eV-barns) 24-Cr-51  
 Cross Section -99.98 To 9999. %



MAT 2428 Total kinematic kerma (high limit) 24-Cr-51  
 Cross Section -53.31 To 837.1 %




70 Incident Energy (eV) 24-Cr-51

MAT 2428

Dpa total (eV-barns)

24-Cr-51

Cross Section -94.52 To 2431. %



71

Incident Energy (eV)

24-Cr-51




MAT 2428


Dpa elastic (mt2)

24-Cr-51

Cross Section -99.39 To 8099. %




MAT 2428 Dpa inelastic (mt51-91) 24-Cr-51  
 Cross Section -100.0 To 4.583 %



73 Incident Energy (eV) 24-Cr-51

MAT 2428 Dpa disappearance (mt102 -120) 24-Cr-51  
 Cross Section -61.80 To 2431. %




Ratio  
 Cross Section (barns)


10<sup>7</sup>  
 10<sup>6</sup>  
 10<sup>5</sup>  
 10<sup>4</sup>  
 10<sup>3</sup>  
 10<sup>2</sup>  
 10<sup>2</sup>  
 10<sup>1</sup>  
 10<sup>0</sup>

10<sup>-5</sup> 10<sup>-4</sup> 10<sup>-3</sup> 10<sup>-2</sup> 10<sup>-1</sup> 10<sup>0</sup> 10<sup>1</sup> 10<sup>2</sup> 10<sup>3</sup> 10<sup>4</sup> 10<sup>5</sup> 10<sup>6</sup> 10<sup>7</sup> 10<sup>8</sup>


MAT 2428 (n, n') p  $\alpha$ :21-Sc-46g 24-Cr-51  
 Radionuclide Production Cross Section 180.0 dth 5167. %



MAT 2428 (n, n') p  $\alpha$ :21-Sc-46m2 24-Cr-51  
 Radionuclide Production Cross Section Ratio 9999. %



MAT 2428 (n, d)  $\alpha$ :21-Sc-46g 24-Cr-51  
 Radionuclide Production Cross Section 180.0 dth 825.7 %



MAT 2428 (n, d)  $\alpha$ :21-Sc-46m2 24-Cr-51  
 Radionuclide Production Cross Section 186331 d10 356.4 %

