

Program Complot
(Version 2021-1)

by

Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way

Livermore, CA 94550


U.S.A.


Tele: 925-443-1911


E.Mail: redcullen1@comcast.net


Web: redcullen1.net/HOMEPAGE.NEW


Press Mouse Button to Start


























MAT 6625 MT= 51 (n,n') Level 66-Dy-156
Cross Section -100.0 To 44.19 %




10 Incident Energy (eV) 66-Dy-156



MAT 6625 MT= 53 (n,n') Level 66-Dy-156
Cross Section -100.0 To 9999. %




MAT 6625 MT= 54 (n,n') Level 66-Dy-156
Cross Section -100.0 To 9999. %




13 Incident Energy (eV) 66-Dy-156

MAT 6625 MT= 55 (n,n') Level 66-Dy-156
Cross Section -100.0 To 77.70 %





14 Incident Energy (eV) 66-Dy-156

MAT 6625 MT= 56 (n,n') Level 66-Dy-156
Cross Section -100.0 To 42.61 %




15 Incident Energy (eV) 66-Dy-156





MAT 6625 MT= 59 (n,n') Level 66-Dy-156
Cross Section -100.0 To 2362. %





MAT 6625


MT= 60 (n, n') Level


66-Dy-156


Cross Section -100.0 To 7611. %























MAT 6625	Kerma elastic	66-Dy-156
	Cross Section	-99.79 To 9999. %




MAT 6625 Kerma non-elastic (all but mt2) 66-Dy-156
Cross Section -9999. To 9999. %



28 Incident Energy (eV) 66-Dy-156




MAT 6625 Kerma fission (mt18 or mt19-20-21-38) 66-Dy-156
Cross Section -100.0 To 115.1 %




30 Incident Energy (eV) 66-Dy-156

MAT 6625 Kerma capture (mt102) 66-Dy-156
Cross Section -99.03 To 9999. %




MAT 6625 Total photon (eV-barns) 66-Dy-156
Cross Section -99.06 To 9999. %




32 Incident Energy (eV) 66-Dy-156

MAT 6625 Total kinematic kerma (high limit) 66-Dy-156
Cross Section -99.09 To 4567. %




MAT 6625	Dpa total (eV-barns)	66-Dy-156
	Cross Section	-99.03 To 9999. %




34	Incident Energy (eV)	66-Dy-156
----	----------------------	-----------


MAT 6625	Dpa elastic (mt2)	66-Dy-156
	Cross Section	-62.30 To 20.84 %



35	Incident Energy (eV)	66-Dy-156
----	----------------------	-----------



MAT 6625 Dpa disappearance (mt102 -120) 66-Dy-156
Cross Section -99.03 To 9999. %



37 Incident Energy (eV) 66-Dy-156