

Program Complot
(Version 2021-1)

by

Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way

Livermore, CA 94550


U.S.A.


Tele: 925-443-1911


E.Mail: redcullen1@comcast.net


Web: redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start











MAT 7625


$$(n, 2n) \text{ d}$$


76-05-184


Cross Section -100.0 To 9999. %










































MAT 7625


$$(n, n') \text{ p } \propto$$

76-05-184


Cross Section




MAT 7625 MT= 51 (n,n') Level 76-0s-184
 Cross Section -100.0 To 101.8 %



MAT 7625 MT= 52 (n,n') Level 76-0s-184
Cross Section -100.0 To 138.9 %





MAT 7625 MT= 53 (n,n') Level 76-0s-184
Cross Section -22.96 To 131.5 %





23 Incident Energy (eV) 76-0s-184

MAT 7625 MT= 54 (n,n') Level 76-0s-184
Cross Section -16.96 To 44.74 %











MAT 7625 MT= 58 (n,n') Level 76-0s-184
Cross Section -100.0 To 87.62 %



MAT 7625 MT= 59 (n,n') Level 76-0s-184
 Cross Section -20.63 To 45.05 %




MAT 7625

MT= 60 (n,n') Level

76-0s-184

Cross Section

-93.93 To 0.000 %




MAT 7625

MT= 61 (n,n') Level


76-0s-184

Cross Section


-69.04 To 129.1 %




MAT 7625 MT= 62 (n,n') Level 76-0s-184
Cross Section -100.0 To 72.50 %




MAT 7625 MT= 63 (n,n') Level 76-0s-184
 Cross Section -100.0 To 113.9 %







MAT 7625 MT= 65 (n,n') Level 76-0s-184
Cross Section -100.0 To 27.67 %





MAT 7625 MT= 66 (n,n') Level 76-0s-184
 Cross Section -100.0 To 46.98 %




MAT 7625 MT= 67 (n,n') Level 76-0s-184
 Cross Section -100.0 To 76.05 %










MAT 7625 MT= 71 (n,n') Level 76-0s-184
Cross Section -0.191 To 195.6 %




MAT 7625

MT= 72 (n,n') Level


76-0s-184

Cross Section

-38.03 To 189.4 %



MAT 7625 MT= 73 (n,n') Level 76-0s-184
Cross Section -0.176 To 158.8 %




MAT 7625

MT= 74 (n,n') Level


76-Os-184

Cross Section


-38.03 To 191.4 %




MAT 7625 MT= 75 (n,n') Level 76-0s-184
Cross Section -100.0 To 240.3 %




MAT 7625 MT= 76 (n,n') Level 76-0s-184
Cross Section -100.0 To 259.7 %




MAT 7625 MT= 77 (n,n') Level 76-0s-184
Cross Section -0.906 To 108.7 %




MAT 7625 MT= 78 (n,n') Level 76-0s-184
Cross Section -0.266 To 214.2 %





MAT 7625 MT= 79 (n,n') Level 76-0s-184
Cross Section -100.0 To 241.9 %





MAT 7625 MT= 80 (n,n') Level 76-0s-184
Cross Section -0.107 To 238.8 %













































MAT 7625


Tritium Production


Cross Section


-100.0 To 652.1 %


76-Os-184





















MAT 7625 Kerma fission (mt18 or mt19-20-21-38)76-0s-184
Cross Section -100.0 To 99.92 %








MAT 7625 Total kinematic kerma (high limit) 76-0s-184
Cross Section -96.07 To 7404. %




76 Incident Energy (eV) 76-0s-184


MAT 7625	Dpa total (eV-barns)	76-0s-184
	Cross Section	-99.83 To 8104. %




77	Incident Energy (eV)	76-0s-184
----	----------------------	-----------


MAT 7625	Dpa elastic (mt2)	76-Os-184
	Cross Section	-38.76 To 124.6 %








MAT 7625 Dpa disappearance (mt102 -120) 76-0s-184
Cross Section -99.83 To 8104. %

















Radionuclide Production Cross-Section 5640. %

