

Program Complot
(Version 2021-1)

by


Dermott E. Cullen
(Present Contact Information)


Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550
U.S.A.


Tele: 925-443-1911


E.Mail: redcullen1@comcast.net
Web: redcullen1.net/HOMEPAGE.NEW


Press Mouse Button to Start
















5

















MAT 7631 MT= 51 (n,n') Level 76-Os-186
Cross Section -100.0 To 751.6 %



MAT 7631 MT= 52 (n,n') Level 76-0s-186
Cross Section -100.0 To -6.861%





MAT 7631 MT= 53 (n,n') Level 76-0s-186
Cross Section -100.0 To 71.36 %



14 Incident Energy (eV) 76-0s-186


MAT 7631	MT= 54 (n, n') Level	76-0s-186
	Cross Section	-100.0 To 117.8 %







MAT 7631 MT= 56 (n,n') Level 76-0s-186

Cross Section -100.0 To 9999. %








MAT 7631 MT= 58 (n,n') Level 76-0s-186
Cross Section -85.72 To 124.2 %




MAT 7631	MT= 59 (n, n') Level	76-0s-186
	Cross Section	To 9999. %








MAT 7631	MT= 62 (n, n') Level	76-0s-186
	Cross Section	To 9999. %







MAT 7631

MT= 64 (n, n') Level


76-05-186

Cross Section -95.97 To 96.96 %







MAT 7631 MT= 66 (n,n') Level 76-0s-186
Cross Section -82.11 To 111.9 %




MAT 7631	MT= 67 (n, n') Level	76-0s-186
	Cross Section	To 9999. %






MAT 7631	MT= 69 (n,n')	Level	76-0s-186
	Cross Section	-85.53 To 9999. %	



MAT 7631	MT= 70 (n,n')	Level	76-0s-186
	Cross Section	-96.08 To 113.2 %	




MAT 7631

MT= 71 (n,n') Level


76-0s-186

Cross Section


-93.57 To 670.4 %




MAT 7631	MT= 72 (n,n')	Level	76-0s-186
	Cross Section	-91.37 To 440.8 %	



MAT 7631 MT= 73 (n,n') Level 76-0s-186
Cross Section -100.0 To 265.8 %



MAT 7631 MT= 74 (n,n') Level 76-0s-186
Cross Section -100.0 To 9999. %



35 Incident Energy (eV) 76-0s-186


MAT 7631

MT= 75 (n,n') Level


76-0s-186

Cross Section

-100.0 To 296.6 %



MAT 7631 MT= 76 (n,n') Level 76-0s-186
Cross Section 0.000 To 9999. %




MAT 7631

MT= 77 (n,n') Level


76-0s-186

Cross Section

-100.0 To 230.8 %




MAT 7631 MT= 78 (n,n') Level 76-0s-186
Cross Section -92.17 To 99.50 %




39 Incident Energy (eV) 76-0s-186

MAT 7631 MT= 79 (n,n') Level 76-0s-186
Cross Section -88.29 To 298.9 %



40 Incident Energy (eV) 76-0s-186




MAT 7631

(n, γ)

76-0s-186


Cross Section -100.0 To 9999. %





42


Incident Energy (eV)

76-0s-186










MAT 7631

(n, α)

76-0s-186

Cross Section -42.10 To 9999. %





10⁻⁵ 10⁻⁴ 10⁻³ 10⁻² 10⁻¹ 10⁰ 10¹ 10² 10³ 10⁴ 10⁵ 10⁶ 10⁷ 10⁸


47


Incident Energy (eV)


76-0s-186














MAT 7631 Kerma total (eV-barns) 76-0s-186

Cross Section -9999. To 9999. %








MAT 7631 Kerma non-elastic (all but mt2) 76-Os-186
Cross Section -9999. To 9999. %




55 Incident Energy (eV) 76-Os-186








MAT 7631 Total photon (eV-barns) 76-0s-186
Cross Section -100.0 To 9999. %




59 Incident Energy (eV) 76-0s-186

MAT 7631 Total kinematic kerma (high limit) 76-Os-186
Cross Section -98.40 To 9999. %



60 Incident Energy (eV) 76-Os-186


MAT 7631 Dpa total (eV-barns) 76-0s-186
Cross Section -99.76 To 9999. %



10⁻⁵ 10⁻⁴ 10⁻³ 10⁻² 10⁻¹ 10⁰ 10¹ 10² 10³ 10⁴ 10⁵ 10⁶ 10⁷ 10⁸


61 Incident Energy (eV) 76-0s-186

MAT 7631	Dpa elastic (mt2)	76-Os-186
	Cross Section	-100.0 To 9999. %




62	Incident Energy (eV)	76-Os-186
----	----------------------	-----------

MAT 7631 Dpa inelastic (mt51-91) 76-0s-186
Cross Section 1.609 To 9999. %



63 Incident Energy (eV) 76-0s-186

MAT 7631 Dpa disappearance (mt102 -120) 76-0s-186
Cross Section -99.90 To 9999. %



64 Incident Energy (eV) 76-0s-186