

Program Complot
(Version 2021-1)

by

Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way


Livermore, CA 94550
U.S.A.


Tele: 925-443-1911


E.Mail: redcullen1@comcast.net


Web: redcullen1.net/HOMEPAGE.NEW


Press Mouse Button to Start
















MAT 9440 MT= 51 (n,n') Level 94-Pu-240
Cross Section -29.19 To 7.406 %





7 Incident Energy (eV) 94-Pu-240

MAT 9440 MT= 52 (n,n') Level 94-Pu-240
Cross Section -100.0 To 623.0 %



MAT 9440 MT= 53 (n,n') Level 94-Pu-240
Cross Section 154.8 To 617.4 %





MAT 9440


MT= 55 (n,n')


Level

94-Pu-240


Cross Section


-84.32 To 9999. %






MAT 9440 MT= 57 (n,n') Level 94-Pu-240
Cross Section -87.72 To 9999. %








MAT 9440 MT= 59 (n,n') Level 94-Pu-240
Cross Section -47.66 To 9999. %





15 Incident Energy (eV) 94-Pu-240



















MAT 9440 MT= 67 (n,n') Level 94-Pu-240
Cross Section -100.0 To 9999. %




23 Incident Energy (eV) 94-Pu-240


MAT 9440 MT= 68 (n,n') Level 94-Pu-240
Cross Section -100.0 To 9999. %




MAT 9440 MT= 69 (n,n') Level 94-Pu-240
Cross Section -100.0 To 9999. %




25 Incident Energy (eV) 94-Pu-240





MAT 9440 MT= 72 (n,n') Level 94-Pu-240
Cross Section -100.0 To 9999. %




MAT 9440

MT= 73 (n,n') Level


94-Pu-240


Cross Section


-100.0 To -93.52%




MAT 9440 MT= 74 (n,n') Level 94-Pu-240
Cross Section -100.0 To 5333. %













MAT 9440 MT= 78 (n,n') Level 94-Pu-240
Cross Section -100.0 To -46.64%





MAT 9440 MT= 79 (n,n') Level 94-Pu-240
Cross Section -100.0 To 1545. %
































MAT 9440 He-4 Production 94-Pu-240
Cross Section -100.0 To 341.5 %





46 Incident Energy (eV) 94-Pu-240

MAT 9440 Kerma total (eV-barns) 94-Pu-240
Cross Section -100.0 To 9999. %













MAT 9440 Kerma fission (mt18 or mt19-20-21-38) 94-Pu-240
 Cross Section -100.0 To 9999. %









MAT 9440 Total kinematic kerma (high limit) 94-Pu-240
Cross Section -100.0 To 9999. %




54 Incident Energy (eV) 94-Pu-240







MAT 9440 Dpa inelastic (mt51-91) 94-Pu-240
Cross Section -25.66 To 9999. %





MAT 9440 Dpa disappearance (mt102 -120) 94-Pu-240
Cross Section -100.0 To 9999. %




58 Incident Energy (eV) 94-Pu-240







MAT 9440 Dpa disappearance (mt102 -120) 94-Pu-240
Cross Section -100.0 To 9999. %



62 Incident Energy (eV) 94-Pu-240

