

Program Complot
(Version 2021-1)

by


Dermott E. Cullen
(Present Contact Information)


Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550
U.S.A.


Tele: 925-443-1911


E.Mail: redcullen1@comcast.net
Web: redcullen1.net/HOMEPAGE.NEW


Press Mouse Button to Start









































MAT 9440 MT= 51 (n,n') Level 94-Pu-240
Cross Section -100.0 To 68.45 %




MAT 9440 MT= 52 (n,n') Level 94-Pu-240
 Cross Section -100.0 To 147.3 %



MAT 9440 MT= 53 (n,n') Level 94-Pu-240
Cross Section -100.0 To -15.28%



MAT 9440 MT= 54 (n,n') Level 94-Pu-240
Cross Section -100.0 To 153.3 %




MAT 9440


MT= 55 (n, n') Level


94-Pu-240

Cross Section -100.0 To 9999. %





MAT 9440 MT= 56 (n,n') Level 94-Pu-240
Cross Section -39.67 To 9999. %








MAT 9440 MT= 58 (n,n') Level 94-Pu-240
Cross Section -100.0 To 9999. %




























MAT 9440 MT= 68 (n,n') Level 94-Pu-240
Cross Section -100.0 To 9999. %



32 Incident Energy (eV) 94-Pu-240




MAT 9440


MT= 70 (n,n') Level

94-Pu-240

Cross Section

-100.0 To 1801. %






MAT 9440

MT= 72 (n,n') Level


94-Pu-240

Cross Section

-100.0 To 9999. %



MAT 9440 MT= 73 (n,n') Level 94-Pu-240
Cross Section -100.0 To 534.3 %




MAT 9440

MT= 74 (n,n') Level


94-Pu-240


Cross Section


-100.0 To 160.6 %





MAT 9440 MT= 75 (n,n') Level 94-Pu-240
Cross Section -100.0 To 6693. %




































MAT 9440 Kerma total (eV-barns) 94-Pu-240
Cross Section -100.0 To 9999. %







MAT 9440 Kerma non-elastic (all but mt2) 94-Pu-240
 Cross Section -100.0 To 9999. %







MAT 9440 Kerma fission (mt18 or mt19-20-21-38) 94-Pu-240
Cross Section -100.0 To 9999. %








MAT 9440 Total kinematic kerma (high limit) 94-Pu-240
Cross Section -100.0 To 9999. %






MAT 9440

Dpa elastic (mt2)

 ${}^{94}\text{Pu}-240$

Cross Section -100.0 To 9999. %




69

Incident Energy (eV)

94-Pu-240

MAT 9440 Dpa disappearance (mt102 -120) 94-Pu-240
Cross Section -100.0 To 9999. %



62 Incident Energy (eV) 94-Pu-240

