

Program Complot
(Version 2021-1)


by


Dermott E. Cullen
(Present Contact Information)


Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550
U.S.A.


Tele: 925-443-1911
E.Mail:redcullen1@comcast.net
Web:redcullen1.net/HOMEPAGE.NEW


Press Mouse Button to Start





















MAT 9440 MT= 51 (n,n') Level 94-Pu-240
Cross Section -100.0 To 55.12 %



MAT 9440 MT= 52 (n,n') Level 94-Pu-240
 Cross Section -100.0 To 713.5 %









MAT 9440


MT= 55 (n, n') Level

94-Pu-240


Cross Section -100.0 To 9999. %









MAT 9440 MT= 58 (n,n') Level 94-Pu-240
Cross Section -100.0 To 9999. %





15 Incident Energy (eV) 94-Pu-240





MAT 9440 MT= 60 (n,n') Level 94-Pu-240
Cross Section -100.0 To 9999. %

















MAT 9440 MT= 66 (n,n') Level 94-Pu-240
Cross Section -100.0 To 9999. %







MAT 9440 MT= 68 (n,n') Level 94-Pu-240
Cross Section -100.0 To 9999. %




25 Incident Energy (eV) 94-Pu-240


MAT 9440 MT= 69 (n,n') Level 94-Pu-240
Cross Section -100.0 To 9999. %









MAT 9440 MT= 72 (n,n') Level 94-Pu-240
Cross Section -100.0 To 9999. %




MAT 9440 MT= 73 (n,n') Level 94-Pu-240
Cross Section -100.0 To 598.2 %





MAT 9440 MT= 74 (n,n') Level 94-Pu-240
 Cross Section -100.0 To 170.2 %




MAT 9440 MT= 75 (n,n') Level 94-Pu-240
Cross Section -100.0 To 9999. %













MAT 9440 MT= 79 (n,n') Level 94-Pu-240
 Cross Section -100.0 To 535.4 %




MAT 9440 MT= 80 (n,n') Level 94-Pu-240
 Cross Section -100.0 To 59.37 %










MAT 9440 Hydrogen Production 94-Pu-240
Cross Section -100.0 To 453.4 %




40 Incident Energy (eV) 94-Pu-240









MAT 9440 He-4 Production 94-Pu-240
Cross Section -100.0 To 213.6 %




44 Incident Energy (eV) 94-Pu-240


MAT 9440 Kerma total (eV-barns) 94-Pu-240
Cross Section -100.0 To 9999. %






MAT 9440 Kerma non-elastic (all but mt2) 94-Pu-240
 Cross Section -100.0 To 9999. %







MAT 9440 Kerma fission (mt18 or mt19-20-21-38) 94-Pu-240

Cross Section -100.0 To 9999. %





49 Incident Energy (eV) 94-Pu-240







MAT 9440 Total kinematic kerma (high limit) 94-Pu-240
Cross Section -100.0 To 9999. %







MAT 9440 Dpa elastic (mt2) 94-Pu-240
 Cross Section -9999. To 9999. %







MAT 9440 Dpa disappearance (mt102 -120) 94-Pu-240
Cross Section -100.0 To 9999. %







MAT 9440 Total kinematic kerma (high limit) 94-Pu-240
Cross Section -100.0 To 9999. %







MAT 9440 Dpa disappearance (mt102 -120) 94-Pu-240
Cross Section -100.0 To 9999. %



62 Incident Energy (eV) 94-Pu-240

