

Program Complot  
(Version 2021-1)

by

Dermott E. Cullen  
(Present Contact Information)

Dermott E. Cullen  
1466 Hudson Way  
Livermore, CA 94550

U.S.A.

Tele: 925-443-1911

E.Mail:redcullen1@comcast.net  
Web:redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start


MAT 9452

Total

94-Pu-244

Cross Section

-4.450 To 61.76 %



10<sup>5</sup> 10<sup>4</sup> 10<sup>3</sup> 10<sup>2</sup> 10<sup>1</sup> 10<sup>0</sup> 10<sup>-1</sup> 10<sup>-2</sup> 10<sup>-3</sup> 10<sup>-4</sup> 10<sup>-5</sup>

1

Incident Energy (eV)


94-Pu-244

MAT 9452

Elastic

94-Pu-244

Cross Section -1.505 To 63.77 %




2

Incident Energy (eV)

94-Pu-244

MAT 9452 Inelastic 94-Pu-244  
 Cross Section -100.0 To 44.23 %




MAT 9452

(n,2n)

94-Pu-244

Cross Section -100.0 To 1790. %



4

Incident Energy (eV)


94-Pu-244

MAT 9452

(n,3n)

94-Pu-244

Cross Section -100.0 To 967.7 %




5

Incident Energy (eV)

94-Pu-244

MAT 9452

Fission  
Cross Section -78.38 To 2738. %  
94-Pu-244




MAT 9452

(n,4n)


94-Pu-244

Cross Section -100.0 To 1810. %







MAT 9452 MT= 51 (n, n') Level 94-Pu-244  
 Cross Section -100.0 To 15.30 %



MAT 9452 MT= 52 (n,n') Level 94-Pu-244  
 Cross Section -100.0 To 3.325 %




MAT 9452 MT= 53 (n, n') Level 94-Pu-244  
Cross Section -100.0 To 51.55 %




10 Incident Energy (eV) 94-Pu-244


MAT 9452 MT= 54 (n, n') Level 94-Pu-244  
 Cross Section -100.0 To 319.7 %




MAT 9452 MT= 55 (n,n') Level 94-Pu-244  
 Cross Section -100.0 To -4.279%



MAT 9452 MT= 56 (n, n') Level 94-Pu-244  
 Cross Section -100.0 To 1255. %



MAT 9452 MT= 57 (n, n') Level 94-Pu-244  
 Cross Section -100.0 To -26.56%




14 Incident Energy (eV) 94-Pu-244

MAT 9452

(n, n') Continuum

94-Pu-244

Cross Section -11.04 To 2703. %






MAT 9452


(n,  $\gamma$ )

94-Pu-244

Cross Section -37.61 To 74.07 %




MAT 9452 Kerma total (eV-barns) 94-Pu-244  
 Cross Section -77.87 To 2776. %




MAT 9452

Kerma elastic  
Cross Section -7.739 To 63.76 %


94-Pu-244




MAT 9452 Kerma non-elastic (all but mt2) 94-Pu-244  
 Cross Section -77.87 To 2792. %



MAT 9452 Kerma inelastic (mt51-91) 94-Pu-244  
 Cross Section -2031. To 9999. %




MAT 9452 Kerma fission (mt18 or mt19-20-21-38) 94-Pu-244  
 Cross Section -77.87 To 2801. %



MAT 9452

Kerma capture (mt102) 94-Pu-244  
Cross Section -46.85 To 30.33 %




MAT 9452

Total photon (eV-barns)


94-Pu-244

Cross Section 2.110 To 1258. %





MAT 9452 Total kinematic kerma (high limit) 94-Pu-244  
 Cross Section -77.06 To 2882. %




MAT 9452

Dpa total (eV-barns)

94-Pu-244

Cross Section -80.49 To 89.05 %




MAT 9452


Dpa elastic (mt2)

94-Pu-244


Cross Section -7.516 To 21.40 %



MAT 9452      Dpa inelastic (mt51-91)      94-Pu-244  
 Cross Section      -100.0 To 278.4 %



MAT 9452    Dpa disappearance (mt102 -120)    94-Pu-244  
 Cross Section    -99.99 To 5.146 %




MAT 9452

Dpa total (eV-barns)

94-Pu-244

Cross Section -80.49 To 89.05 %



29

Incident Energy (eV)


94-Pu-244

MAT 9452

Dpa elastic (mt2)

94-Pu-244

Cross Section -7.516 To 21.40 %



MAT 9452 Dpa inelastic (mt51-91) 94-Pu-244  
 Cross Section -100.0 To 278.4 %

