

Program Complot
(Version 2021-1)


by

Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550
U.S.A.

Tele: 925-443-1911
E.Mail:redcullen1@comcast.net
Web:redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start




MAT 6255

Elastic

62-Sm-154


Cross Section -100.0 To 9999. %





2


Incident Energy (eV)


62-Sm-154






















MAT 6255	MT= 52 (n,n')	Level	62-Sm-154
	Cross Section	-98.49 To -30.24%	




MAT 6255 MT= 53 (n,n') Level 62-Sm-154
Cross Section -72.95 To 0.186 %




12 Incident Energy (eV) 62-Sm-154


MAT 6255 MT= 54 (n,n') Level 62-Sm-154
Cross Section -76.41 To -11.89%




13 Incident Energy (eV) 62-Sm-154




MAT 6255 MT= 56 (n,n') Level 62-Sm-154
Cross Section -70.49 To 8.306 %




15 Incident Energy (eV) 62-Sm-154





MAT 6255 MT= 59 (n,n') Level 62-Sm-154
Cross Section -18.33 To 9999. %



18 Incident Energy (eV) 62-Sm-154

MAT 6255

MT= 60 (n,n')


Level


62-Sm-154


Cross Section


14.23


To 9999. %
















Cross Section -100.0 To 329.7 %












MAT 6255


MT= 70 (n,n') Level


62-Sm-154


Cross Section

-86.43 To 9999. %










MAT 6255

MT= 74 (n,n') Level


62-Sm-154


Cross Section


-74.90 To 9999. %





MAT 6255 MT= 75 (n,n') Level 62-Sm-154
Cross Section -100.0 To 9258. %

































MAT 6255 Kerma fission (mt18 or mt19-20-21-38)62-Sm-154
Cross Section -46.43 To 9999. %








MAT 6255 Total kinematic kerma (high limit) 62-Sm-154
Cross Section -98.00 To 9999. %



MAT 6255 Dpa total (eV-barns) 62-Sm-154
Cross Section -98.44 To 9999. %



MAT 6255

Dpa elastic (mt2)

62-Sm-154

Cross Section

-100.0 To 9999. %

