

Program Complot
(Version 2021-1)

by

Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550

U.S.A.


Tele: 925-443-1911

E.Mail:redcullen1@comcast.net
Web:redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start

MAT 5025

Total Cross Section -99.61 To 9999. %
50-Sn-112




1 Incident Energy (eV) 50-Sn-112

MAT 5025

Elastic

50-Sn-112

Cross Section -99.76 To 9999. %



2

Incident Energy (eV)


50-Sn-112

MAT 5025

Inelastic

50-Sn-112

Cross Section -100.0 To 949.1 %




3

Incident Energy (eV)


50-Sn-112

MAT 5025 (n, remainder) 50-Sn-112
 Cross Section 0.886 To 3.017 %




4 Incident Energy (eV) 50-Sn-112


MAT 5025 (n,2n) 50-Sn-112
 Cross Section -100.0 To 11.21 %



MAT 5025 (n,3n) 50-Sn-112
 Cross Section -100.0 To 0.000 %




MAT 5025 (n, n') α 50-Sn-112
 Cross Section -100.0 To 9999. %




7 Incident Energy (eV) 50-Sn-112

MAT 5025 (n,2n) α 50-Sn-112
 Cross Section -100.0 To 9999. %




MAT 5025 (n, n') p 50-Sn-112
 Cross Section -100.0 To 9999. %




9 Incident Energy (eV) 50-Sn-112

MAT 5025 (n, n') d 50-Sn-112
 Cross Section -100.0 To 878.8 %




10 Incident Energy (eV) 50-Sn-112


MAT 5025 (n,2n) p 50-Sn-112
 Cross Section -100.0 To 463.3 %




MAT 5025 MT= 51 (n,n') Level 50-Sn-112
 Cross Section -100.0 To 95.25 %




MAT 5025 MT= 52 (n, n') Level 50-Sn-112
 Cross Section -100.0 To 347.8 %




MAT 5025 MT= 53 (n, n') Level 50-Sn-112
 Cross Section -100.0 To 9999. %




MAT 5025 MT= 54 (n,n') Level 50-Sn-112
 Cross Section -100.0 To 23.56 %



MAT 5025 MT= 55 (n,n') Level 50-Sn-112
 Cross Section -100.0 To 81.06 %




MAT 5025 MT= 56 (n,n') Level 50-Sn-112
 Cross Section -100.0 To 392.0 %




17 50-Sn-112


MAT 5025 MT= 57 (n,n') Level 50-Sn-112
 Cross Section -100.0 To 100.9 %



MAT 5025 MT= 58 (n,n') Level 50-Sn-112
 Cross Section -100.0 To 87.61 %




MAT 5025 MT= 59 (n, n') Level 50-Sn-112
 Cross Section -100.0 To 49.96 %




20 Incident Energy (eV) 50-Sn-112

MAT 5025 MT= 60 (n, n') Level 50-Sn-112
 Cross Section -100.0 To 9999. %




MAT 5025 MT= 61 (n,n') Level 50-Sn-112
 Cross Section -100.0 To 126.6 %




22 Incident Energy (eV) 50-Sn-112


MAT 5025 MT= 62 (n, n') Level 50-Sn-112
 Cross Section -100.0 To 9999. %




MAT 5025 MT= 63 (n, n') Level 50-Sn-112
 Cross Section -100.0 To 9999. %




MAT 5025 MT= 64 (n,n') Level 50-Sn-112
 Cross Section -100.0 To 138.8 %




MAT 5025 MT= 65 (n,n') Level 50-Sn-112
 Cross Section -100.0 To 207.7 %




MAT 5025 MT= 66 (n,n') Level 50-Sn-112
 Cross Section -100.0 To 127.3 %



MAT 5025 MT= 67 (n, n') Level 50-Sn-112
 Cross Section -100.0 To 9999. %




MAT 5025 MT= 68 (n,n') Level 50-Sn-112
 Cross Section -100.0 To 1548. %




29 Incident Energy (eV) 50-Sn-112


MAT 5025 MT= 69 (n,n') Level 50-Sn-112
 Cross Section -100.0 To 124.6 %




MAT 5025 MT= 70 (n, n') Level 50-Sn-112
 Cross Section -100.0 To 0.000 %




MAT 5025 MT= 71 (n, n') Level 50-Sn-112
 Cross Section -100.0 To 9999. %




MAT 5025 MT= 72 (n, n') Level 50-Sn-112
 Cross Section -100.0 To 9999. %




MAT 5025 MT= 73 (n, n') Level 50-Sn-112
 Cross Section -100.0 To 9999. %



MAT 5025 MT= 74 (n,n') Level 50-Sn-112
 Cross Section -100.0 To 134.5 %



MAT 5025 MT= 75 (n,n') Level 50-Sn-112
 Cross Section -100.0 To 266.8 %




MAT 5025

(n,n') Continuum

50-Sn-112

Cross Section -100.0 To 3710. %



37

Incident Energy (eV)


50-Sn-112

MAT 5025

(n, γ)

50-Sn-112

Cross Section -100.0 To 9999. %



38

Incident Energy (eV)


50-Sn-112

MAT 5025

(n,p)

50-Sn-112

Cross Section -100.0 To 385.6 %




39

Incident Energy (eV)


50-Sn-112

MAT 5025 (n,d) 50-Sn-112
 Cross Section -100.0 To 9999. %




40 Incident Energy (eV) 50-Sn-112

MAT 5025 (n, t) 50-Sn-112
Cross Section -100.0 To 9999. %



41 50-Sn-112

MAT 5025 (n, He-3) 50-Sn-112
 Cross Section -100.0 To 9999. %




MAT 5025

50-Sn-112

(n, α)

Cross Section -100.0 To 9999. %



43

Incident Energy (eV)


50-Sn-112

MAT 5025

(n,2α)

50-Sn-112

Cross Section -100.0 To 9999. %




44


Incident Energy (eV)

50-Sn-112

MAT 5025 (n,2p) 50-Sn-112
 Cross Section -100.0 To 3663. %




MAT 5025 (n,p) α 50-Sn-112
 Cross Section -100.0 To 9999. %



46 Incident Energy (eV) 50-Sn-112

MAT 5025 (n,p) d 50-Sn-112
 Cross Section -100.0 To 2298. %




MAT 5025


Hydrogen Production

50-Sn-112


Cross Section -100.0 To 693.8 %



MAT 5025 Deuterium Production 50-Sn-112
Cross Section -100.0 To 9999. %




MAT 5025 Tritium Production 50-Sn-112
Cross Section -100.0 To 9999. %



50 9 10⁷ 2 3 4 5 6 7 8 9 10⁸ 2 50-Sn-112

MAT 5025 He-3 Production 50-Sn-112
 Cross Section -100.0 To 9999. %




MAT 5025


He-4 Production

50-Sn-112

Cross Section -84.29 To 9999. %




MAT 5025 Kerma total (eV-barns) 50-Sn-112
 Cross Section -99.60 To 9999. %




MAT 5025

Kerma elastic
Cross Section

50-Sn-112
-99.76 To 9999. %




MAT 5025 Kerma non-elastic (all but mt2) 50-Sn-112
 Cross Section -790.4 To 9999. %




55 Incident Energy (eV) 50-Sn-112

MAT 5025 Kerma inelastic (mt51-91) 50-Sn-112
 Cross Section -9999. To 73.39 %




56 Incident Energy (eV) 50-Sn-112

MAT 5025 Kerma fission (mt18 or mt19-20-21-38) 50-Sn-112
 Cross Section -9999. To 73.39 %




MAT 5025

Kerma capture (mt102) 50-Sn-112
Cross Section -100.0 To 9999. %




MAT 5025 Total photon (eV-barns) 50-Sn-112
 Cross Section -99.98 To 9999. %




59 Incident Energy (eV) 50-Sn-112

MAT 5025 Total kinematic kerma (high limit) 50-Sn-112
 Cross Section -99.60 To 9999. %



60 Incident Energy (eV) 50-Sn-112

MAT 5025 Dpa total (eV-barns) 50-Sn-112
 Cross Section -99.87 To 9999. %




MAT 5025

Dpa elastic (mt2)

50-Sn-112

Cross Section

-99.75 To 9999. %




62

Incident Energy (eV)


50-Sn-112

MAT 5025 Dpa inelastic (mt51-91) 50-Sn-112
 Cross Section -100.0 To 9999. %





63 Incident Energy (eV) 50-Sn-112

MAT 5025 Dpa disappearance (mt102 -120) 50-Sn-112
 Cross Section -100.0 To 9999. %




MAT 5025 (n, n') p:49-In-111g 50-Sn-112
 Radionuclide Production Cross Section 100.00 %







MAT 5025 (n, n') d:49-In-110g 50-Sn-112
 Radionuclide Production Cross Section 180.0 dth 742.5 %




MAT 5025 (n, n') d:49-In-110m1 50-Sn-112
 Radionuclide Production Cross Section 1619. %



MAT 5025 (n,d):49-In-111g 50-Sn-112
 Radionuclide Production Cross Section Ratio




MAT 5025 (n,d):49-In-111m1 50-Sn-112
 Radionuclide Production Cross Section 100.00 %




70 Incident Energy (eV) 50-Sn-112

MAT 5025 (n, t): 49-In-110g 50-Sn-112
 Radionuclide Production Cross Section 100.00 dth 9999. %




71 Incident Energy (eV) 50-Sn-112

MAT 5025 (n, t): 49-In-110m1 50-Sn-112
 Radionuclide Production Cross Section Ratio




72 Incident Energy (eV) 50-Sn-112

MAT 5025 (n,2p):48-Cd-111g 50-Sn-112
 Radionuclide Production Cross Section 1800.0 dth 4199. %




MAT 5025 (n, 2p) : 48-Cd-111m3 50-Sn-112
 Radionuclide Production Cross Section 180.0 mb to 3035. %



74 Incident Energy (eV) 50-Sn-112

MAT 5025 (n,p) α :47-Ag-108g 50-Sn-112
 Radionuclide Production Cross Section Ratio 9999. %



75 Incident Energy (eV) 50-Sn-112

