Program Complot
(Version 2021-1)
by
Dermott E. Cullen
(Present Contact Information)
Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550
U.S.A.
Tele: 925-443-1911
E.Mail:redcullen1@comcast.net
Web:redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start


MAT 5228
Total
Cross Section
52-Te-121
-99.51 To 9999. %
Max Ratio
Min Ratio
TENDL
JEFF3.3
JEFF3.3/TENDL
Cross Section (barns)
Ratio
Incident Energy (eV)
52-Te-121
1


MAT 5228
Elastic
Cross Section
52-Te-121
-99.75 To 9999. %
Min Ratio
Max Ratio
TENDL
JEFF3.3
JEFF3.3/TENDL
Cross Section (barns)
Ratio
Incident Energy (eV)
2
52-Te-121


MAT 5228
Inelastic
Cross Section
52-Te-121
-100.0 To 3.935 %
Min
Ratio
Max
Ratio
TENDL Threshold 213.96 keV
JEFF3.3 Threshold 213.96 keV
JEFF3.3/TENDL
Cross Section (barns)
Ratio
Incident Energy (eV)
3
52-Te-121


MAT 5228
(n,2n) d
52-Te-121
Cross Section
-100.0 To 9999. %
Max
Ratio
TENDL Threshold 21.935 MeV
JEFF3.3 Threshold 21.935 MeV
JEFF3.3/TENDL
RatioCross Section (micro-barns)
400
300
200
100
0
1.2
0.8
0.4
0.0
20
40
60
80
100
120
140
160
180
200
4
Incident Energy (MeV)
52-Te-121


MAT 5228
(n,2n)
Cross Section
52-Te-121
-2.322 To 349.1 %
Max Ratio
Min Ratio
TENDL Threshold 7.3128 MeV
JEFF3.3 Threshold 7.3079 MeV
JEFF3.3/TENDL
Cross Section (barns)
Ratio
Incident Energy (eV)
5
52-Te-121


MAT 5228
(n,3n)
Cross Section
52-Te-121
-100.0 To 657.2 %
Max
Ratio
TENDL Threshold 17.649 MeV
JEFF3.3 Threshold 17.652 MeV
JEFF3.3/TENDL
Cross Section (barns)
Ratio
1.2
1.0
0.8
0.6
0.4
0.2
0.0
8
4
0
2
3
4
5
6
7
8
9
2
10^8
Incident Energy (eV)
6
52-Te-121


MAT 5228
(n,n') α
Cross Section
52-Te-121
-100.0 To 9999. %
Min Ratio
Max Ratio
TENDL Threshold 575.04 keV
JEFF3.3 Threshold 576.17 keV
JEFF3.3/TENDL
RatioCross Section (milli-barns)
Incident Energy (eV)
52-Te-121
7


MAT 5228
(n,2n) α
52-Te-121
Cross Section
-100.0 To 9999. %
Min Ratio
Max Ratio
TENDL Threshold 7.5760 MeV
JEFF3.3 Threshold 7.5772 MeV
JEFF3.3/TENDL
RatioCross Section (milli-barns)
20
15
10
5
0
12
8
4
0
8
10^7
2
3
4
5
6
7
8
10^8
2
8
Incident Energy (eV)
52-Te-121


MAT 5228
(n,3n) α
52-Te-121
Cross Section
-100.0 To 9999. %
Min Ratio
Max Ratio
TENDL Threshold 17.219 MeV
JEFF3.3 Threshold 17.219 MeV
JEFF3.3/TENDL
RatioCross Section (micro-barns)
200
150
100
50
0
8
4
0
2
3
4
5
6
7
8
9
10^8
2
9
Incident Energy (eV)
52-Te-121


MAT 5228
(n,n') p
Cross Section
52-Te-121
-100.0 To 537.2 %
Max
Ratio
TENDL Threshold 7.4768 MeV
JEFF3.3 Threshold 7.4768 MeV
JEFF3.3/TENDL
RatioCross Section (milli-barns)
120
100
80
60
40
20
0
8
4
0
8
2
3
4
5
6
7
8
2
10^7
10^8
10
Incident Energy (eV)
52-Te-121


MAT 5228
(n,n') 2α
Cross Section
52-Te-121
-100.0 To 9999. %
Min Ratio
Max Ratio
TENDL Threshold 4.3859 MeV
JEFF3.3 Threshold 4.3871 MeV
JEFF3.3/TENDL
Ratio Cross Section (10^-9 barns)
200
150
100
50
0
2.0
1.0
0.0
5 6 7 8
10^7
2 3 4 5 6 7 8
10^8
2
11
Incident Energy (eV)
52-Te-121


MAT 5228
(n,n') d
Cross Section
52-Te-121
-100.0 To 2092. %
Max
Ratio
TENDL Threshold 12.305 MeV
JEFF3.3 Threshold 12.308 MeV
JEFF3.3/TENDL
RatioCross Section (milli-barns)
15
10
5
0
30
20
10
0
2
3
4
5
6
7
8
9
10^8
2
12
Incident Energy (eV)
52-Te-121


MAT 5228
(n,n') t
Cross Section
52-Te-121
-100.0 To 689.1 %
Max
Ratio
TENDL Threshold 15.626 MeV
JEFF3.3 Threshold 15.626 MeV
JEFF3.3/TENDL
RatioCross Section (milli-barns)
0
2
4
6
0
4
8
12
2
3
4
5
6
7
8
9
10^8
2
13
Incident Energy (eV)
52-Te-121


MAT 5228
(n,n') He-3
Cross Section
52-Te-121
-100.0 To 349.1 %
Min Ratio
Max Ratio
TENDL Threshold 11.920 MeV
JEFF3.3 Threshold 11.920 MeV
JEFF3.3/TENDL
RatioCross Section (micro-barns)
700
600
500
400
300
200
100
0
6
4
2
0
2
3
4
5
6
7
8
9
2
10^8
14
Incident Energy (eV)
52-Te-121


MAT 5228
(n,4n)
52-Te-121
Cross Section 0.000 To 1558. %
Min
Ratio
TENDL Threshold 25.275 MeV
JEFF3.3 Threshold 25.271 MeV
JEFF3.3/TENDL
RatioCross Section (milli-barns)
120
100
80
60
40
20
0
4
10^1
4
10^0
40
60
80
100
120
140
160
180
200
15
Incident Energy (MeV)
52-Te-121


MAT 5228
(n,2n) p
Cross Section
52-Te-121
-100.0 To 7296. %
Max
Ratio
TENDL Threshold 14.548 MeV
JEFF3.3 Threshold 14.551 MeV
JEFF3.3/TENDL
RatioCross Section (milli-barns)
100
80
60
40
20
0
80
40
0
2
3
4
5
6
7
8
9
10^8
2
16
Incident Energy (eV)
52-Te-121


MAT 5228
(n,3n) p
Cross Section
52-Te-121
-100.0 To 9999. %
Max
Ratio
TENDL Threshold 24.179 MeV
JEFF3.3 Threshold 24.179 MeV
JEFF3.3/TENDL
RatioCross Section (micro-barns)
700
600
500
400
300
200
100
0
2.0
1.0
0.0
40
60
80
100
120
140
160
180
200
17
Incident Energy (MeV)
52-Te-121


MAT 5228
(n,2n) p
Cross Section
52-Te-121
-100.0 To 2367. %
Max
Ratio
TENDL Threshold 13.165 MeV
JEFF3.3 Threshold 13.165 MeV
JEFF3.3/TENDL
RatioCross Section (micro-barns)
80
60
40
20
0
20
0
2
3
4
5
6
7
8
9
2
10^8
18
Incident Energy (eV)
52-Te-121


MAT 5228
(n,n') p α
52-Te-121
Cross Section
-100.0 To 9999. %
Min Ratio
Max Ratio
TENDL Threshold 10.091 MeV
JEFF3.3 Threshold 10.092 MeV
JEFF3.3/TENDL
RatioCross Section (micro-barns)
12
10
8
6
4
2
0
600
400
200
0
10^7
2
3
4
5
6
7
8
9
10^8
2
19
Incident Energy (eV)
52-Te-121


MAT 5228
MT= 51 (n,n') Level
52-Te-121
Cross Section
-100.0 To 2.245 %
Min Ratio
Max Ratio
TENDL Threshold 213.96 keV
JEFF3.3 Threshold 213.96 keV
JEFF3.3/TENDL
RatioCross Section (milli-barns)
500
400
300
200
100
0
1.2
0.6
0.0
2 3 4 5 7 10^6 2 3 4 5 7 10^7 2 3 4 5 7 10^8 2
20
Incident Energy (eV)
52-Te-121


MAT 5228
MT= 52 (n,n') Level
52-Te-121
Cross Section
-100.0 To 0.000 %
Min Ratio
Max Ratio
TENDL Threshold 296.43 keV
JEFF3.3 Threshold 296.43 keV
JEFF3.3/TENDL
RatioCross Section (milli-barns)
10
8
6
4
2
0
1.2
0.6
0.0
3 4 5 6 8 10^6 2 3 4 5 6 8 10^7 2 3 4 5 6 8 10^8 2
21
Incident Energy (eV)
52-Te-121


MAT 5228
MT= 53 (n,n') Level
52-Te-121
Cross Section
-100.0 To 0.129 %
Max
Ratio
TENDL Threshold 442.18 keV
JEFF3.3 Threshold 442.18 keV
JEFF3.3/TENDL
RatioCross Section (milli-barns)
25
20
15
10
5
0
1.2
0.6
0.0
5 6 8 10^6 2 3 4 5 6 8 10^7 2 3 4 5 6 8 10^8 2
22
Incident Energy (eV)
52-Te-121


MAT 5228
MT= 54 (n,n') Level
52-Te-121
Cross Section
-100.0 To 0.000 %
Min Ratio
Max Ratio
TENDL Threshold 446.81 keV
JEFF3.3 Threshold 446.81 keV
JEFF3.3/TENDL
RatioCross Section (milli-barns)
80
60
40
20
0
1.2
0.6
0.0
5 6 8 10^6 2 3 4 5 6 8 10^7 2 3 4 5 6 8 10^8 2
23
Incident Energy (eV)
52-Te-121


MAT 5228
MT= 55 (n,n') Level
52-Te-121
Cross Section
-100.0 To 0.000 %
Min Ratio
Max Ratio
TENDL Threshold 479.21 keV
JEFF3.3 Threshold 479.21 keV
JEFF3.3/TENDL
RatioCross Section (milli-barns)
160
120
80
40
0
1.2
0.6
0.0
5 6 8 10^6 2 3 4 5 6 8 10^7 2 3 4 5 6 8 10^8 2
24
Incident Energy (eV)
52-Te-121


MAT 5228
MT= 56 (n,n') Level
52-Te-121
Cross Section
-100.0 To 2.766 %
Max
Ratio
TENDL Threshold 536.49 keV
JEFF3.3 Threshold 536.49 keV
JEFF3.3/TENDL
RatioCross Section (milli-barns)
200
150
100
50
0
1.2
0.6
0.0
5 6 8 10^6 2 3 4 5 6 8 10^7 2 3 4 5 6 8 10^8 2
25
Incident Energy (eV)
52-Te-121


MAT 5228
MT= 57 (n,n') Level
52-Te-121
Cross Section
-100.0 To 0.140 %
Max
Ratio
TENDL Threshold 543.18 keV
JEFF3.3 Threshold 543.18 keV
JEFF3.3/TENDL
RatioCross Section (milli-barns)
70
60
50
40
30
20
10
0
1.2
0.6
0.0
6 8 10^6 2 3 4 5 6 8 10^7 2 3 4 5 6 8 10^8 2
26
Incident Energy (eV)
52-Te-121


MAT 5228
MT= 58 (n,n') Level
52-Te-121
Cross Section
-100.0 To 0.000 %
Min Ratio
Max Ratio
TENDL Threshold 599.45 keV
JEFF3.3 Threshold 599.45 keV
JEFF3.3/TENDL
RatioCross Section (milli-barns)
120
100
80
60
40
20
0
1.2
0.6
0.0
6 8 10^6 2 3 4 5 6 8 10^7 2 3 4 5 6 8 10^8 2
27
Incident Energy (eV)
52-Te-121


MAT 5228
MT= 59 (n,n') Level
52-Te-121
Cross Section
-100.0 To 32.53 %
Min Ratio
Max Ratio
TENDL Threshold 619.12 keV
JEFF3.3 Threshold 619.12 keV
JEFF3.3/TENDL
RatioCross Section (milli-barns)
160
120
80
40
0
2.0
1.0
0.0
6 8 10^6 2 3 4 5 6 8 10^7 2 3 4 5 6 8 10^8 2
28
Incident Energy (eV)
52-Te-121


MAT 5228
MT= 60 (n,n') Level
52-Te-121
Cross Section -100.0 To 1.807 %
Min Ratio
Max Ratio
TENDL Threshold 665.51 keV
JEFF3.3 Threshold 665.51 keV
JEFF3.3/TENDL
RatioCross Section (milli-barns)
2.5
2.0
1.5
1.0
0.5
0.0
1.2
0.6
0.0
8
10^6
2
3
4
5
6
8
10^7
2
3
4
5
6
8
10^8
2
29
Incident Energy (eV)
52-Te-121


MAT 5228
MT= 61 (n,n') Level
52-Te-121
Cross Section
-100.0 To 5.339 %
Max
Ratio
RatioCross Section (milli-barns)
120
100
80
60
40
20
0
TENDL Threshold 686.96 keV
JEFF3.3 Threshold 686.96 keV
1.2
0.6
0.0
JEFF3.3/TENDL
8
10^6
2
3
4
5
6
8
10^7
2
3
4
5
6
8
10^8
2
30
Incident Energy (eV)
52-Te-121


MAT 5228
MT= 62 (n,n') Level
52-Te-121
Cross Section
-100.0 To 0.000 %
Min Ratio
Max Ratio
TENDL Threshold 688.75 keV
JEFF3.3 Threshold 688.75 keV
JEFF3.3/TENDL
RatioCross Section (milli-barns)
40
30
20
10
0
1.2
0.6
0.0
8
10^6
2
3
4
5
6
8
10^7
2
3
4
5
6
8
10^8
2
31
Incident Energy (eV)
52-Te-121


MAT 5228
MT= 63 (n,n') Level
52-Te-121
Cross Section
-100.0 To 50.28 %
Max
Ratio
TENDL Threshold 703.82 keV
JEFF3.3 Threshold 703.82 keV
JEFF3.3/TENDL
RatioCross Section (milli-barns)
140
120
100
80
60
40
20
0
2.0
1.0
0.0
8
10^6
2
3
4
5
6
8
10^7
2
3
4
5
6
8
10^8
2
32
Incident Energy (eV)
52-Te-121


MAT 5228
MT= 64 (n,n') Level
52-Te-121
Cross Section
-100.0 To 0.000 %
Min Ratio
Max Ratio
TENDL Threshold 762.41 keV
JEFF3.3 Threshold 762.41 keV
JEFF3.3/TENDL
RatioCross Section (milli-barns)
80
60
40
20
0
1.2
0.6
0.0
8
10^6
2
3
4
5
6
8
10^7
2
3
4
5
6
8
10^8
2
33
Incident Energy (eV)
52-Te-121


MAT 5228
MT= 65 (n,n') Level
52-Te-121
Cross Section
-100.0 To 0.000 %
Min Ratio
Max Ratio
TENDL Threshold 764.27 keV
JEFF3.3 Threshold 764.27 keV
JEFF3.3/TENDL
RatioCross Section (milli-barns)
40
30
20
10
0
1.2
0.6
0.0
8
10^6
2
3
4
5
6
8
10^7
2
3
4
5
6
8
10^8
2
34
Incident Energy (eV)
52-Te-121


MAT 5228
MT= 66 (n,n') Level
52-Te-121
Cross Section
-100.0 To 0.000 %
Min Ratio
Max Ratio
TENDL Threshold 813.42 keV
JEFF3.3 Threshold 813.42 keV
JEFF3.3/TENDL
RatioCross Section (milli-barns)
100
80
60
40
20
0
1.2
0.6
0.0
8
10^6
2
3
4
5
6
8
10^7
2
3
4
5
6
8
10^8
2
35
Incident Energy (eV)
52-Te-121


MAT 5228
MT= 67 (n,n') Level
52-Te-121
Cross Section
-100.0 To 134.5 %
Max
Ratio
TENDL Threshold 817.69 keV
JEFF3.3 Threshold 817.69 keV
JEFF3.3/TENDL
RatioCross Section (milli-barns)
70
60
50
40
30
20
10
0
2
0
8
2
3
4
5
6
8
2
3
4
5
6
8
2
10^6
10^7
10^8
36
Incident Energy (eV)
52-Te-121


MAT 5228
MT= 68 (n,n') Level
52-Te-121
Cross Section
-100.0 To 0.000 %
Min Ratio
Max Ratio
TENDL Threshold 833.90 keV
JEFF3.3 Threshold 833.90 keV
JEFF3.3/TENDL
RatioCross Section (milli-barns)
70
60
50
40
30
20
10
0
1.2
0.6
0.0
8
10^6
2
3
4
5
6
8
10^7
2
3
4
5
6
8
10^8
2
37
Incident Energy (eV)
52-Te-121


MAT 5228
MT= 69 (n,n') Level
52-Te-121
Cross Section
-100.0 To 0.175 %
Max
Ratio
TENDL Threshold 837.46 keV
JEFF3.3 Threshold 837.46 keV
JEFF3.3/TENDL
RatioCross Section (milli-barns)
16
12
8
4
0
1.2
0.6
0.0
8
10^6
2
3
4
5
6
8
10^7
2
3
4
5
6
8
10^8
2
38
Incident Energy (eV)
52-Te-121


MAT 5228
MT= 70 (n,n') Level
52-Te-121
Cross Section
-100.0 To 0.000 %
Min Ratio
Max Ratio
TENDL Threshold 895.06 keV
JEFF3.3 Threshold 895.06 keV
JEFF3.3/TENDL
RatioCross Section (milli-barns)
30
25
20
15
10
5
0
1.2
0.6
0.0
10^6
2
3
4
5
6
8
10^7
2
3
4
5
6
8
10^8
2
39
Incident Energy (eV)
52-Te-121


MAT 5228
MT= 71 (n,n') Level
52-Te-121
Cross Section
-100.0 To 0.000 %
Min Ratio
Max Ratio
TENDL Threshold 919.83 keV
JEFF3.3 Threshold 919.83 keV
JEFF3.3/TENDL
RatioCross Section (milli-barns)
60
50
40
30
20
10
0
1.2
0.6
0.0
10^6
10^7
10^8
2
3
4
5
6
8
Incident Energy (eV)
40
52-Te-121


MAT 5228
MT= 72 (n,n') Level
52-Te-121
Cross Section
-100.0 To 4.217 %
Min Ratio
Max Ratio
TENDL Threshold 933.34 keV
JEFF3.3 Threshold 933.34 keV
JEFF3.3/TENDL
RatioCross Section (micro-barns)
600
500
400
300
200
100
0
1.2
0.6
0.0
10^6
10^7
10^8
2
3
4
5
6
8
41
Incident Energy (eV)
52-Te-121


MAT 5228
MT= 73 (n,n') Level
52-Te-121
Cross Section
-100.0 To 0.000 %
Min Ratio
Max Ratio
TENDL Threshold 941.14 keV
JEFF3.3 Threshold 941.14 keV
JEFF3.3/TENDL
RatioCross Section (milli-barns)
60
50
40
30
20
10
0
1.2
0.6
0.0
10^6
2
3
4
5
6
8
10^7
2
3
4
5
6
8
10^8
2
42
Incident Energy (eV)
52-Te-121


MAT 5228
MT= 74 (n,n') Level
52-Te-121
Cross Section
-100.0 To 0.000 %
Min Ratio
Max Ratio
TENDL Threshold 948.85 keV
JEFF3.3 Threshold 948.85 keV
JEFF3.3/TENDL
RatioCross Section (milli-barns)
50
40
30
20
10
0
1.2
0.6
0.0
10^6
2
3
4
5
6
8
10^7
2
3
4
5
6
8
10^8
2
43
Incident Energy (eV)
52-Te-121


MAT 5228
MT= 75 (n,n') Level
52-Te-121
Cross Section
-100.0 To 0.677 %
Max
Ratio
TENDL Threshold 978.09 keV
JEFF3.3 Threshold 978.09 keV
JEFF3.3/TENDL
RatioCross Section (milli-barns)
12
10
8
6
4
2
0
1.2
0.6
0.0
10^6
2
3
4
5
6
8
10^7
2
3
4
5
6
8
10^8
2
44
Incident Energy (eV)
52-Te-121


MAT 5228
MT= 76 (n,n') Level
52-Te-121
Cross Section
-100.0 To 2.511 %
Max
Ratio
TENDL Threshold 983.41 keV
JEFF3.3 Threshold 983.41 keV
JEFF3.3/TENDL
RatioCross Section (milli-barns)
2.0
1.5
1.0
0.5
0.0
1.2
0.6
0.0
10^6
2
3
4
5
6
8
10^7
2
3
4
5
6
8
10^8
2
45
Incident Energy (eV)
52-Te-121


MAT 5228
MT= 77 (n,n') Level
52-Te-121
Cross Section
-32.61 To 33.64 %
Max Ratio
Min Ratio
TENDL Threshold 1.0023 MeV
JEFF3.3 Threshold 1.0023 MeV
JEFF3.3/TENDL
RatioCross Section (milli-barns)
60
50
40
30
20
10
0
1.6
1.2
0.8
10^6
2
3
4
5
6
8
10^7
2
3
4
5
6
8
10^8
2
46
Incident Energy (eV)
52-Te-121


MAT 5228
MT= 78 (n,n') Level
52-Te-121
Cross Section -100.0 To 0.819 %
Max
Ratio
TENDL Threshold 1.0269 MeV
JEFF3.3 Threshold 1.0269 MeV
JEFF3.3/TENDL
RatioCross Section (milli-barns)
12
10
8
6
4
2
0
1.2
0.6
0.0
10^6
2
3
4
5
6
8
10^7
2
3
4
5
6
8
10^8
2
47
Incident Energy (eV)
52-Te-121


MAT 5228
MT= 79 (n,n') Level
52-Te-121
Cross Section 0.000 To 97.55 %
Min Ratio
Max Ratio
TENDL Threshold 1.0517 MeV
JEFF3.3 Threshold 1.0517 MeV
JEFF3.3/TENDL
RatioCross Section (milli-barns)
40
30
20
10
0
2.4
1.8
1.2
2
3
4
5
6
8
10^6
10^7
10^8
48
Incident Energy (eV)
52-Te-121


MAT 5228
MT= 80 (n,n') Level
52-Te-121
Cross Section -100.0 To 97.55 %
Min Ratio
Max Ratio
TENDL Threshold 1.0595 MeV
JEFF3.3 Threshold 1.0595 MeV
JEFF3.3/TENDL
RatioCross Section (milli-barns)
40
30
20
10
0
3.0
2.0
1.0
0.0
10^6
2
3
4
5
6
8
10^7
2
3
4
5
6
8
10^8
2
49
Incident Energy (eV)
52-Te-121


MAT 5228
(n,n') Continuum
Cross Section
52-Te-121
-100.0 To 10.20 %
Max
Ratio
TENDL Threshold 1.0595 MeV
JEFF3.3 Threshold 1.0595 MeV
JEFF3.3/TENDL
Cross Section (barns)
Ratio
2.5
2.0
1.5
1.0
0.5
0.0
1.2
0.6
0.0
10^6
10^7
10^8
2
3
4
5
6
8
50
Incident Energy (eV)
52-Te-121


MAT 5228
(n,γ)
Cross Section
52-Te-121
-99.98 To 9999. %
Min Ratio
Max Ratio
TENDL
JEFF3.3
Cross Section (barns)
JEFF3.3/TENDL
Ratio
Incident Energy (eV)
51
52-Te-121


MAT 5228
(n,p)
Cross Section
52-Te-121
-11.35 To 3.320 %
Max Ratio
Min Ratio
TENDL
JEFF3.3
JEFF3.3/TENDL
Cross Section (barns)
Ratio
Incident Energy (eV)
52
52-Te-121


MAT 5228
(n,d)
Cross Section
52-Te-121
-100.0 To 9.724 %
Min Ratio
Max Ratio
TENDL Threshold 5.2337 MeV
JEFF3.3 Threshold 5.2337 MeV
JEFF3.3/TENDL
RatioCross Section (milli-barns)
30
25
20
15
10
5
0
1.2
0.6
0.0
5 6 7 8 10^7 2 3 4 5 6 7 8 10^8 2
53
Incident Energy (eV)
52-Te-121


MAT 5228
(n,t)
Cross Section
52-Te-121
-100.0 To 2.091 %
Min Ratio
Max Ratio
TENDL Threshold 5.9957 MeV
JEFF3.3 Threshold 5.9982 MeV
JEFF3.3/TENDL
RatioCross Section (milli-barns)
10
8
6
4
2
0
1.2
0.6
0.0
6 7 8 10^7 2 3 4 5 6 7 8 10^8 2
54
Incident Energy (eV)
52-Te-121


MAT 5228
(n,He-3)
Cross Section
52-Te-121
-100.0 To 1.756 %
Min Ratio
Max Ratio
TENDL Threshold 5.3826 MeV
JEFF3.3 Threshold 5.3836 MeV
JEFF3.3/TENDL
RatioCross Section (milli-barns)
2.5
2.0
1.5
1.0
0.5
0.0
1.2
0.6
0.0
6 7 8
10^7
2 3 4 5 6 7 8
10^8
2
55
Incident Energy (eV)
52-Te-121


MAT 5228
(n,α)
Cross Section
52-Te-121
-6.623 To 337.0 %
Max Ratio
Min Ratio
TENDL
JEFF3.3
JEFF3.3/TENDL
Cross Section (barns)
Ratio
Incident Energy (eV)
56
52-Te-121


MAT 5228
(n,2α)
52-Te-121
Cross Section
-25.75 To 9999. %
Max
Ratio
TENDL
JEFF3.3
JEFF3.3/TENDL
Cross Section (barns)
Ratio
Incident Energy (eV)
57
52-Te-121


MAT 5228
(n,2p)
52-Te-121
Cross Section
-100.0 To 14.23 %
Min Ratio
Max Ratio
TENDL Threshold 3.9850 MeV
JEFF3.3 Threshold 3.9850 MeV
JEFF3.3/TENDL
RatioCross Section (micro-barns)
150
100
50
0
1.2
0.6
0.0
4 5 6 7 8 10^7 2 3 4 5 6 7 8 10^8 2
58
Incident Energy (eV)
52-Te-121


MAT 5228
(n,p) α
52-Te-121
Cross Section
-100.0 To 9999. %
Min Ratio
Max Ratio
TENDL Threshold 1.2530 MeV
JEFF3.3 Threshold 1.2541 MeV
JEFF3.3/TENDL
RatioCross Section (micro-barns)
40
30
20
10
0
200
100
0
2 3 4 5 6 8 10^7 2 3 4 5 6 8 10^8 2
59
Incident Energy (eV)
52-Te-121


MAT 5228
(n,p) d
Cross Section
52-Te-121
-100.0 To 130.1 %
Min Ratio
Max Ratio
TENDL Threshold 10.922 MeV
JEFF3.3 Threshold 10.923 MeV
JEFF3.3/TENDL
RatioCross Section (micro-barns)
8
6
4
2
0
3.0
1.5
0.0
2
3
4
5
6
7
8
9
2
10^8
60
Incident Energy (eV)
52-Te-121


MAT 5228
(n,p) t
Cross Section
52-Te-121
-100.0 To 84.39 %
Min Ratio
Max Ratio
TENDL Threshold 11.150 MeV
JEFF3.3 Threshold 11.150 MeV
JEFF3.3/TENDL
RatioCross Section (micro-barns)
12
10
8
6
4
2
0
2.0
1.0
0.0
2
3
4
5
6
7
8
9
2
10^8
61
Incident Energy (eV)
52-Te-121


MAT 5228
(n,d) α
Cross Section
52-Te-121
-100.0 To 9999. %
Min Ratio
Max Ratio
TENDL Threshold 7.8476 MeV
JEFF3.3 Threshold 7.8488 MeV
JEFF3.3/TENDL
Ratio Cross Section (10^-9 barns)
100
80
60
40
20
0
200
100
0
8
10^7
2
3
4
5
6
7
8
10^8
2
62
Incident Energy (eV)
52-Te-121


MAT 5228
Hydrogen Production
52-Te-121
Cross Section
-11.35 To 168.4 %
Min Ratio
Max Ratio
TENDL
JEFF3.3
Cross Section (barns)
JEFF3.3/TENDL
Ratio
Incident Energy (eV)
63
52-Te-121


MAT 5228
Deuterium Production
52-Te-121
Cross Section
-100.0 To 9.724 %
Min Ratio
Max Ratio
TENDL Threshold 5.2337 MeV
JEFF3.3 Threshold 5.2337 MeV
JEFF3.3/TENDL
RatioCross Section (milli-barns)
500
400
300
200
100
0
1.2
0.6
0.0
5 6 7 8
10^7
2 3 4 5 6 7 8
10^8
2
64
Incident Energy (eV)
52-Te-121


MAT 5228
Tritium Production
Cross Section
52-Te-121
-100.0 To 174.3 %
Min Ratio
Max Ratio
TENDL Threshold 5.9957 MeV
JEFF3.3 Threshold 5.9982 MeV
JEFF3.3/TENDL
RatioCross Section (milli-barns)
150
100
50
0
4
2
0
6 7 8 10^7 2 3 4 5 6 7 8 10^8 2
65
Incident Energy (eV)
52-Te-121


MAT 5228
He-3 Production
Cross Section
52-Te-121
-100.0 To 1.757 %
Min Ratio
Max Ratio
TENDL Threshold 5.3826 MeV
JEFF3.3 Threshold 5.3836 MeV
JEFF3.3/TENDL
RatioCross Section (milli-barns)
400
300
200
100
0
1.2
0.6
0.0
6 7 8
10^7
2 3 4 5 6 7 8
10^8
2
66
Incident Energy (eV)
52-Te-121


MAT 5228
He-4 Production
Cross Section
52-Te-121
-24.21 To 337.0 %
Max
Ratio
Min
Ratio
TENDL
JEFF3.3
Cross Section (barns)
JEFF3.3/TENDL
Ratio
Incident Energy (eV)
67
52-Te-121


MAT 5228
Kerma total (eV-barns)
52-Te-121
Cross Section -3.942 To 9999. %
Max Ratio
Min Ratio
TENDL
JEFF3.3
JEFF3.3/TENDL
Cross Section (barns)
Ratio
Incident Energy (eV)
68
52-Te-121


MAT 5228
Kerma elastic
Cross Section
52-Te-121
-99.75 To 9999. %
Min Ratio
Max Ratio
TENDL
JEFF3.3
JEFF3.3/TENDL
Cross Section (barns)
Ratio
Incident Energy (eV)
69
52-Te-121


MAT 5228 Kerma non-elastic (all but mt2) 52-Te-121
Cross Section -3.945 To 9999. %
Max Ratio
Min Ratio
TENDL
JEFF3.3
JEFF3.3/TENDL
Cross Section (barns)
Ratio
Incident Energy (eV)
70
52-Te-121


MAT 5228
Kerma inelastic (mt51-91)
52-Te-121
Cross Section -100.0 To 10.71 %
Min Ratio
Max Ratio
TENDL Threshold 213.96 keV
JEFF3.3 Threshold 213.96 keV
JEFF3.3/TENDL
Cross Section (barns)
Ratio
Incident Energy (eV)
71
52-Te-121


MAT 5228 Kerma fission (mt18 or mt19-20-21-38) 52-Te-121
Cross Section -100.0 To 10.71 %
Min Ratio
Max Ratio
TENDL
JEFF3.3
JEFF3.3/TENDL
Cross Section (barns)
Ratio
1.5
1.0
0.5
0.0
-0.5
-1.0
10^{0}
10^{-4}
10^{-5} 10^{-4} 10^{-3} 10^{-2} 10^{-1} 10^{0} 10^{1} 10^{2} 10^{3} 10^{4} 10^{5} 10^{6} 10^{7} 10^{8}
72
Incident Energy (eV)
52-Te-121


MAT 5228
Kerma capture (mt102)
52-Te-121
Cross Section -99.98 To 9999. %
Min Ratio
Max Ratio
TENDL
JEFF3.3
Cross Section (barns)
JEFF3.3/TENDL
Ratio
Incident Energy (eV)
73
52-Te-121


MAT 5228
Total photon (eV-barns)
52-Te-121
Cross Section -99.98 To 9999. %
Min Ratio
Max Ratio
TENDL
JEFF3.3
JEFF3.3/TENDL
Cross Section (barns)
Ratio
Incident Energy (eV)
74
52-Te-121


MAT 5228 Total kinematic kerma (high limit) 52-Te-121
Cross Section -4.341 To 1530. %
Max Ratio
Min Ratio
TENDL
JEFF3.3
JEFF3.3/TENDL
Cross Section (barns)
Ratio
Incident Energy (eV)
75
52-Te-121


MAT 5228
Dpa total (eV-barns)
52-Te-121
Cross Section
-94.49 To 9999. %
Max Ratio
Min Ratio
TENDL
JEFF3.3
JEFF3.3/TENDL
Cross Section (barns)
Ratio
Incident Energy (eV)
76
52-Te-121


MAT 5228
Dpa elastic (mt2)
Cross Section
52-Te-121
-84.51 To 3530. %
Max
Ratio
TENDL Threshold 1.0000 keV
JEFF3.3 Threshold 740.04 eV
JEFF3.3/TENDL
Cross Section (barns)
Ratio
Incident Energy (eV)
77
52-Te-121


MAT 5228
Dpa inelastic (mt51-91)
52-Te-121
Cross Section -100.0 To 11.80 %
Min Ratio
Max Ratio
TENDL Threshold 213.96 keV
JEFF3.3 Threshold 213.96 keV
JEFF3.3/TENDL
Cross Section (barns)
Ratio
Incident Energy (eV)
78
52-Te-121


MAT 5228 Dpa disappearance (mt102 -120) 52-Te-121
Cross Section -94.49 To 9999. %
Max Ratio
Min Ratio
TENDL
JEFF3.3
JEFF3.3/TENDL
Cross Section (barns)
Ratio
Incident Energy (eV)
79
52-Te-121


MAT 5228
Inelastic:52-Te-121g
52-Te-121
Radionuclide Production Cross Section To 16.69 %
Min Ratio
Max Ratio
TENDL
JEFF3.3 Threshold 213.96 keV
JEFF3.3/TENDL
Cross Section (barns)
Ratio
2.0
1.5
1.0
0.5
0.0
1.0
0.0
10^{-5} 10^{-4} 10^{-3} 10^{-2} 10^{-1} 10^{0} 10^{1} 10^{2} 10^{3} 10^{4} 10^{5} 10^{6} 10^{7} 10^{8}
80
Incident Energy (eV)
52-Te-121


MAT 5228
Inelastic:52-Te-121m2
52-Te-121
Radionuclide Production Cross Section To 6.658 %
Min Ratio
Max Ratio
TENDL Threshold 296.43 keV
JEFF3.3 Threshold 296.43 keV
JEFF3.3/TENDL
Cross Section (barns)
Ratio
1.2
1.0
0.8
0.6
0.4
0.2
0.0
3 4 5 6 8 10^6 2 3 4 5 6 8 10^7 2 3 4 5 6 8 10^8 2
81
Incident Energy (eV)
52-Te-121


MAT 5228
(n,2n) d:51-Sb-118g
52-Te-121
Radionuclide Production Cross Section To 9999. %
Max
Ratio
TENDL Threshold 21.935 MeV
JEFF3.3 Threshold 21.935 MeV
JEFF3.3/TENDL
RatioCross Section (micro-barns)
300
250
200
150
100
50
0
0.8
0.4
0.0
20
40
60
80
100
120
140
160
180
200
82
Incident Energy (MeV)
52-Te-121


MAT 5228
(n,2n) d:51-Sb-118m7
52-Te-121
Radionuclide Production Cross Section To 9999. %
Max
Ratio
TENDL Threshold 22.188 MeV
JEFF3.3 Threshold 22.188 MeV
JEFF3.3/TENDL
RatioCross Section (micro-barns)
100
80
60
40
20
0
12
8
4
0
20
40
60
80
100
120
140
160
180
200
83
Incident Energy (MeV)
52-Te-121


MAT 5228
(n,3n):52-Te-119g
52-Te-121
Radionuclide Production Cross Section To 457.5 %
Max
Ratio
TENDL Threshold 17.649 MeV
JEFF3.3 Threshold 17.652 MeV
JEFF3.3/TENDL
RatioCross Section (milli-barns)
400
300
200
100
0
8
4
0
2
3
4
5
6
7
8
9
2
10^8
84
Incident Energy (eV)
52-Te-121


MAT 5228
(n,3n):52-Te-119m2
52-Te-121
Radionuclide Production Cross Section
Max Ratio
TENDL Threshold 17.912 MeV
JEFF3.3 Threshold 17.915 MeV
JEFF3.3/TENDL
RatioCross Section (milli-barns)
800
600
400
200
0
40
20
0
2
3
4
5
6
7
8
9
2
10^8
85
Incident Energy (eV)
52-Te-121


MAT 5228
(n,n') α:50-Sn-117g
52-Te-121
Radionuclide Production Cross Section To 9999. %
Min Ratio
Max Ratio
TENDL Threshold 575.04 keV
JEFF3.3 Threshold 576.17 keV
JEFF3.3/TENDL
RatioCross Section (milli-barns)
15
10
5
0
120
80
40
0
6 8 10^6 2 3 4 5 6 8 10^7 2 3 4 5 6 8 10^8 2
86
Incident Energy (eV)
52-Te-121


MAT 5228
(n,n') α:50-Sn-117m2
52-Te-121
Radionuclide Production Cross Section
0.000 To 9999. %
Max Ratio
Min Ratio
TENDL Threshold 4.4000 MeV
JEFF3.3 Threshold 4.0000 MeV
JEFF3.3/TENDL
RatioCross Section (milli-barns)
30
25
20
15
10
5
0
10^4
10^2
10^0
4 5 6 7 8
10^7
2 3 4 5 6 7 8
10^8
2
87
Incident Energy (eV)
52-Te-121


MAT 5228
(n,n') p:51-Sb-120g
52-Te-121
Radionuclide Production Cross Section To 538.6 %
Max
Ratio
TENDL Threshold 7.4768 MeV
JEFF3.3 Threshold 7.4768 MeV
JEFF3.3/TENDL
RatioCross Section (milli-barns)
60
40
20
0
8
4
0
8
2
3
4
5
6
7
8
2
10^7
10^8
88
Incident Energy (eV)
52-Te-121


MAT 5228 (n,n') 2α:48-Cd-113g 52-Te-121
Radionuclide Production Cross Section 0.000 To 9999. %
Max Ratio
Min Ratio
TENDL Threshold 17.000 MeV
JEFF3.3 Threshold 15.000 MeV
JEFF3.3/TENDL
Ratio Cross Section (10^{-9} barns)
70
60
50
40
30
20
10
0
10^4
10^2
10^0
2
3
4
5
6
7
8
9
10^8
2
89
Incident Energy (eV)
52-Te-121


MAT 5228
(n,n') 2α:48-Cd-113m1
52-Te-121
Radionuclide Production Cross Section To 9999. %
Min Ratio
Max Ratio
TENDL Threshold 4.6517 MeV
JEFF3.3 Threshold 4.6529 MeV
JEFF3.3/TENDL
Ratio Cross Section (10^{-9} barns)
Incident Energy (eV)
90
52-Te-121


MAT 5228
(n,n') t:51-Sb-118g
52-Te-121
Radionuclide Production Cross Section To 696.0 %
Max
Ratio
TENDL Threshold 15.626 MeV
JEFF3.3 Threshold 15.626 MeV
JEFF3.3/TENDL
RatioCross Section (milli-barns)
Incident Energy (eV)
91
52-Te-121


MAT 5228
(n,n') t:51-Sb-118m7
52-Te-121
Radionuclide Production Cross Section To 276.9 %
Max
Ratio
TENDL Threshold 15.878 MeV
JEFF3.3 Threshold 15.878 MeV
JEFF3.3/TENDL
RatioCross Section (milli-barns)
2.0
1.5
1.0
0.5
0.0
4
2
0
2
3
4
5
6
7
8
9
10^8
2
92
Incident Energy (eV)
52-Te-121


MAT 5228
(n,3n) p:51-Sb-118g
52-Te-121
Radionuclide Production Cross Section To 9999. %
Max
Ratio
TENDL Threshold 24.179 MeV
JEFF3.3 Threshold 24.179 MeV
JEFF3.3/TENDL
RatioCross Section (micro-barns)
500
400
300
200
100
0
2.0
1.0
0.0
40
60
80
100
120
140
160
180
200
93
Incident Energy (MeV)
52-Te-121


MAT 5228
(n,3n) p:51-Sb-118m7
52-Te-121
Radionuclide Production Cross Section
0.000 To 9999. %
Min
Ratio
TENDL Threshold 25.000 MeV
JEFF3.3 Threshold 24.432 MeV
JEFF3.3/TENDL
RatioCross Section (micro-barns)
160
120
80
40
0
10^4
10^2
10^0
40
60
80
100
120
140
160
180
200
94
Incident Energy (MeV)
52-Te-121


MAT 5228
(n,2n) p:50-Sn-119g
52-Te-121
Radionuclide Production Cross-Section To 210.6 %
Max Ratio
Min Ratio
TENDL Threshold 16.000 MeV
JEFF3.3 Threshold 13.166 MeV
JEFF3.3/TENDL
RatioCross Section (micro-barns)
35
30
25
20
15
10
5
0
3.0
1.5
2
3
4
5
6
7
8
9
10^8
2
95
Incident Energy (eV)
52-Te-121


MAT 5228
(n,2n) p:50-Sn-119m2
52-Te-121
Radionuclide Production Cross Section
Max Ratio
Min Ratio
TENDL Threshold 16.000 MeV
JEFF3.3 Threshold 13.256 MeV
JEFF3.3/TENDL
RatioCross Section (micro-barns)
Incident Energy (eV)
96
52-Te-121


MAT 5228
(n,n') p α:49-In-116g
52-Te-121
Radionuclide Production Cross Section
Min Ratio
Max Ratio
TENDL Threshold 10.091 MeV
JEFF3.3 Threshold 10.092 MeV
JEFF3.3/TENDL
RatioCross Section (micro-barns)
1.6
1.2
0.8
0.4
0.0
300
200
100
0
10^7
2
3
4
5
6
7
8
9
10^8
2
97
Incident Energy (eV)
52-Te-121


MAT 5228 (n,n') p α:49-In-116m1 52-Te-121
Radionuclide Production Cross Section To 9999. %
Min Ratio
Max Ratio
TENDL Threshold 10.219 MeV
JEFF3.3 Threshold 10.220 MeV
JEFF3.3/TENDL
RatioCross Section (micro-barns)
Incident Energy (eV)
98
52-Te-121


MAT 5228 (n,n') p α:49-In-116m4 52-Te-121
Radionuclide Production Cross Section To 9999. %
Min Ratio
Max Ratio
TENDL Threshold 10.383 MeV
JEFF3.3 Threshold 10.384 MeV
JEFF3.3/TENDL
RatioCross Section (micro-barns)
Incident Energy (eV)
99
52-Te-121


MAT 5228
(n,d):51-Sb-120g
52-Te-121
Radionuclide Production Cross Section To 8.990 %
Min Ratio
Max Ratio
TENDL Threshold 5.2337 MeV
JEFF3.3 Threshold 5.2337 MeV
JEFF3.3/TENDL
RatioCross Section (milli-barns)
15
10
5
0
1.2
0.6
0.0
5 6 7 8
10^7
2 3 4 5 6 7 8
10^8
2
100
Incident Energy (eV)
52-Te-121


MAT 5228
(n,He-3):50-Sn-119g
52-Te-121
Radionuclide Production Cross Section
Min Ratio
Max Ratio
TENDL Threshold 5.3826 MeV
JEFF3.3 Threshold 5.3836 MeV
JEFF3.3/TENDL
RatioCross Section (milli-barns)
1.0
0.8
0.6
0.4
0.2
0.0
1.2
0.6
0.0
6 7 8
10^7
2 3 4 5 6 7 8
10^8
2
101
Incident Energy (eV)
52-Te-121


MAT 5228
(n,He-3):50-Sn-119m2
52-Te-121
Radionuclide Production Cross Section
Min Ratio
Max Ratio
TENDL Threshold 5.4728 MeV
JEFF3.3 Threshold 5.4739 MeV
JEFF3.3/TENDL
RatioCross Section (milli-barns)
1.5
1.0
0.5
0.0
1.0
0.0
6 7 8
10^7
2 3 4 5 6 7 8
10^8
2
102
Incident Energy (eV)
52-Te-121


MAT 5228
(n,p) α:49-In-117g
52-Te-121
Radionuclide Production Cross Section
Min Ratio
Max Ratio
TENDL Threshold 1.2530 MeV
JEFF3.3 Threshold 1.2541 MeV
JEFF3.3/TENDL
RatioCross Section (micro-barns)
Incident Energy (eV)
103
52-Te-121


MAT 5228
(n,p) α:49-In-117m1
52-Te-121
Radionuclide Production Cross Section
Max Ratio
Min Ratio
TENDL Threshold 8.0000 MeV
JEFF3.3 Threshold 7.4000 MeV
JEFF3.3/TENDL
RatioCross Section (micro-barns)
Incident Energy (eV)
104
52-Te-121


MAT 5228
(n,p) d:50-Sn-119g
52-Te-121
Radionuclide Production Cross Section To 107.4 %
Min Ratio
Max Ratio
TENDL Threshold 10.922 MeV
JEFF3.3 Threshold 10.923 MeV
JEFF3.3/TENDL
RatioCross Section (micro-barns)
3.0
2.5
2.0
1.5
1.0
0.5
0.0
2
3
4
5
6
7
8
9
2
10^8
105
Incident Energy (eV)
52-Te-121


MAT 5228
(n,p) d:50-Sn-119m2
52-Te-121
Radionuclide Production Cross Section To 160.7 %
Max
Ratio
TENDL Threshold 11.012 MeV
JEFF3.3 Threshold 11.012 MeV
JEFF3.3/TENDL
RatioCross Section (micro-barns)
Incident Energy (eV)
106
52-Te-121


MAT 5228
(n,d) α:49-In-116g
52-Te-121
Radionuclide Production Cross Section
0.000 To 9999. %
Max Ratio
Min Ratio
TENDL Threshold 16.000 MeV
JEFF3.3 Threshold 7.8488 MeV
JEFF3.3/TENDL
Ratio Cross Section (10^-9 barns)
16
12
8
4
0
10^2
10^1
10^0
8
10^7
2
3
4
5
6
7
8
10^8
2
107
Incident Energy (eV)
52-Te-121


MAT 5228
(n,d) α:49-In-116m1
52-Te-121
Radionuclide Production Cross Section
0.000 To 9999. %
Max Ratio
Min Ratio
TENDL Threshold 16.000 MeV
JEFF3.3 Threshold 7.9771 MeV
JEFF3.3/TENDL
Ratio Cross Section (10^-9 barns)
40
30
20
10
0
10^2
10^1
10^0
8
10^7
2
3
4
5
6
7
8
10^8
2
108
Incident Energy (eV)
52-Te-121


MAT 5228
(n,d) α:49-In-116m4
52-Te-121
Radionuclide Production Cross Section
0.000 To 9999. %
Max Ratio
Min Ratio
TENDL Threshold 16.000 MeV
JEFF3.3 Threshold 8.1409 MeV
JEFF3.3/TENDL
Ratio Cross Section (10^{-9} barns)
40
30
20
10
0
10^{2}
10^{1}
10^{0}
8 9 10^{7} 2 3 4 5 6 7 8 9 10^{8} 2
109
Incident Energy (eV)
52-Te-121