

Program Complot
(Version 2021-1)

by

Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550

U.S.A.

Tele: 925-443-1911

E.Mail:redcullen1@comcast.net
Web:redcullen1.net/HOMEPAGE.NEW


Press Mouse Button to Start

MAT 9231

Total

92-U -236

Cross Section -99.75 To 9999. %



1

Incident Energy (eV)


92-U -236

MAT 9231

Elastic

92-U -236

Cross Section -99.99 To 9999. %



2

Incident Energy (eV)


92-U -236

MAT 9231

Inelastic

92-U -236

Cross Section -44.22 To 67.49 %



3

Incident Energy (eV)

92-U -236


MAT 9231

(n, remainder)

92-U -236

Cross Section

-99.83 To -99.83%



4

Incident Energy (eV)


92-U -236

MAT 9231

(n,2n)

92-U -236

Cross Section 0.952 To 1166. %



5

Incident Energy (eV)


92-U -236

MAT 9231

(n,3n)

92-U -236

Cross Section -72.42 To 1761. %




6

Incident Energy (eV)

92-U -236

MAT 9231

Fission Cross Section -100.0 To 9999. %
92-U -236



7

Incident Energy (eV)


92-U -236

MAT 9231

(n, n') α

92-U -236

Cross Section -100.0 To 24.27 %




MAT 9231

(n,2n) α

92-U -236

Cross Section -100.0 To 397.7 %



9

Incident Energy (eV)


92-U -236

MAT 9231

(n,3n) α

92-U -236

Cross Section -100.0 To 1571. %



10

Incident Energy (eV)


92-U -236

MAT 9231

(n, n') p

92-U -236

Cross Section -100.0 To -19.71%



11

Incident Energy (eV)


92-U -236

MAT 9231

(n,4n)

92-U -236

Cross Section -87.98 To 850.6 %




12

Incident Energy (eV)

92-U -236

MAT 9231

(n,2n) p 92-U -236
Cross Section -100.0 To 26.54 %




MAT 9231


(n,3n) p

92-U -236


Cross Section -100.0 To 39.03 %




MAT 9231 MT= 51 (n, n') Level 92-U -236
 Cross Section -44.22 To 41.70 %




MAT 9231 MT= 52 (n, n') Level 92-U -236
 Cross Section -66.71 To 90.32 %



MAT 9231 MT= 53 (n,n') Level 92-U -236
 Cross Section -100.0 To 3.408 %




MAT 9231 MT= 54 (n, n') Level 92-U -236
 Cross Section -100.0 To 624.4 %




18 92-U -236

MAT 9231 MT= 55 (n,n') Level 92-U -236
 Cross Section -100.0 To 786.8 %




MAT 9231 MT= 56 (n,n') Level 92-U -236
 Cross Section -12.26 To 9999. %




20 Incident Energy (eV) 92-U -236


MAT 9231 MT= 57 (n, n') Level 92-U -236
 Cross Section -100.0 To 3364. %



MAT 9231 MT= 58 (n, n') Level 92-U -236
 Cross Section -100.0 To 9999. %




MAT 9231 MT= 59 (n,n') Level 92-U -236
 Cross Section -100.0 To 163.9 %




23 Incident Energy (eV) 92-U -236

MAT 9231 MT= 60 (n, n') Level 92-U -236
 Cross Section -100.0 To 175.8 %




24 Incident Energy (eV) 92-U -236

MAT 9231 MT= 61 (n, n') Level 92-U -236
 Cross Section -26.63 To 537.8 %




25 Incident Energy (eV) 92-U -236

MAT 9231 MT= 62 (n, n') Level 92-U -236
 Cross Section -100.0 To 48.86 %




26 Incident Energy (eV) 92-U -236

MAT 9231 MT= 63 (n, n') Level 92-U -236
 Cross Section -100.0 To 18.01 %




27 Incident Energy (eV) 92-U -236

MAT 9231 MT= 64 (n, n') Level 92-U -236
 Cross Section -100.0 To 50.07 %




28 Incident Energy (eV) 92-U -236

MAT 9231 MT= 65 (n,n') Level 92-U -236
 Cross Section -100.0 To 110.7 %




29 Incident Energy (eV) 92-U -236


MAT 9231 MT= 66 (n,n') Level 92-U -236
 Cross Section -48.09 To 95.84 %




MAT 9231 MT= 67 (n, n') Level 92-U -236
 Cross Section -21.87 To 5348. %




MAT 9231 MT= 68 (n,n') Level 92-U -236
 Cross Section -100.0 To 261.0 %




MAT 9231 MT= 69 (n,n') Level 92-U -236
 Cross Section -22.42 To 189.8 %




MAT 9231 MT= 70 (n,n') Level 92-U -236
 Cross Section -100.0 To 41.17 %




MAT 9231 MT= 71 (n, n') Level 92-U -236
 Cross Section -100.0 To 137.8 %




MAT 9231 MT= 72 (n, n') Level 92-U -236
 Cross Section -100.0 To 52.21 %




MAT 9231 MT= 73 (n, n') Level 92-U -236
 Cross Section -59.05 To 791.5 %




MAT 9231 MT= 74 (n,n') Level 92-U -236
 Cross Section -100.0 To 82.11 %




MAT 9231 MT= 75 (n, n') Level 92-U -236
 Cross Section -100.0 To 1690. %




MAT 9231 MT= 76 (n, n') Level 92-U -236
 Cross Section -100.0 To 199.0 %




MAT 9231 MT= 77 (n, n') Level 92-U -236
 Cross Section -70.12 To 391.7 %




MAT 9231 MT= 78 (n,n') Level 92-U -236
 Cross Section -80.43 To 505.0 %



MAT 9231 MT= 79 (n, n') Level 92-U -236
 Cross Section -100.0 To 318.0 %



MAT 9231 MT= 80 (n, n') Level 92-U -236
 Cross Section -100.0 To 464.2 %




MAT 9231

(n, n') Continuum

92-U -236

Cross Section -100.0 To 38.85 %



45

Incident Energy (eV)


92-U -236

MAT 9231

(n, γ)

92-U -236

Cross Section -100.0 To 9999. %



46

Incident Energy (eV)


92-U -236

MAT 9231

(n,p)

92-U -236

Cross Section -100.0 To -21.06%



47

Incident Energy (eV)


92-U -236

MAT 9231

(n, α)

92-U -236

Cross Section -100.0 To 714.6 %



48


Incident Energy (eV)

92-U -236

MAT 9231

Hydrogen Production
Cross Section -100.0 To 27.50 %

92-U -236



49

Incident Energy (eV)


92-U -236

MAT 9231

He-4 Production

92-U -236

Cross Section -100.0 To 714.6 %




50

Incident Energy (eV)

92-U -236

MAT 9231 Kerma total (eV-barns) 92-U -236
 Cross Section -100.0 To 9999. %




MAT 9231

Kerma elastic

92-U -236

Cross Section -99.99 To 9999. %




52


Incident Energy (eV)

92-U -236


MAT 9231 Kerma non-elastic (all but mt2) 92-U -236
 Cross Section -100.0 To 9999. %



MAT 9231 Kerma inelastic (mt51-91) 92-U -236
 Cross Section -9999. To 9999. %




MAT 9231 Kerma fission (mt18 or mt19-20-21-38)2-U -236
 Cross Section -100.0 To 9999. %



MAT 9231

Kerma capture (mt102) 92-U -236


Cross Section -99.98 To 9999. %



56


Incident Energy (eV) 92-U -236

MAT 9231 Total photon (eV-barns) 92-U -236
 Cross Section -100.0 To 9999. %




57 Incident Energy (eV) 92-U -236

MAT 9231 Total kinematic kerma (high limit) 92-U -236
 Cross Section -100.0 To 9999. %



MAT 9231 Dpa total (eV-barns) 92-U -236
 Cross Section -100.0 To 9999. %




59 Incident Energy (eV) 92-U -236

MAT 9231

Dpa elastic (mt2)

92-U -236

Cross Section -97.88 To 2770. %




60

Incident Energy (eV)

92-U -236

MAT 9231 Dpa inelastic (mt51-91) 92-U -236
 Cross Section -44.10 To 9999. %



MAT 9231 Dpa disappearance (mt102 -120) 92-U -236
 Cross Section -99.98 To 9999. %

