

Program Complot
(Version 2021-1)

by

Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550

U.S.A.

Tele: 925-443-1911

E.Mail:redcullen1@comcast.net
Web:redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start


MAT 5443

Total

54-Xe-130

Cross Section

-98.46 To 9999. %



1

Incident Energy (eV)


54-Xe-130

MAT 5443

Elastic

54-Xe-130

Cross Section -100.0 To 9999. %




2

Incident Energy (eV)

54-Xe-130

MAT 5443 Inelastic 54-Xe-130
 Cross Section -100.0 To 118.2 %




MAT 5443

(n,2n)

54-Xe-130

Cross Section -100.0 To 801.5 %



4

Incident Energy (eV)


54-Xe-130

MAT 5443

(n,3n)

54-Xe-130

Cross Section -100.0 To 4069. %




5


Incident Energy (eV)

54-Xe-130


MAT 5443 MT= 51 (n, n') Level 54-Xe-130
 Cross Section -100.0 To 118.2 %




MAT 5443 MT= 52 (n, n') Level 54-Xe-130
 Cross Section -100.0 To 136.3 %




MAT 5443 MT= 53 (n, n') Level 54-Xe-130
 Cross Section -100.0 To 314.5 %



MAT 5443 MT= 54 (n, n') Level 54-Xe-130
 Cross Section -100.0 To 122.4 %




MAT 5443 MT= 55 (n, n') Level 54-Xe-130
 Cross Section -100.0 To 112.8 %



10 100 54-Xe-130

MAT 5443 MT= 56 (n, n') Level 54-Xe-130
 Cross Section -100.0 To 324.2 %




MAT 5443

(n, n') Continuum

54-Xe-130

Cross Section -100.0 To 875.4 %



12

Incident Energy (eV)


54-Xe-130

MAT 5443

54-Xe-130

(n, γ)

Cross Section -100.0 To 9999. %



13

Incident Energy (eV)


54-Xe-130

MAT 5443

(n, p)

54-Xe-130

Cross Section -100.0 To 9999. %




MAT 5443

(n,d)

54-Xe-130

Cross Section -100.0 To 9999. %



15

Incident Energy (eV)


54-Xe-130

MAT 5443

(n, t)

54-Xe-130

Cross Section -100.0 To 9999. %



16

Incident Energy (eV)


54-Xe-130

MAT 5443

(n, α)

54-Xe-130

Cross Section -100.0 To 2515. %



17

Incident Energy (eV)


54-Xe-130

MAT 5443

Hydrogen Production

54-Xe-130

Cross Section -100.0 To 9999. %




MAT 5443

Deuterium Production

54-Xe-130

Cross Section -100.0 To 9999. %



19

Incident Energy (eV)


54-Xe-130

MAT 5443

Tritium Production

54-Xe-130

Cross Section -100.0 To 9999. %



20

Incident Energy (eV)


54-Xe-130

MAT 5443

He-4 Production

54-Xe-130

Cross Section -100.0 To 2515. %




21

Incident Energy (eV)

54-Xe-130


MAT 5443 Kerma total (eV-barns) 54-Xe-130
 Cross Section -99.09 To 9999. %




22 Incident Energy (eV) 54-Xe-130

MAT 5443

Kerma elastic
Cross Section -100.0 To 9999. %
54-Xe-130




MAT 5443 Kerma non-elastic (all but mt2) 54-Xe-130
 Cross Section -99.95 To 9999. %




24 Incident Energy (eV) 54-Xe-130

MAT 5443 Kerma inelastic (mt51-91) 54-Xe-130
 Cross Section -100.0 To 9999. %




MAT 5443 Kerma fission (mt18 or mt19-20-21-38) 54-Xe-130
 Cross Section -100.0 To 9999. %



MAT 5443

Kerma capture (mt102) 54-Xe-130
Cross Section -100.0 To 9999. %



27


Incident Energy (eV) 54-Xe-130

MAT 5443

Total photon (eV-barns)

54-Xe-130

Cross Section -100.0 To 9999. %




28


Incident Energy (eV)

54-Xe-130

MAT 5443 Total kinematic kerma (high limit) 54-Xe-130
 Cross Section -99.09 To 9999. %



MAT 5443 Dpa total (eV-barns) 54-Xe-130
 Cross Section -99.31 To 9999. %




30 Incident Energy (eV) 54-Xe-130

MAT 5443

Dpa elastic (mt2)

54-Xe-130

Cross Section -100.0 To 9999. %




31

Incident Energy (eV)

54-Xe-130

MAT 5443 Dpa inelastic (mt51-91) 54-Xe-130
 Cross Section -100.0 To 9999. %



32 Incident Energy (eV) 54-Xe-130

MAT 5443 Dpa disappearance (mt102 -120) 54-Xe-130
 Cross Section -99.95 To 9999. %

