

Program Complot
(Version 2021-1)

by

Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550

U.S.A.

Tele: 925-443-1911

E.Mail:redcullen1@comcast.net
Web:redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start


MAT 5455

Total

54-Xe-134

Cross Section

-99.92 To 9999. %



10⁵ 10⁴ 10⁻³ 10⁻² 10⁻¹ 10⁰ 10¹ 10² 10³ 10⁴ 10⁵ 10⁶ 10⁷ 10⁸

1

Incident Energy (eV)

54-Xe-134


MAT 5455

Elastic

54-Xe-134

Cross Section

-99.92 To 9999. %



2

Incident Energy (eV)


54-Xe-134

MAT 5455

Inelastic

54-Xe-134

Cross Section -6.357 To 51.55 %



3

Incident Energy (eV)


54-Xe-134

MAT 5455

(n,2n)

54-Xe-134

Cross Section -73.51 To -7.772%



4

Incident Energy (eV)


54-Xe-134

MAT 5455

(n,3n)

54-Xe-134

Cross Section -92.41 To -23.74%




5

Incident Energy (eV)

54-Xe-134

MAT 5455 (n, n') α 54-Xe-134
 Cross Section -100.0 To 877.6 %




MAT 5455

(n, n') p

54-Xe-134

Cross Section -100.0 To -54.92%



7

Incident Energy (eV)


54-Xe-134

MAT 5455

MT= 51 (n, n') Level

54-Xe-134

Cross Section -61.67 To 36.37 %




8


Incident Energy (eV)

54-Xe-134

MAT 5455 MT= 52 (n,n') Level 54-Xe-134
 Cross Section -100.0 To 1721. %




MAT 5455 MT= 53 (n, n') Level 54-Xe-134
 Cross Section -100.0 To 9999. %




10 Incident Energy (eV) 54-Xe-134


MAT 5455 MT= 54 (n, n') Level 54-Xe-134
 Cross Section -100.0 To 180.8 %




MAT 5455 MT= 55 (n, n') Level 54-Xe-134
 Cross Section -100.0 To 9999. %




MAT 5455 MT= 56 (n, n') Level 54-Xe-134
 Cross Section -100.0 To 9999. %




MAT 5455 MT= 57 (n,n') Level 54-Xe-134
 Cross Section -100.0 To 4831. %




MAT 5455 MT= 58 (n, n') Level 54-Xe-134
 Cross Section -100.0 To 380.1 %




MAT 5455 MT= 59 (n, n') Level 54-Xe-134
 Cross Section -100.0 To 280.9 %



MAT 5455 MT= 60 (n, n') Level 54-Xe-134
 Cross Section -100.0 To 9999. %




MAT 5455 MT= 61 (n, n') Level 54-Xe-134
 Cross Section -100.0 To 617.4 %




18 54-Xe-134

MAT 5455 MT= 62 (n, n') Level 54-Xe-134
 Cross Section -100.0 To 266.2 %




MAT 5455 MT= 63 (n, n') Level 54-Xe-134
 Cross Section -100.0 To 252.0 %




20 54-Xe-134


MAT 5455 MT= 64 (n, n') Level 54-Xe-134
 Cross Section -100.0 To 9999. %




MAT 5455 MT= 65 (n, n') Level 54-Xe-134
 Cross Section -100.0 To 9999. %




MAT 5455 MT= 66 (n, n') Level 54-Xe-134
 Cross Section -100.0 To 9999. %




MAT 5455 MT= 67 (n,n') Level 54-Xe-134
 Cross Section -100.0 To 179.7 %



MAT 5455 MT= 68 (n,n') Level 54-Xe-134
 Cross Section -100.0 To 554.3 %




MAT 5455 MT= 69 (n, n') Level 54-Xe-134
 Cross Section -100.0 To 9999. %



MAT 5455

(n,n') Continuum 54-Xe-134
Cross Section -100.0 To 69.09 %




MAT 5455

(n, γ)

54-Xe-134

Cross Section -100.0 To 9999. %



28

Incident Energy (eV)


54-Xe-134

MAT 5455

(n,p)

54-Xe-134

Cross Section -100.0 To 227.3 %



29

Incident Energy (eV)


54-Xe-134

MAT 5455

(n,d)

54-Xe-134

Cross Section -100.0 To 3929. %



30

Incident Energy (eV)


54-Xe-134

MAT 5455

(n, t)

54-Xe-134

Cross Section -100.0 To 9999. %



31

Incident Energy (eV)


54-Xe-134

MAT 5455

(n, α)

54-Xe-134

Cross Section -100.0 To 580.9 %



32


Incident Energy (eV)

54-Xe-134


MAT 5455

Hydrogen Production 54-Xe-134

Cross Section -100.0 To 227.3 %




MAT 5455 Deuterium Production 54-Xe-134
 Cross Section -100.0 To 3929. %



MAT 5455

Tritium Production 54-Xe-134

Cross Section -100.0 To 9999. %



35

Incident Energy (eV)


54-Xe-134

MAT 5455

He-4 Production

54-Xe-134

Cross Section -100.0 To 580.9 %




36

Incident Energy (eV)

54-Xe-134

MAT 5455


Kerma total (eV-barns) 54-Xe-134
Cross Section -98.56 To 9999. %




MAT 5455

Kerma elastic
Cross Section -99.92 To 9999. %


54-Xe-134



MAT 5455 Kerma non-elastic (all but mt2) 54-Xe-134
 Cross Section -73.28 To 9999. %




MAT 5455 Kerma inelastic (mt51-91) 54-Xe-134
 Cross Section 1797. To 9999. %




40 Incident Energy (eV) 54-Xe-134

MAT 5455 Kerma fission (mt18 or mt19-20-21-38) 54-Xe-134
 Cross Section 1797. To 9999. %




MAT 5455


Kerma capture (mt102) 54-Xe-134
Cross Section -73.28 To 9999. %



MAT 5455 Total photon (eV-barns) 54-Xe-134
 Cross Section -73.28 To 9999. %



MAT 5455 Total kinematic kerma (high limit) 54-Xe-134
 Cross Section -99.92 To 9999. %




MAT 5455

Dpa total (eV-barns)

54-Xe-134

Cross Section -100.0 To 9999. %



45

Incident Energy (eV)


54-Xe-134

MAT 5455

Dpa elastic (mt2)

54-Xe-134

Cross Section -99.66 To 9999. %




46

Incident Energy (eV)

54-Xe-134

MAT 5455 Dpa inelastic (mt51-91) 54-Xe-134
 Cross Section -2.410 To 9999. %



MAT 5455 Dpa disappearance (mt102 -120) 54-Xe-134
 Cross Section -100.0 To 9999. %

