

Program EVALPLOT
(Version 2021-1)

by


Dermott E. Cullen
(Present Contact Information)


Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550
U.S.A.


Tele: 925-443-1911


E.Mail: redcullen1@comcast.net
Web: redcullen1.net/HOMEPAGE.NEW


Press Mouse Button to Start




















MAT 3310


Charged Particle
293 Kelvin Cross Sections


33-As-70












MAT 3310

(n, p) Levels
293 Kelvin Cross Sections


33-AS-70



MAT 3310

33-AS-70

(n,d) Levels
293 Kelvin Cross Sections



14

Incident Energy (MeV)


33-AS-70

MAT 3310

(n,He3) Levels

33-As-70

293 Kelvin Cross Sections



Incident Energy (MeV)


33-As-70

16

MAT 3310

(n, α) Levels
293 Kelvin Cross Sections


33-As-70





17


Incident Energy (MeV)

33-As-70












MAT 3310


MT= 51 (n, n') Level
Legendre Coefficients

33-AS-70












MAT 3310


MT= 52 (n, n') Level
Legendre Coefficients

33-AS-70












MAT 3310


MT= 53 (n, n') Level
Legendre Coefficients


33-AS-70

































MAT 3310

MT= 57 (n, n') Level
Legendre Coefficients


33-AS-70



MAT 3310

MT= 58 (n, n') Level
Legendre Coefficients


33-AS-70




MAT 3310

MT= 58 (n, n') Level
Legendre Coefficients

33-AS-70








MAT 3310


MT= 59 (n, n') Level
Legendre Coefficients


33-AS-70












MAT 3310

MT= 61 (n, n') Level
Legendre Coefficients


33-AS-70





54


Incident Energy (MeV)


33-AS-70
















MAT 3310

MT= 63 (n, n') Level
Legendre Coefficients

33-AS-70








MAT 3310


MT= 64 (n, n') Level
Legendre Coefficients


33-AS-70



































MAT 3310


MT= 67 (n, n') Level
Legendre Coefficients

33-AS-70












MAT 3310


MT= 69 (n, n') Level
Legendre Coefficients


33-AS-70













MAT 3310

MT= 70 (n, n') Level
Legendre Coefficients

33-AS-70







MAT 3310

MT= 70 (n, n') Level
Legendre Coefficients

33-AS-70








MAT 3310

MT= 71 (n, n') Level
Legendre Coefficients

33-AS-70









MAT 3310

MT= 72 (n, n') Level
Legendre Coefficients

33-AS-70







MAT 3310

MT= 73 (n, n') Level
Legendre Coefficients

33-AS-70






MAT 3310

MT= 74 (n, n') Level
Legendre Coefficients


33-AS-70





MAT 3310

MT= 74 (n, n') Level
Legendre Coefficients

33-AS-70







MAT 3310

MT= 75 (n, n') Level
Legendre Coefficients

33-AS-70

