

Program Complot
(Version 2021-1)

by

Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550
U.S.A.

Tele: 925-443-1911
E.Mail:redcullen1@comcast.net
Web:redcullen1.net/HOMEPAGE.NEW


Press Mouse Button to Start

MAT 3325

Total

33-As-75

Cross Section -87.10 To 5047. %



Incident Energy (eV)


33-As-75

MAT 3325

Elastic

33-As-75


Cross Section -89.45 To 9999. %




2

Incident Energy (eV)

33-As-75







MAT 3325


$$(n, 3n)$$


33-AS-75


Cross Section -100.0 To 247.9 %















MAT 3325


MT= 54 (n,n') Level

33-As-75

Cross Section


-15.42 To 9999. %





MAT 3325
MT= 56 (n,n')
Level
33-As-75

Cross Section
30.54
To 9999. %




MAT 3325

MT= 57 (n,n') Level


33-As-75

Cross Section


-64.80 To 9999. %



MAT 3325 MT= 58 (n,n') Level 33-As-75
Cross Section -100.0 To 9999. %





15 Incident Energy (eV) 33-As-75




MAT 3325
MT= 60 (n,n')
Level
33-As-75

Cross Section
-69.34 To 9999. %








MAT 3325

(n, γ)

33-As-75


Cross Section -86.75 To 9999. %





20


Incident Energy (eV)

33-As-75









24

33-As-75


MAT 3325


$$(n, \alpha)$$


33-AS-75


Cross Section


-47.98 To 9999. %













MAT 3325

He-4 Production

33-AS-75

Cross Section -47.98 To 9999. %






MAT 3325

Kerma elastic
Cross Section

33-As-75

-89.46 To 9999. %




10⁻⁵ 10⁻⁴ 10⁻³ 10⁻² 10⁻¹ 10⁰ 10¹ 10² 10³ 10⁴ 10⁵ 10⁶ 10⁷ 10⁸

32


Incident Energy (eV)

33-As-75


MAT 3325 Kerma non-elastic (all but mt2) 33-As-75
 Cross Section -42.29 To 9999. %




33 Incident Energy (eV) 33-As-75




MAT 3325 Kerma fission (mt18 or mt19-20-21-38) 33-As-75
Cross Section -29.68 To 9999. %




MAT 3325 Kerma capture (mt102) 33-As-75
Cross Section -42.29 To 9999. %






MAT 3325 Total kinematic kerma (high limit) 33-As-75
Cross Section -84.20 To 9999. %





MAT 3325 Dpa total (eV-barns) 33-As-75
 Cross Section -86.07 To 9999. %




39 Incident Energy (eV) 33-As-75

MAT 3325 Dpa elastic (mt2) 33-As-75
Cross Section -89.49 To 9999. %








MAT 3325 Dpa disappearance (mt102 -120) 33-As-75
 Cross Section -66.08 To 9999. %





42 Incident Energy (eV) 33-As-75















MAT 3325 Deuterium Production 33-As-75
Cross Section -100.0 To 442.3 %




48 Incident Energy (eV) 33-As-75










MAT 3325

Kerma elastic
Cross Section

33-As-75


-89.45 To 9999. %




53


Incident Energy (eV)


33-As-75







MAT 3325 Kerma fission (mt18 or mt19-20-21-38) 33-As-75
Cross Section -100.0 To 8156. %









MAT 3325 Total kinematic kerma (high limit) 33-As-75
Cross Section -77.53 To 9999. %




MAT 3325 Dpa total (eV-barns) 33-As-75
Cross Section -77.64 To 9999. %




MAT 3325 Dpa elastic (mt2) 33-As-75
Cross Section -89.46 To 9999. %





MAT 3325 Dpa disappearance (mt102 -120) 33-As-75
Cross Section -100.0 To 9999. %



63 Incident Energy (eV) 33-As-75