

Program Complot
(Version 2021-1)


by

Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550
U.S.A.

Tele: 925-443-1911
E.Mail:redcullen1@comcast.net
Web:redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start




MAT 628

Elastic

6-C -13


Cross Section


-65.36 To 91.40 %





Incident Energy (eV)


6-C -13


















MAT 628 MT= 52 (n,n') Level 6-C -13
Cross Section -100.0 To 798.0 %








MAT 628 MT= 55 (n,n') Level 6-C -13
Cross Section -100.0 To 0.000 %




12 Incident Energy (eV) 6-C -13

MAT 628 MT= 56 (n,n') Level 6-C -13
 Cross Section -100.0 To 189.8 %




13 Incident Energy (eV) 6-C -13

MAT 628 MT= 57 (n,n') Level 6-C -13
Cross Section -100.0 To 0.000 %




14 Incident Energy (eV) 6-C -13


MAT 628 MT= 58 (n,n') Level 6-C -13
 Cross Section -100.0 To 18.66 %



15 Incident Energy (eV) 6-C -13



MAT 628 MT= 61 (n,n') Level 6-C -13
 Cross Section -100.0 To 20.57 %




MAT 628

MT= 62 (n,n') Level


6-C -13


Cross Section

-100.0 To 135.5 %



MAT 628 MT= 63 (n,n') Level 6-C -13
Cross Section -100.0 To 0.000 %






MAT 628

MT= 65 (n,n') Level

6-C -13

Cross Section

-100.0 To 30.51 %




MAT 628

MT= 66 (n,n') Level

6-C -13

Cross Section

-100.0 To 30.71 %




MAT 628

MT= 67 (n,n') Level


6-C -13

Cross Section

-100.0 To 17.48 %



MAT 628 MT= 68 (n,n') Level 6-C -13
 Cross Section -100.0 To 0.000 %




MAT 628

MT= 69 (n,n') Level

6-C -13

Cross Section

-100.0 To 5.385 %




MAT 628

MT= 70 (n,n') Level

6-C -13

Cross Section

-100.0 To 85.52 %




MAT 628


MT= 71 (n,n') Level


6-C -13


Cross Section


-100.0 To 171.9 %
















(n, d)
Cross Section
-100.0 To 64.88 %
6-C -13

























MAT 628 Kerma elastic 6-C -13
Cross Section -57.24 To 106.4 %




42 Incident Energy (eV) 6-C -13


MAT 628 Kerma non-elastic (all but mt2) 6-C -13
Cross Section -98.20 To 9999. %





43 Incident Energy (eV) 6-C -13



MAT 628 Kerma fission (mt18 or mt19-20-21-38) 6-C -13
Cross Section -100.0 To 9999. %










MAT 628 Total kinematic kerma (high limit) 6-C -13


Cross Section -57.24 To 106.4 %





MAT 628 Dpa elastic (mt2) 6-C -13
 Cross Section -59.17 To 92.97 %





MAT 628 Dpa disappearance (mt102 -120) 6-C -13
Cross Section -100.0 To 9999. %

