

Program Complot
(Version 2021-1)

by


Dermott E. Cullen
(Present Contact Information)


Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550
U.S.A.


Tele: 925-443-1911


E.Mail: redcullen1@comcast.net
Web: redcullen1.net/HOMEPAGE.NEW


Press Mouse Button to Start


















MAT 2643 MT= 51 (n,n') Level 26-Fe-60
Cross Section -100.0 To 13.15 %




9 Incident Energy (eV) 26-Fe-60


MAT 2643


MT= 52 (n, n') Level


 $^{26}\text{Fe-60}$


Cross Section -100.0 To 9999. %












































MAT 2643 MT= 67 (n,n') Level 26-Fe-60
Cross Section -100.0 To 910.0 %




MAT 2643 MT= 68 (n,n') Level 26-Fe-60
Cross Section -100.0 To 7.104 %




MAT 2643 MT= 69 (n,n') Level 26-Fe-60
Cross Section -100.0 To 5158. %







MAT 2643 MT= 71 (n,n') Level 26-Fe-60
Cross Section -100.0 To 2876. %




MAT 2643 MT= 72 (n,n') Level 26-Fe-60
Cross Section -100.0 To 232.6 %





MAT 2643 MT= 73 (n,n') Level 26-Fe-60
Cross Section -100.0 To 9999. %







MAT 2643 MT= 75 (n,n') Level 26-Fe-60
Cross Section -100.0 To 351.6 %











MAT 2643 MT= 78 (n,n') Level 26-Fe-60
Cross Section -100.0 To 3186. %













































Cross Section -99.94 To 9999. %







MAT 2643Kerma fission (mt18 or mt19-20-21-38) 26-Fe-60
Cross Section -100.0 To 9999. %







MAT 2643 Total kinematic kerma (high limit) 26-Fe-60
Cross Section -97.48 To 750.4 %




MAT 2643

Dpa total (eV-barns)

 $^{26}\text{Fe-60}$

Cross Section -97.47 To $1566. \%$



25

Incident Energy (eV)

 $^{26}\text{Fe}-60$

MAT 2643 Dpa elastic (mt2) 26-Fe-60
Cross Section -97.47 To 36.48 %

