

Program Complot
(Version 2021-1)

by


Dermott E. Cullen
(Present Contact Information)


Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550
U.S.A.


Tele: 925-443-1911


E.Mail: redcullen1@comcast.net
Web: redcullen1.net/HOMEPAGE.NEW


Press Mouse Button to Start




















MAT 3225 MT= 52 (n,n') Level 32-Ge-70
Cross Section -99.97 To 62.64 %




MAT 3225 MT= 53 (n,n') Level 32-Ge-70
 Cross Section -100.0 To 34.76 %





MAT 3225 MT= 54 (n,n') Level 32-Ge-70
Cross Section -100.0 To 85.06 %




10 Incident Energy (eV) 32-Ge-70












MAT 3225 MT= 59 (n,n') Level 32-Ge-70
Cross Section -100.0 To -43.28%



MAT 3225 MT= 60 (n,n') Level 32-Ge-70
Cross Section -100.0 To -11.42%



MAT 3225 MT= 61 (n,n') Level 32-Ge-70
Cross Section -100.0 To -10.64%




MAT 3225


MT= 62 (n, n') Level


32-Ge-70

Cross Section -100.0 To 9999. %




MAT 3225 MT= 63 (n,n') Level 32-Ge-70
Cross Section -100.0 To 18.72 %







MAT 3225 MT= 65 (n,n') Level 32-Ge-70
Cross Section -100.0 To 12.44 %




MAT 3225 MT= 66 (n,n') Level 32-Ge-70
Cross Section -100.0 To 892.9 %




MAT 3225 MT= 67 (n,n') Level 32-Ge-70
 Cross Section -100.0 To 22.51 %




MAT 3225 MT= 68 (n,n') Level 32-Ge-70
Cross Section -100.0 To 3.749 %




MAT 3225 MT= 69 (n,n') Level 32-Ge-70
Cross Section -100.0 To 67.87 %




MAT 3225 MT= 70 (n,n') Level 32-Ge-70
Cross Section -100.0 To 309.2 %




MAT 3225 MT= 71 (n,n') Level 32-Ge-70
Cross Section -100.0 To 316.0 %




MAT 3225 MT= 72 (n,n') Level 32-Ge-70
 Cross Section -100.0 To 1585. %




MAT 3225 MT= 73 (n,n') Level 32-Ge-70
Cross Section -100.0 To 63.39 %




MAT 3225 MT= 74 (n,n') Level 32-Ge-70
Cross Section -100.0 To -53.61%




30 Incident Energy (eV) 32-Ge-70




MAT 3225 MT= 76 (n,n') Level 32-Ge-70
Cross Section -100.0 To 348.0 %




32








MAT 3225 MT= 79 (n,n') Level 32-Ge-70
Cross Section -100.0 To 178.5 %





MAT 3225 MT= 80 (n,n') Level 32-Ge-70
Cross Section -100.0 To 13.56 %
























MAT 3225

Hydrogen Production

32-Ge-70


Cross Section -100.0 To 3.703 %





45


Incident Energy (eV)


32-Ge-70





















MAT 3225 Kerma fission (mt18 or mt19-20-21-38) 32-Ge-70
Cross Section -61.04 To 9999. %




MAT 3225


Kerma capture (mt102)


32-Ge-70

Cross Section


-99.57 To 9999. %









MAT 3225 Dpa total (eV-barns) 32-Ge-70
 Cross Section -99.88 To 9999. %






MAT 3225 Dpa inelastic (mt51-91) 32-Ge-70
Cross Section -49.08 To 9999. %



60 Incident Energy (eV) 32-Ge-70

MAT 3225 Dpa disappearance (mt102 -120) 32-Ge-70

Cross Section -99.90 To 9999. %



61 Incident Energy (eV) 32-Ge-70