

Program Complot
(Version 2021-1)

by

Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way

Livermore, CA 94550


U.S.A.


Tele: 925-443-1911


E.Mail: redcullen1@comcast.net


Web: redcullen1.net/HOMEPAGE.NEW


Press Mouse Button to Start


























MAT 4931 MT= 51 (n,n') Level 49-In-115
Cross Section -100.0 To 9999. %





MAT 4931 MT= 52 (n,n') Level 49-In-115
Cross Section -100.0 To 9999. %





12 Incident Energy (eV) 49-In-115


















MAT 4931


MT= 60 (n,n') Level


49-In-115


Cross Section


-100.0 To 9999. %



















Cross Section




































MAT 4931

He-4 Production


49-In-115

Cross Section -100.0 To 9999. %




MAT 4931 Kerma total (eV-barns) 49-In-115

Cross Section -9999. To 366.6 %




41 Incident Energy (eV) 49-In-115


MAT 4931 Kerma non-elastic (all but mt2) 49-In-115
Cross Section -9999. To 9999. %




43 Incident Energy (eV) 49-In-115



MAT 4931 Kerma fission (mt18 or mt19-20-21-38)9-In-115
Cross Section -9999. To 9999. %




MAT 4931 Kerma capture (mt102) 49-In-115
Cross Section -100.0 To 9999. %




46 Incident Energy (eV) 49-In-115

MAT 4931 Total photon (eV-barns) 49-In-115
 Cross Section -99.06 To 9999. %




47 Incident Energy (eV) 49-In-115

MAT 4931 Total kinematic kerma (high limit) 49-In-115
Cross Section -87.05 To 9999. %




48 Incident Energy (eV) 49-In-115

MAT 4931 Dpa total (eV-barns) 49-In-115
Cross Section -86.90 To 9999. %




49 Incident Energy (eV) 49-In-115


MAT 4931 Dpa elastic (mt2) 49-In-115
 Cross Section -99.55 To 75.89 %





50 Incident Energy (eV) 49-In-115





MAT 4931 Dpa disappearance (mt102 -120) 49-In-115
Cross Section -100.0 To 9999. %























Radionuclide Production Cross Section (mb)

