

Program Complot
(Version 2021-1)

by


Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550
U.S.A.

Tele: 925-443-1911

E.Mail: redcullen1@comcast.net
Web: redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start




MAT 3425

Elastic

³⁴Se-74

Cross Section -99.98 To 9999. %





10^{-5} 10^{-4} 10^{-3} 10^{-2} 10^{-1} 10^0 10^1 10^2 10^3 10^4 10^5 10^6 10^7 10^8


2


Incident Energy (eV)


³⁴Se-74


















MAT 3425 MT= 51 (n,n') Level 34-Se-74
 Cross Section -100.0 To 45.02 %








MAT 3425 MT= 53 (n,n') Level 34-Se-74
 Cross Section -100.0 To 17.36 %






















MAT 3425


MT= 61 (n, n') Level


34-Se-74


Cross Section -100.0 To 76.41 %
























MAT 3425


MT= 70 (n, n') Level


34-Se-74


Cross Section -100.0 To 9999. %





MAT 3425 MT= 71 (n,n') Level 34-Se-74
Cross Section -100.0 To 1339. %






















MAT 3425


$$(n, \alpha)$$


34-Se-74

Cross Section	-100.0 To 58.03 %
---------------	-------------------













MAT 3425 He-3 Production 34-Se-74
Cross Section -100.0 To 9999. %




41 34-Se-74








MAT 3425 Kerma non-elastic (all but mt2) 34-Se-74
Cross Section -4145. To 9999. %





45 Incident Energy (eV) 34-Se-74




MAT 3425 Kerma fission (mt18 or mt19-20-21-38) 34-Se-74


Cross Section -100.0 To 9999. %







MAT 3425 Total kinematic kerma (high limit) 34-Se-74
Cross Section -99.61 To 9999. %



MAT 3425 Dpa total (eV-barns) 34-Se-74
 Cross Section -99.63 To 9999. %

